HYDRASTIS CANADENSIS- goldenseal pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hydrastis canadensis 6X

Hydrastis canadensis 6X

Less than 10 -5 mg hydrastine, berberine alkaloids per pellet

(**contains 0.443 mg of the active ingredient per pellet)

Post-Nasal Drip*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.


Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.







8

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions:
Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose **Questions or comments?** BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661) **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details. Distributed by Boiron Inc.



Product Inform	ation							
Product Type		HUMAN OTC DRUG	Ite	Item Code (Source) NDC:0220-			20-2522	
Route of Administ	ration	ORAL						
A								
Active Ingredie		-						
Ingredient Name					s of Str	ength	Strength	
GOLDENSEAL (UNII: Z	.w3Z11D0JV)((GOLDENSEAL - UNII	:∠W3Z11D	UJV)	GOLDE	NSEAL		6 [hp_X]
Inactive Ingredients								
Ingredient Name						Strength		
SUCROSE (UNII: C151H8M554)								
LACTOSE (UNII: J2B2A	4N98G)							
Product Charac	teristics							
	wł	hite	Score					
Color		DUND	Size				4r	nm
	RC	SOND	5120					
Shape	RC		Imprint	Code				
Shape Flavor	RC			Code				
Color Shape Flavor Contains	RC			Code				
Shape Flavor	RC			Code				
Shape Flavor Contains		kage Descriptio	Imprint	Marke	ting S)ate	tart		eting End Date

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
unapproved homeopathic		03/03/1983					

Labeler - Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment							
Name	Address	ID/FEI	Business Operations				
Boiron		282560473	manufacture(0220-2522)				

Revised: 7/2023

Boiron