

**AMAZON FIBER CAPLETS- calcium polycarbophil tablet, film coated**  
**AMAZON.COM SERVICES LLC**

-----  
**Fiber Caplets Calcium Polycarbophil**

***Drug Facts***

**Active Ingredient (in each caplet)**

Calcium polycarbophil 625 mg

equivalent to 500 mg polycarbophil

**Purpose**

Bulk-forming laxative

***Uses***

- relieves occasional constipation to help restore and maintain regularity
- this product generally produces bowel movement in 12 to 72 hours

**Choking Warning:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

**Ask your doctor or pharmacist before use if you are**

taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

**When using this product**

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24 hour period unless directed by a doctor

**Stop use and ask a doctor if**

rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative. These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

## ***Directions***

- take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. (See choking warning).
- this product works naturally so continued use for one to three days is normally required to provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or severity of constipation.

<b>age</b>	<b>Recommended dose</b>	<b>Daily maximum</b>
adults & children 12 years of age and over	2 caplets once a day	up to 4 times a day
children under 12 years	consult a physician	

## ***Other information***

- **each caplet contains:** calcium 125 mg
- store at room temperature
- protect contents from moisture

## **DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**

calcium carbonate, caramel color, crospovidone, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium lauryl sulfate.

## ***Questions or Comments?***

**1-866-467-2748**

## **PRINCIPAL DISPLAY PANEL**

NDC# 21130-021-40

**\*Compare to the active ingredients of Fibercon<sup>®</sup> Caplets\***

**NDC 72288-201-40**

### **Fiber Caplets**

Calcium Polycarbophil

### **Bulk-Forming**

### **Fiber Laxative**

- Gentle Relief of Constipation
- Won't Cause Gas or Bloating
- Effective as Fiber Powders

**140 Caplets**

Distributed by:

\*This product is not manufactured or distributed by Pfizer Inc., owner of the registered trademark Fibercon® Caplets.

Compare to the active ingredient in  
FiberCon® Caplets\*  
NDC72288-201-40

# Fiber Caplets

Calcium Polycarbophil

**Bulk-Forming  
Fiber Laxative**

- Gentle Relief of Constipation
- Won't Cause Gas or Bloating
- Effective as Fiber Powders

140 Caplets

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS TORN OR MISSING

Drug Facts	
<b>Active ingredient (in each caplet)</b> Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil	<b>Purpose</b> Bulk-forming laxative
<b>Uses</b> ■ relieves occasional constipation to help restore and maintain regularity ■ this product generally produces bowel movement in 12 to 72 hours.	
<b>Warnings</b> <b>Choking:</b> Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention. <b>Ask your doctor before use if you have</b> ■ abdominal pain, nausea or vomiting ■ a sudden change in bowel habits that persists over a period of 2 weeks. <b>Ask your doctor or pharmacist before use if you are</b> taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work. <b>When using this product</b> ■ do not use for more than 7 days unless directed by a doctor ■ do not take more than 8 caplets in a 24 hour period unless directed by a doctor <b>Stop use and ask a doctor</b> if rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative.	


Drug Facts (continued)		
These could be signs of a serious condition. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222		
<b>Directions</b> ■ take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. ■ this product works naturally so continued use for one to three days is normally required to provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or severity of constipation		
<b>age</b>	<b>recommended dose</b>	<b>daily maximum</b>
adults & children 12 years of age and over	2 caplets once a day	up to 4 times a day
children under 12 years	consult a physician	

**Other information** ■ each caplet contains: calcium 125 mg ■ store at room temperature ■ protect contents from moisture

**Inactive ingredients** calcium carbonate, caramel color, crospovidone, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium lauryl sulfate

**Questions or comments?** 1-866-467-2748

120140XXXXL



000000000000

0

LOT:      EXP:

Distributed by:  
\*This product is not manufactured or distributed by Pfizer Inc., owner of the registered trademark FiberCon® Caplets.

AMAZON FIBER CAPLETS  
calcium polycarbophil tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-201
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CALCIUM POLYCARBOPHIL (UNII: 8F049NKY49) (POLYCARBOPHIL - UNII:W25LM17A4W)		CALCIUM POLYCARBOPHIL	625 mg

Inactive Ingredients		Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)		
CARAMEL (UNII: T9D99G2B1R)		
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		

## Product Characteristics

<b>Color</b>	BROWN (light)	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	RP120
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-201-40	140 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/01/2025	

**Labeler** - AMAZON.COM SERVICES LLC (128990418)

Revised: 12/2025

AMAZON.COM SERVICES LLC