QCH REGULAR STRENGTH ANTACID 509- aluminum hydroxide, magnesium hydroxide, simethicone liquid Chain Drug Marketing Association Inc.

QCH Regular Strength Antacid 509

ACTIVE INGREDIENTS (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg Magnesium hydroxide 400 mg Simethicone 40 mg

PURPOSE

Antacid Antacid Antigas

USE(S)

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach and gas associated with these symptoms

WARNINGS

Do not take more than 80 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

ASK A DOCTOR BEFORE USE IF YOU HAVE

- kidney disease
- a magnesium-restricted diet

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

 presently taking a prescription drug. Antacids may interact with certain prescription drugs.

STOP USE AND ASK DOCTOR

if symptoms last more than two weeks

DIRECTIONS

- shake well before use
- mL = milliliter
- adults and children 12 years and older: take 10 mL to 20 mL four times a day, or as directed by a doctor
- children under 12 years: consult a doctor

OTHER INFORMATION

- each 10 mL contains: magnesium 170 mg, sodium 5 mg
- store at controlled room temperature 20°C-25°C (68°-77°F)
- do not freeze

INACTIVE INGREDIENTS

ethyl alcohol, flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol

PRINCIPAL DISPLAY PANEL

NDC 83324-121-12 QC

QUALITY CHOICE[®]

Regular strength

Antacid Liquid

Antacid & Antigas

Aluminum Hydroxide 400 mg Magnesium Hydroxide 400 mg Simethicone 40 mg

Relieves:

Acid Indigestion

Heartburn

Sour Stomach

Pressure & Bloating

Original Flavor Alcohol content 0.2% v/v

12 FL OZ (355 mL)

-

- -.



aluminum hydroxide, magnesium hydroxide, simethicone liquid						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:83324-121		
Route of Administration	ORAL					
Active Ingredient/Active Moiety						
Ingredient Name			Basis of Strength		Strength	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)			ALUMINUM HYDROXIDE		400 mg in 10 mL	
MAGNESIUM HYDROXIDE (UNII: NBZ 3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)			MAGNESIUM HYDROXIDE		400 mg in 10 mL	
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)			DIMETHICONE		40 mg in 10 mL	

ACH DECILLAD STDENCTH ANTACID 500

Inactive Ingredients				
Ingredient Name	Strength			
ALCOHOL (UNII: 3K9958V90M)				
GLYCERIN (UNII: PDC6A3C0OX)				
HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZN16)				
METHYLPARABEN (UNII: A2I8C7HI9T)				

PROPYLENE GLYCOI						
PROPYLPARABEN (U	NII: Z8IX2SC1OH)					
WATER (UNII: 059QF0	IKO0R)					
SACCHARIN SODIUM	(UNII: SB8ZUX40TY)					
SORBITOL (UNII: 506	T60A25R)					
Product Characteristics						
Color	olor WHITE Score		ore			
Shape		Siz	Size			
Flavor	LEMON (Mint)	Imp	mprint Code			
Contains						
Packaging						
# Item Code	Package Descripti	Package Description		Marketing Date	End	
NDC:83324-121- 12 355 mL in 1 BOTTLE; Type 0: Not a Combination Product		08/27/2024				
Marketing Information						
Marketing Category	Application Number or N Citation	lication Number or Monograph Citation		Marketing Date	End	
OTC Monograph Drug	M001		08/27/2024			

Labeler - Chain Drug Marketing Association Inc. (011920774)

Establishment			
Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(83324-121)

Revised: 8/2024

Chain Drug Marketing Association Inc.