

**TOLNAFTATE- foot odor control spray aerosol, spray**  
**Topco Associates LLC**

-----  
**TopCare Foot Odor Control Spray**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- prevents recurrence of athlete's foot (tinea pedis) with daily use
- cures mose athlete's foot (tinea pedis) and ringworm (tinea corporis)
- relieves sympmtoms of athlete's foot, including itching, burning and cracking

***Warnings***

**For external use only.**

**Flammable:**

Keep away from heat, sparks and open flame. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents cans be harmful or fatal.

**When using this product**

- avoid contact with the eyes or mouth

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks

**Do not use**

on children under 2 years of age unless directed by a doctor

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks
- if conditions persist, consult a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- in case of clogging, clear nozzle under running water

### ***Other information***

store between 20° and 30°C (68°F and 86°)

### ***Inactive ingredients***

disteardimonium hectorite, fragrance, isobutane, isopropyl myristate, SD alcohol 40-B, sodium bicarbonate

### ***Questions?***

call 1-866-964-0939

### ***Principal Display Panel***

**TopCare**

**MEDICATED**

**Foot Odor**

**Control**

**Powder Spray**

TOLNAFTATE % • ANTIFUNGAL

- Cures Most Athlete's Foot & Prevents Recurrences
- Reduces Foot Odor
- Relieves Itching, Burning & Cracking

NET WT 4 OZ (113g)



NDC 36800-023-04

COMPARE TO ODOR-EATERS®  
SPRAY POWDER ACTIVE INGREDIENT\*

**MEDICATED**

# Foot Odor Control

**Powder Spray**

TOLNAFTATE 1% • ANTIFUNGAL

- Cures Most Athlete's Foot & Prevents Recurrences
- Reduces Foot Odor
- Relieves Itching, Burning & Cracking



NET WT 4 OZ (113 g)

\*This product is not manufactured or distributed by Blistex Inc., owner of the registered trademark Odor-Eaters®.

| Drug Facts  |            |
|---|------------|
| Active ingredient   | Purpose    |
| Tolnaftate 1%   | Antifungal |
| <b>Uses</b>   |            |
| <ul style="list-style-type: none"> <li>prevents recurrence of athlete's foot with daily use</li> <li>cures most athlete's foot (tinea pedis) and ringworm (tinea corporis)</li> <li>relieves symptoms of athlete's foot, including itching, burning and cracking</li> </ul>   |            |
| <b>Warnings</b>   |            |
| For external use only.  |            |
| <b>Flammable:</b> Keep away from heat, sparks and open flame. Contents under pressure. Do not puncture or incinerate. Do not store above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.   |            |
| <b>When using this product</b> <ul style="list-style-type: none"> <li>avoid contact with the eyes or mouth</li> </ul>   |            |
| <b>Stop use and ask a doctor if</b> <ul style="list-style-type: none"> <li>irritation occurs</li> <li>no improvement within 4 weeks</li> </ul>  |            |
| <b>Do not use</b> on children under 2 years of age unless directed by a doctor. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.   |            |
| <b>Directions</b>   |            |
| <ul style="list-style-type: none"> <li>wash affected area and dry thoroughly</li> <li>shake can well and spray a thin layer over affected area twice daily (morning and night)</li> <li>supervise children in the use of this product</li> <li>for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily</li> <li>use daily for 4 weeks</li> <li>if condition persists, consult a doctor</li> <li>to prevent athlete's foot, apply once or twice daily (morning and/or night)</li> <li>this product is not effective on the scalp or nails</li> <li>if nozzle clogs, clear under running water</li> </ul> |            |

**Other information**  
store between 20° and 30°C (68° and 86°F)

**Inactive ingredients**  
disteardimonium hectorite, fragrance, isobutane, isopropyl myristate, SD alcohol 40-B, sodium bicarbonate

**Questions?** Call 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007 © TOPCO  
PBAA0918 QUESTIONS? 1-888-423-0139  
topcare@topco.com www.topcarebrand.com  
MADE IN USA WITH U.S. AND IMPORTED PARTS



Scan here for more information



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

50-023TC-01

## TOLNAFTATE

foot odor control spray aerosol, spray

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:36800-023 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength        |
|--|-------------------|-----------------|
| TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) | TOLNAFTATE        | 1.13 g in 113 g |

### Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |          |
| ISOBUTANE (UNII: BXR49TP611)                 |          |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)       |          |
| ALCOHOL (UNII: 3K9958V90M)                   |          |

**SODIUM BICARBONATE** (UNII: 8MDF5V39QO)

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:36800-023-04 | 113 g in 1 CAN; Type 0: Not a Combination Product | 01/05/2012           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M005                                     | 01/05/2012           |                    |

**Labeler** - Topco Associates LLC (006935977)

Revised: 11/2025

Topco Associates LLC