

**TEXACLEAR FAST ACTING ALLERGY RELIEF- chlophedianol hydrochloride,  
pyrilamine maleate liquid  
GM Pharmaceuticals, INC**

-----  
**TexaClear Fast Acting Allergy Relief**

**(Chlophedianol HCl & Pyrilamine Maleate), solution  
GM Pharmaceuticals, Inc.**

***Drug Facts***

**Active ingredients (in each 30 mL)**

Chlophedianol HCl 25 mg

Pyrilamine Maleate 50 mg

**Purpose**

Cough suppressant

Antihistamine

**Uses**

■ temporarily relieves these symptoms due to the common cold, hay fever or other upper respiratory allergies:

- runny nose
  - sneezing
  - itching of the nose or throat
  - itchy, watery eyes
- cough due to minor throat and bronchial irritation

**Warnings**

**Ask a doctor before use if you have**

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis

## **Ask a doctor before use if you are**

- taking sedative or tranquilizers

## **When using this product**

- do not use more than directed
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

## **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days, tend to recur, or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- do not exceed 4 doses in any 24 hour period
- use enclosed dose cup and keep with product
- mL= milliliter
- adults and children 12 yrs and over: 30 mL every 6 to 8 hrs
- children under 12 years of age: do not use

## **Other information**

- each 30 mL contains: Sodium 17 mg
- read all product information before using
- store at room temperature 20-30°C (68-86°F)

## Inactive ingredients

citric acid anhydrous, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol

## Questions or comments?

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

## PRINCIPAL DISPLAY PANEL

NDC 58809-360-08

TEXACLEAR

FAST ACTING

ALLERGY

RELIEF

8 fl oz (237 mL)

TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING

NDC 58809-360-08

LIFT HERE FOR COMPLETE DRUG FACTS

**FAST ACTING  
FREE & CLEAR  
FORMULA**

- Dye Free
- Sugar Free
- Gluten Free
- Alcohol Free
- Acetaminophen Free

**TEXACLEAR**

**FAST ACTING  
ALLERGY  
RELIEF**

Chlophedianol HCl- 25 mg Cough Suppressant  
Pyrimamine Maleate - 50 mg Antihistamine

Sneezing • Runny Nose  
Itchy Nose • Itchy Throat  
Watery Eyes • Cough

SEVERE RELIEF  
UP TO 8 HOURS

• Ages: 12+  
• 30 mL every 6 to 8 hours

Please visit our website  
[www.texaclear.com](http://www.texaclear.com)

Distributed by:  
GM Pharmaceuticals, Inc.  
Arlington, TX 76018  
201047-01 Rev.0925

8 fl oz (237 mL)

U.S. Pat. 9,463,191

3 58809 36008 6

# Drug Facts

## Active ingredients (in each 30 mL)

Chlophedianol HCl 25 mg.....Cough suppressant  
Pyrilamine Maleate 50 mg.....Antihistamine

## Purpose

## Uses

- temporarily relieves these symptoms due to the common cold, hay fever or other upper respiratory allergies:
  - runny nose
  - itching of the nose or throat
  - sneezing
  - itchy, watery eyes
- cough due to minor throat and bronchial irritation

## Warnings

### Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis

### Ask a doctor before use if you are

- taking sedatives or tranquilizers

### When using this product

- do not use more than directed
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days, tend to recur, or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

- do not exceed 4 doses in any 24 hour period
- use enclosed dose cup and keep with product
- mL= milliliter
- adults and children 12 yrs and over: 30 mL every 6 to 8 hrs
- children under 12 years of age: do not use

## Other information

- each 30 mL contains: **Sodium 17 mg**
- read all product information before using
- store at room temperature 20-30°C (68-86°F)

## Inactive ingredients

citric acid anhydrous, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol

## Questions or comments?

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

## TEXACLEAR FAST ACTING ALLERGY RELIEF

chlophedianol hydrochloride, pyrilamine maleate liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58809-360
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CHLOPHEDIANOL HYDROCHLORIDE</b> (UNII: 69QQ58998Y) (CHLOPHEDIANOL - UNII:42C50P12AP)	CHLOPHEDIANOL HYDROCHLORIDE	25 mg in 30 mL
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	50 mg in 30 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58809-360-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/21/2014	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	10/21/2014	

**Labeler** - GM Pharmaceuticals, INC (793000860)

Revised: 11/2025

GM Pharmaceuticals, INC