## AVEENO BABY CONTINUOUS PROTECTION SENSITIVE SKIN SUNSCREEN BROAD SPECTRUM SPF 50- zinc oxide stick Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Aveeno Baby <sup>®</sup> CONTINUOUS PROTECTION <sup>®</sup> sensitive skin sunscreen stick BROAD SPECTRUM SPF 50

**Drug Facts** 

#### **Active ingredients**

Zinc Oxide (21.6%)

#### **Purpose**

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

#### For external use only

Do not use on damaged or broken skin

#### When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply generously and evenly 15 minutes before sun exposure
- ensure complete coverage to the area above the lip, nose, and tops of ears
- reapply:
  - o after 80 minutes of swimming or sweating
  - o immediately after towel drying
  - o at least every 2 hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics
- package contains small parts, which could cause a choking hazard

#### **Inactive ingredients**

Octyldodecyl Neopentanoate, C12-15 Alkyl Benzoate, Polyethylene, Paraffin, Silica, Neopentyl Glycol Diethylhexanoate, Ozokerite, Isopropyl Myristate, Adipic Acid/Diglycol Crosspolymer, Triethoxycaprylylsilane, Neopentyl Glycol Diisostearate, Caprylyl Glycol, Avena Sativa (Oat) Kernel Oil

#### Questions?

Call toll-free **866-428-3366** or **215-273-8755** (collect) . www.aveeno.com

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558

#### PRINCIPAL DISPLAY PANEL - 13 g Canister Blister Pack

NEW
PEDIATRICIAN RECOMMENDED BRAND
Aveeno
baby ®
CONTINUOUS
PROTECTION ®
sensitive skin
sunscreen
stick
BROAD SPECTRUM
SPF 50

50

naturally sourced 100% zinc oxide active ingredient sweat + water resistant (80min)

net wt. 0.47 oz (13 g)



PEDIATRICIAN RECOMMENDED BRAND

# Aveeno

Baby.

## CONTINUOUS PROTECTION.

sensitive skin

sunscreen stick

BROAD SPECTRUM SPF 50

50

naturally-sourced 100% zinc oxide active ingredient



#### AVEENO® Baby Continuous Protection® Sensitive Skin Sunscreen Stick

contains naturally sourced 100% zinc oxide active ingredient to provide powerful broad spectrum UVA/UVB protection while being as mild as water on skin. This sunscreen stick glides on skin for soft and smooth application, leaving skin feeling silky and smooth. Suitable for everyday use and handy to have for those on-the-go SUNNY MOMENTS™.

■fragrance-free ■paraben-free ■phthalate-free

#### **Drug Facts**

#### Active ingredients

Purpose

Zinc Oxide (21.6%)......Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product . keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • apply generously and evenly 15 minutes before sun exposure • ensure

complete coverage to the area above the lip, nose, and tops of ears • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.—2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics • package contains small parts, which could cause a choking hazard

Inactive ingredients Octyldodecyl Neopentanoate, C12-15 Alkyl Benzoate, Polyethylene, Paraffin, Silica, Neopentyl Glycol Diethylhexanoate, Ozokerite, Isopropyl Myristate, Adipic Acid/Diglycol Crosspolymer, Triethoxycaprylylsilane, Neopentyl Glycol Diisostearate, Caprylyl Glycol, Avena Sativa (Oat) Kernel Oil

Questions? Call toll-free 866-428-3366 or 215-273-8755 (collect). www.aveeno.com

Distributed by:

### JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

Skillman, NJ 08558

Skillman, NJ 08558





30044095

## AVEENO BABY CONTINUOUS PROTECTION SENSITIVE SKIN SUNSCREEN BROAD SPECTRUM SPF 50

zinc oxide stick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0583
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 g	

Inactive Ingredients		
	Ingredient Name	Strength

OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
PARAFFIN (UNII: 1900E3H2ZE)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)	
CERESIN (UNII: Q1LS2UJO3A)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
ADIPIC ACID/DIGLYCOL CROSSPOLYMER (20000 MPA.S) (UNII: R9TPS68K19)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NEOPENTYL GLYCOL DIISOSTEARATE (UNII: 4M6OQ34JWW)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
OAT KERNEL OIL (UNII: 3UVP41R77R)	

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968- 0583-1	1 in 1 BLISTER PACK	10/01/2019	
1	_	13 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/01/2019	

### Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023 Johnson & Johnson Consumer Inc.