

**OXYGEN - oxygen gas**  
**Uptown Pharmacy of Kings man**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

Oxygen

Principal for Oxygen Product

**OXYGEN,  
COMPRESSED  
USP**

UN 1072

C.A.S. NO. 7782-44-7

**UPTOWN  
DRUG**  
Rx UNITED  
DRUGS  
HOME MEDICAL  
SUPPLY

2820 E. Andy Devine Avenue  
Kingman, Arizona 86401  
928-753-2738

**WARNING: HIGH PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.**  
Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation.  
Use only with equipment cleaned for oxygen service and rated for cylinder pressure.  
**Use a back flow preventative device in the piping.**  
Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F).  
Use in accordance with Material Safety Data Sheet (MSDS).  
**DO NOT REMOVE THIS PRODUCT LABEL.**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	6 scf	<input type="checkbox"/> Other _____	scf
<input type="checkbox"/> D	14 scf	<input type="checkbox"/> Other _____	scf
<input type="checkbox"/> E	24 scf	<input type="checkbox"/> Other _____	scf

015.02      Second batch of the day

601310 1

UPTOWN DRUG

1001404

Produced by air liquefaction

**OXYGEN  
COMPRESSED  
U.S.P. UN 1072**



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications: **Rx ONLY.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**WARNING: HIGH PRESSURE OXIDIZING GAS  
VIGOROUSLY ACCELERATES COMBUSTION**

- Use only with pressure reducing equipment and apparatus cleaned and designed for oxygen service and rated for cylinder pressure.
  - Open valve slowly. Close valve after each use and when empty. Keep cylinder, cylinder valve, all equipment that connects, free of oil and grease to avoid violent ignition.
  - Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act. Pursuant to recommendations by Compressed Gas Association (CGA C-7-2000), do not expose pressurized cylinders to temperatures in excess of 125°F.
  - **DO NOT REMOVE THIS PRODUCT LABEL.**
- Use only in accordance with product instructions and material safety data sheet.

Date code: 1201

Label: 0035-089

**DO NOT REFILL OR EXCHANGE  
WITHOUT WRITTEN AUTHORIZATION.  
THIS CYLINDER SUPPLIED BY, AND  
PROPERTY OF**



Providers of  
**Quality Home Medical Equipment  
Rentals, Sales and Service.**

**928 753-2738**

2820 E. Andy Devine Ave.  
Kingman, AZ 86401

**WARNING:**

**HIGH PRESSURE GAS CYLINDER**

Improper filling or abuse of this cylinder, or failure to heed this warning may cause serious injury or loss of life. **DO NOT ALTER OR MODIFY CYLINDER OR RELATED COMPONENTS. DO NOT OVERPRESSURIZE.** Keep out of the reach of children. Cylinders that have been refinished and/or exposed to elevated temperatures must be hydrostatically tested before filling. Do not use caustic paint strippers. Aluminum cylinders subject to action of fire or heated to temperatures in excess of 350°F must be withdrawn from service and condemned. Valves and safety relief devices must be removed and replaced by trained personnel. Do not alter or change safety discs. Replace pressure relief devices only with complete assemblies supplied by the valve manufacturer. **DO NOT FILL WITH OXIDIZING GASES WITHOUT PROPER CLEANING.** Cylinders, valves, and assemblies must be specially cleaned for oxygen. Verify cylinder content and pressure monthly, or more frequently if required. Store and use with adequate ventilation.

**Cylinder contents at 70°F**

- | Type                    | Capacity               |
|-------------------------|------------------------|
| <input type="radio"/> B | 142 liters at 1900 PSI |
| <input type="radio"/> C | 235 liters at 1900 PSI |
| <input type="radio"/> D | 393 liters at 1900 PSI |
| <input type="radio"/> E | 646 liters at 1900 PSI |

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:35567-0001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:35567-0001-1	142 L in 1 CYLINDER		
2	NDC:35567-0001-2	393 L in 1 CYLINDER		
3	NDC:35567-0001-3	646 L in 1 CYLINDER		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		01/01/1999	

**Labeler** - Uptown Pharmacy of Kingsman (074469321)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Uptown Pharmacy of Kingsman		074469321	manufacture

Revised: 2/2010

Uptown Pharmacy of Kingsman