

HOUSEHOLD DUST AND MOLD MIX- glandula suprarenalis (bovine), hepar (bovine), histaminum hydrochloricum, alternaria tenuis nees, aspergillus niger, candida albicans, candida parapsilosis, dust, mucor racemosus, torula cerevisiae, house dust mite, adrenocorticotrophin, rhizopus nigricans spray Nutritional Specialties, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Adrenocorticotrophin 15C, 30C, Alternaria Tenuis Nees 60X, 100X, Aspergillus Niger 16X, 60X, 100X, Candida Albicans 16X, 60X, 100X, Candida Parapsilosis 16X, 60X, 100X, Carpet Dust 16X, 60X, 100X, Furniture Dust 16X, 60X, 100X, Glandula Suprarenalis 6X, 12X, Hepar (Liver) 6X, 12X, Histaminum Hydrochloricum 12X, House Dust 16X, 60X, 100X, House Dust Mite 12C, 30C, Mucor Racemosus 16X, 60X, 100X, Rhizopus Nigricans 15C, 30C, 100C, Torula Cerevisiae 16X, 60X, 100X.

PURPOSE:

Adrenocorticotrophin – Congestion, Cough, and Support of Adrenal Glands,† Alternaria Tenuis Nees – Allergic Sensitivity to Mold, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing,† Aspergillus Niger – Allergic Sensitivity to Mold, Cough, Fatigue, Headache, and Nausea,† Candida Albicans – Allergic Sensitivity to Yeast, Fatigue, Headaches, Itchy Skin, and Rashes,† Candida Parapsilosis – Allergic Sensitivity to Yeast, Fatigue, Headaches, Itchy Skin, and Rashes,† Carpet Dust – Allergic Sensitivity to Dust, Itchy Red Eyes, Runny Nose, Sneezing,† Furniture Dust - Allergic Sensitivity to Dust, Itchy Red Eyes, Runny Nose, Sneezing,† Glandula Suprarenalis -Support of Adrenal Glands,† Hepar (Liver) – Support of Liver,† Histaminum Hydrochloricum – Allergic Hypersensitivity, Headaches, Itching, Rashes, and Urticaria,† House Dust - Allergic Sensitivity to Dust, Itchy Red Eyes, Runny Nose, Sneezing,† House Dust Mite - Allergic Sensitivity to Dust Mites, Itchy Red Eyes, Runny Nose, Sneezing,† Mucor Racemosus – Allergic Sensitivity to Mold, Itchy Eyes, rashes, Runny Nose, and Sneezing,† Rhizopus Nigricans – Allergic Sensitivity to Mold, Headaches, Itchy Eyes, Rashes, Runny Nose and Sneezing,† Torula Cerevisiae – Allergic Sensitivity to Yeast, Headaches, Itching, Mild Stomach Discomfort, Rashes, and Runny Nose†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

USES:

Provides factors that mitigate hypersensitivity to household dust, dust mites, molds and yeast.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not

FDA evaluated.

WARNINGS:

If pregnant or breast-feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage.
- Do not take within 15 minutes of consuming food, beverage or brushing teeth.
- Consult a physician for use in children under 12 years of age.

INACTIVE INGREDIENTS:

Alcohol USP 20%, Purified Water USP.

QUESTIONS:

**MANUFACTURED EXCLUSIVELY FOR
NUTRITIONAL SPECIALTIES, INC.**

PO BOX 97227

PITTSBURGH, PA 15229

www.phpitd.com

1-800-245-1313

PACKAGE LABEL DISPLAY:

Professional Health Products

HOMEOPATHIC

NDC 83027-0155-1

HOUSEHOLD DUST & MOLD MIX

2 FL. OZ. (60 ml)



HOMEOPATHIC

NDC 83027-0155-1

HOUSEHOLD DUST & MOLD MIX

A262 (reorder code)

Contains New Zealand glands and tissues



2 FL. OZ. (60 ml) 20% Alcohol

Do not use if tamper evident seal is broken or missing.

Drug Facts

Active ingredients (in each spray)	Purposes
Adrenocorticotrophin 15c, 30c.....	Congestion, Cough, and Support of Adrenal Glands [†]
Alternaria Tenuis Nees 60x, 100x.....	Allergic Sensitivity to Mold, Catarrh, Itchy Eyes, Mucus, Rhinitis and Sneezing [†]
Aspergillus Niger 16x, 60x, 100x.....	Allergic Sensitivity to Mold, Cough, Fatigue, Headache, and Nausea [†]
Candida Albicans 16x, 60x, 100x.....	Allergic Sensitivity to Yeast, Fatigue, Headaches, Itchy Skin, and Rashes [†]
Candida Parapsilosis 16x, 60x, 100x.....	Allergic Sensitivity to Yeast, Fatigue, Headaches, Itchy Skin, and Rashes [†]

Drug Facts (continued under label)

MANUFACTURED EXCLUSIVELY FOR NUTRITIONAL SPECIALTIES, INC. PO BOX 97227 PITTSBURGH, PA 15229 www.phpltd.com rev. 1.2

UNVARNISHED AREA

PEEL HERE

Drug Facts (continued)

Carpet Dust 16x, 60x, 100x.....	Allergic Sensitivity to Dust, Itchy Red Eyes, Runny Nose, Sneezing [†]
Furniture Dust 16x, 60x, 100x.....	Allergic Sensitivity to Dust, Itchy Red Eyes, Runny Nose, Sneezing [†]
Glandula Suprarenalis 6x, 12x....	Support of Adrenal Glands [†]
Hepar (Liver) 6x, 12x.....	Support of Liver [†]
Histaminum Hydrochloricum 12x....	Allergic Hypersensitivity, Headaches, Itching, Rashes, and Urticaria [†]
House Dust 16x, 60x, 100x.....	Allergic Sensitivity to Dust, Itchy Red Eyes, Runny Nose, Sneezing [†]

Drug Facts (continued)

House Dust Mite 12c, 30c.....	Allergic Sensitivity to Dust Mites, Itchy Red Eyes, Runny Nose, Sneezing [†]
Mucor Racemosus 16x, 60x, 100x....	Allergic Sensitivity to Mold, Itchy Eyes, Rashes, Runny Nose and Sneezing [†]
Rhizopus Nigricans 15c, 30c, 100c....	Allergic Sensitivity to Mold, Headaches, Itchy Eyes, Rashes, Runny Nose and Sneezing [†]
Torula Cerevisiae 16x, 60x, 100x.....	Allergic Sensitivity to Yeast, Headaches, Itching, Mild Stomach Discomfort, Rashes, and Runny Nose [†]

TIEDOWN AREA

Drug Facts (continued)

Use

Provides factors that mitigate hypersensitivity to household dust, dust mites, molds and yeast.[†]

Drug Facts (continued)

- Do not take within 15 minutes of consuming food, beverage or brushing teeth.
- Consult a physician for use in children under 12 years of age.

AREA

TIEDOWN AIR

Warnings

If pregnant or breast-feeding, ask a health professional before use.
 In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.
KEEP OUT OF REACH OF CHILDREN.

Directions

• Adults: 2 to 3 sprays orally, three times daily.
 Children under twelve one half adult dosage.

Other information

Store in a cool place after opening.

Inactive ingredients

Alcohol USP 20%, Purified Water USP.

Questions? 1-800-245-1313

† Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

HOUSEHOLD DUST AND MOLD MIX

glandula suprarenalis (bovine), hepar (bovine), histaminum hydrochloricum, alternaria tenuis nees, aspergillus niger, candida albicans, candida parapsilosis, dust, mucor racemosus, torula cerevisiae, house dust mite, adrenocorticotrophin, rhizopus nigricans spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83027-0155
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BOS TAURUS ADRENAL GLAND (UNII: M2776SWB29) (BOS TAURUS ADRENAL GLAND - UNII:M2776SWB29)	BOS TAURUS ADRENAL GLAND	6 [hp_X] in 1 mL
HEPARIN, BOVINE (UNII: P776JQ4R2F) (HEPARIN, BOVINE - UNII:P776JQ4R2F)	HEPARIN, BOVINE	6 [hp_X] in 1 mL
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	12 [hp_X] in 1 mL
ALTERNARIA ALTERNATA (UNII: 52B29REC7H) (ALTERNARIA ALTERNATA - UNII:52B29REC7H)	ALTERNARIA ALTERNATA	60 [hp_X] in 1 mL
ASPERGILLUS NIGER VAR. NIGER (UNII: 9IOA40ANG6) (ASPERGILLUS NIGER VAR. NIGER - UNII:9IOA40ANG6)	ASPERGILLUS NIGER VAR. NIGER	16 [hp_X] in 1 mL
CANDIDA ALBICANS (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	16 [hp_X] in 1 mL
CANDIDA PARAPSILOSIS (UNII: 0KZ676D44N) (CANDIDA PARAPSILOSIS - UNII:0KZ676D44N)	CANDIDA PARAPSILOSIS	16 [hp_X] in 1 mL
HOUSE DUST (UNII: EYO007VX98) (HOUSE DUST - UNII:EYO007VX98)	HOUSE DUST	16 [hp_X] in 1 mL
MUCOR RACEMOSUS (UNII: 17RH99LQ7G) (MUCOR RACEMOSUS - UNII:17RH99LQ7G)	MUCOR RACEMOSUS	16 [hp_X] in 1 mL
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)	SACCHAROMYCES CEREVISIAE	16 [hp_X] in 1 mL
DERMATOPHAGOIDES PTERONYSSINUS (UNII: 57L1Z5378K) (DERMATOPHAGOIDES PTERONYSSINUS - UNII:57L1Z5378K)	DERMATOPHAGOIDES PTERONYSSINUS	12 [hp_C] in 1 mL
CORTICOTROPIN (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)	CORTICOTROPIN	15 [hp_C] in 1 mL
RHIZOPUS STOLONIFER (UNII: FEE198DK4Q) (RHIZOPUS STOLONIFER - UNII:FEE198DK4Q)	RHIZOPUS STOLONIFER	15 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0155-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	10/02/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/02/2025	

Labeler - Nutritional Specialties, Inc. (032744609)

Revised: 10/2025

Nutritional Specialties, Inc.