

**DAVV 2%MINOXIDIL TOPICAL SOLUTION WOMENS HAIR REGROWTH
TREATMENT- hair loss product liquid
Good Manager Holdings Inc**

Minoxidil 2%

Ask a doctor before use if you have heart disease

Do not use if

- Your hair loss occurs at the front of the scalp.
- Minoxidil topical solution 2% is not intended for treating frontal baldness or a receding hairline.
- There is a family history of hair loss.
- Your hair loss is sudden or appears in patches.
- The cause of your hair loss is unknown.
- You are under 18 years of age. Do not use it on infants or children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- Other medications are applied to the scalp.

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children and pets. If swallowed, get medical help, or contact a Poison Control Center right away.

Hair Regrowth Treatment for Women

when using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some people, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each people. This product will not work for all people.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occur sudden, unexplained weight gain occurs
- your hands or feet swell - scalp irritation or redness occurs
- unwanted facial hair growth occurs - you do not see hair regrowth in 4 months

Warnings

For external use only.

Direction

- apply one mL with dropper 2 times a days directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep our hair regrowth or hair loss will begin again

WATER, GLYCERIN, BUTYLENE GLYCOL, PANTHENOL, TRIPEPTIDE-1, AZELAIC ACID, NIACINAMIDE, MENTHA ARVENSIS LEAF EXTRACT, HYDRANGAEA MACROPHYLLA LEAF EXTRACT, ALOE BARBADENSIS LEAF EXTRACT, PORTULACA OLERACEA EXTRACT, CHRYSANTHELLUM INDICUM EXTRACT, SOPHORA ANGUSTIFOLIA ROOT A EXTRACT, CENTELLA ASIATICA ROOT EXTRACT, CURCUMIN, HYDROLYZED WHEAT PROTEIN, MOROCCAN NUT OIL, ROSA CANINA FRUIT OIL, SODIUM HYALURONATE, BIOTIN, RETINOL, HYDROXYACETOPHENONE, 1,2-HEXANEDIOL, DISODIUM EDTA.

Use to regrow hair on the top of the scalp(vertex only)

Drug Facts

Active ingredient Minoxidil 2%	Purpose Hair Regrowth Treatment for Women
--	---

Use Use to regrow hair on the top of the scalp(vertex only)

Warnings
For external use only.

Flammable: Keep away from fire or flame

Do not use if

- Your hair loss occurs at the front of the scalp.
- Minoxidil topical solution 2% is not intended for treating frontal baldness or a receding hairline.
- There is a family history of hair loss.
- Your hair loss is sudden or appears in patches.
- The cause of your hair loss is unknown.
- You are under 18 years of age.
- Do not use it on infants or children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- Other medications are applied to the scalp.

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes.
- In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some people, you may need to use this product for at least 4 months before you see results
- the amount of hair regrowth is different for each people. This product will not work for all people.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occur
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.
Keep out of reach of children and pets. If swallowed, get medical help, or contact a Poison Control Center right away.

Direction

- apply one mL with dropper 2 times a days directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Additional Information

- Before usage, carefully review all details provided on the carton and enclosed leaflet.
- Retain the carton, as it holds essential information.
- The sustained duration of hair regrowth has not been demonstrated to exceed 48 weeks in extensive clinical trials involving continuous treatment with Minoxidil Topical Solution 2% for women.
- In clinical studies predominantly involving white women aged 18-19 with moderate hair loss, Minoxidil Topical Solution 2% for women exhibited superior hair regrowth compared to Minoxidil Topical Solution 5%.

Questions or comments? Visit Website at dvwhealth.com

DAVV®

WOMEN'S **2% MINOXIDIL**

HAIR REGROWTH TREATMENT

TOPICAL SOLUTION, USP

DAVV®

EXTRA STRENGTH

WOMEN'S

2% MINOXIDIL

HAIR REGROWTH TREATMENT

TOPICAL SOLUTION, USP

This Package Contains



One 60 mL (2 fl oz) Bottle of Women's DAVV Extra Strength (one-month supply).

Information leaflet with complete directions on how to use and obtain best results (Read enclosed leaflet before use)

Manufactured for
Good Manager Holding Inc

Address: 21 Tamal Vista Blvd #207, Corte Madera, CA 94925

Email: support@dvwhealth.com
Website: dvwhealth.com
Made In PRC

DAVV®

EXTRA STRENGTH

WOMEN'S

2% MINOXIDIL

HAIR REGROWTH TREATMENT

TOPICAL SOLUTION, USP

DAVV®

EXTRA STRENGTH

WOMEN'S

2% MINOXIDIL

HAIR REGROWTH TREATMENT

TOPICAL SOLUTION, USP

DAVV®

EXTRA STRENGTH

WOMEN'S

2% MINOXIDIL

HAIR REGROWTH TREATMENT

TOPICAL SOLUTION, USP

FOR BEST RESULTS:
APPLY DIRECTLY TO SCALP.
USE TWICE DAILY

2% Minoxidil Topical Solution, USP is a topical treatment designed to help stimulate hair growth in women with a general thinning of hair on the top of the scalp. Minoxidil, the active ingredient, works by increasing blood flow to the scalp and revitalizing hair follicles, leading to thicker, fuller hair over time.

- Clinically Proven to Help Regrow Hair
- Reactivates Hair Follicles
- To Stimulate Regrowth
- Topical Solution
- Unscented



EXTRA STRENGTH

▶ **ONE MONTH SUPPLY**
ONE 60ML (2 FL OZ) BOTTLE



DAVV 2% MINOXIDIL TOPICAL SOLUTION WOMENS HAIR

REGROWTH TREATMENT

hair loss product liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82372-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PANTHENOL (UNII: W9CM0067Z)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82372-011-01	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/10/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075357	05/10/2024	

Labeler - Good Manager Holdings Inc (118382673)

Establishment

Name	Address	ID/FEI	Business Operations
Good Manager Holdings Inc		118382673	manufacture(82372-011)

