

ACETAMINOPHEN- acetaminophen tablet Meijer

Acetaminophen 500mg Rapid Release Gelcaps

Extra Strength

Pain Reliever Fever Reducer

Active ingredient (in each gelcap)

Acetaminophen USP, 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- headache muscular aches
- backache minor pain of arthritis
- the common cold toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening blisters rash

If a skin reaction occurs, stop use and seek medical help right away

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition

If pregnant or breast-feeding

ask a health professional before use

Keep out of reach of children

Keep out of reach of children

Overdose warning:

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)**

adults and take 2 gelcaps every 6 hours while symptoms last

children 12 years

and over do not take more than 6 gelcaps in 24 hours, unless directed by a doctor

do not use for more than 10 days unless directed by a doctor

children under

12 years ask a doctor

Other information

store at 20°-25°C (68°-77°F)

- avoid high humidity
- see end panel for expiration date and lot number

Inactive ingredients

ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, isopropyl alcohol, n-butyl alcohol, polyethylene glycol, povidone k-30, pregelatinized starch, propylene glycol, red iron oxide, shellac glaze, stearic acid, titanium dioxide, yellow iron oxide

Questions or comments?

call **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

Principal Display panel



Principal Display Panel

| |
|---|
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| STEARIC ACID (UNII: 4ELV7Z65AP) |
| AMMONIA (UNII: 5138Q19F1X) |
| FD&C RED NO. 40 (UNII: WZB9127XOA) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K) |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |
| HYDROXYMETHYL CELLULOSE (UNII: 273FM27VK1) |
| SHELLAC (UNII: 46N107B71O) |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) |
| BUTYL ALCOHOL (UNII: 8PJ61P6TS3) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) |
| GELATIN (UNII: 2G86QN327L) |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) |
| POVIDONE (UNII: FZ989GH94E) |

Product Characteristics

| | | | |
|-----------------|--|---------------------|----------|
| Color | gray (ENCAPSULATED WITH RED OPAQUE AND BLUE GRAY OPAQUE HARD GELATIN SHELLS) | Score | no score |
| Shape | OVAL | Size | 19mm |
| Flavor | | Imprint Code | G1 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:79481-1670-1 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 09/09/2024 | |
| 2 | NDC:79481-1670-2 | 225 in 1 BOTTLE; Type 0: Not a Combination Product | 09/09/2024 | |
| 3 | NDC:79481-1670-4 | 24 in 1 BOTTLE; Type 0: Not a Combination Product | 05/01/2025 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 09/09/2024 | |

Labeler - Meijer (006959555)