

**ICY HOT- lidocaine, menthol patch**  
**Lead Chemical Co. Ltd.**

-----  
**Icy Hot Max Pain Relief Patch**

**Active ingredients**

Lidocaine 4%  
Menthol 1%

**Purposes**

Topical anesthetic  
Topical analgesic

**Use**

for the temporary relief of pain

**Warnings**

**For external use only**

**Do not use**

- on puncture wounds, cuts, irritated, damaged or swollen skin
- more than 1 patch on your body at a time or with other topical analgesics at the same time
- with a heating pad or apply local heat to the area of use

**When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with the eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days

- symptoms clear up and occur again within a few days
- severe burning sensation, redness, or irritation develops
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**adults and children 12 years of age and older:**

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch at a time and not more than 3 to 4 times daily

**children under 12 years of age:** consult a doctor

**Inactive ingredients**

aluminum glycinate, aluminum hydroxide, cellulose gum, glycerin, methyl acrylate/2-ethylhexyl acrylate copolymer, methylparaben, nonoxynol-30, polyacrylic acid, polysorbate 80, propylene glycol, silica, sodium polyacrylate, tartaric acid, titanium dioxide, urea, water

**Package/Label Principal Display Panel**

**LIDOCAINE 4% + MENTHOL 1%**

**ICY HOT®**

**MAX**

**Pain Relief Patch**

**LIDOCAINE**

**PATCH**

- Maximum Strength Lidocaine Without a Prescription\*
- Penetrates for Fast, Targeted Relief

- Comfortable Fabric
- Stays in Place

\*Among OTC Topical Analgesics  
Contains 1 Patch  
3-15/16" x 5-1/2" (10 cm x 14 cm)

CHATTEM®  
A SANOFI COMPANY  
Dist. by Chattem, Inc., a Sanofi Company  
P.O. Box 2219  
Chattanooga, TN 37409-0219 USA  
©2020  
www.icyhot.com    Made in Japan.

LIDOCAINE 4% + MENTHOL 1%

# IcyHOT®

## MAX Pain Relief Patch

### LIDOCAINE PATCH

- ▶ Maximum Strength Lidocaine Without a Prescription\*
- ▶ Penetrates for Fast, Targeted Relief
- ▶ Comfortable Fabric
- ▶ Stays in Place



\*Among OTC Topical Analgesics  
Contains 1 Patch  
3-15/16" x 5-1/2" (10 cm x 14 cm)

Label

**ICY HOT**

lidocaine, menthol patch

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62168-1720
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	240 mg
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	60 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62168-1720-2	400 in 1 CARTON	05/10/2021	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/15/2017	

**Labeler** - Lead Chemical Co. Ltd. (693727091)

Revised: 1/2024

Lead Chemical Co. Ltd.