

**COUGH AND CHEST CONGESTION DN, COUGH DM DAYTIME, NIGHTTIME-
dextromethorphan hbr, doxylamine succinate, guaifenesin
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED**

CVS 44-030043

Day

Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg
Guaifenesin 400 mg

Purpose

Cough suppressant
Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL every 4 hours
- children under 12 years: do not use

Other information

- **each 20 mL contains:** sodium 16 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

Night

Active ingredients (in each 20 mL)

Dextromethorphan HBr 30 mg
Doxylamine succinate 12.5 mg

Purpose

Cough suppressant
Antihistamine

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - itching of the nose or throat
 - itchy, watery eyes
 - runny nose
 - sneezing
- controls the impulse to cough to help you sleep

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug

contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- do not take more than 4 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL every 6 hours
- children under 12 years: do not use

Other information

- **each 20 mL contains:** sodium 14 mg
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sugar, xanthan gum

Questions or comments?

1-800-426-9391

Principal Display Panel

♥CVS™

DAY / NIGHT COMBO PACK

NDC 51316-439-36

**Menthol Berry
Flavor**

Maximum Strength†
DAYTIME
COUGH
& CHEST
CONGESTION
DM
Dextromethorphan HBr
Cough Suppressant
Guaifenesin | Expectorant
Oral Solution
Compare to Robitussin®
Maximum Strength Cough + Chest
Congestion DM active ingredients*
Relieves: Cough,
Chest congestion, Mucus

Maximum Strength†
NIGHTTIME
COUGH
DM
Dextromethorphan HBr
Cough Suppressant
Doxylamine Succinate
Antihistamine
Oral Solution
Compare to Robitussin®
Maximum Strength Nighttime
Cough DM active ingredients*
Relieves: Cough,
Runny nose, Sneezing
Cough & Antihistamine

4 FL OZ (118 mL) + 4 FL OZ (118 mL)
TOTAL 8 FL OZ (236 mL)

**Ages 12
& Over**

†Under OTC monograph.

**Do Not Take Daytime and
Nighttime Products at the
Same Time.**

**TAMPER EVIDENT: DO NOT USE IF PRINTED NECK
WRAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by Haleon US Holdings LLC, owner of the registered trademarks Robitussin® Maximum Strength Cough + Chest Congestion DM and Robitussin® Maximum Strength Nighttime Cough DM.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895

© 2025 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS
 V-19849

50844 ORG0325.030/1224.04336

PARENTS:
 Learn about teen medicine abuse
www.StopMedicineAbuse.org

100% money back
 guaranteed.
CVS.com/returnpolicy

**DAYTIME
COUGH & CHEST
CONGESTION
DM**
Maximum Strength!

**NIGHTTIME
COUGH
DM**
Maximum Strength!

CVS

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Daytime Cough & Chest Congestion DM	Nighttime Cough DM
<p>Drug Facts</p> <p>Active ingredients (in each 20 mL)</p> <p>Dextromethorphan HBr 20 mg... Cough suppressant</p> <p>Guaifenesin 400 mg... Expectorant</p> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes <p>Warnings</p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have:</p> <ul style="list-style-type: none"> cough that occurs with too much phlegm (mucus) persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema <p>Stop use and ask a doctor if cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than directed do not take more than 6 doses in any 24-hour period 1 mL = milliliter only use the dose cap provided adults and children 12 years and over: 20 mL every 4 hours children under 12 years: do not use <p>Other information</p> <ul style="list-style-type: none"> each 20 mL contains: sodium 16 mg store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) see end flap for expiration date and lot number <p>Inactive ingredients</p> <p>anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose and croscarmellose sodium, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucrose, xanthan gum</p>	<p>Drug Facts</p> <p>Active ingredients (in each 20 mL)</p> <p>Dextromethorphan HBr 30 mg... Cough suppressant</p> <p>Doxylamine succinate 12.5 mg... Antihistamine</p> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> itching of the nose or throat runny nose sneezing controls the impulse to cough to help you sleep <p>Warnings</p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have:</p> <ul style="list-style-type: none"> cough that occurs with too much phlegm (mucus) glaucoma difficulty in urination due to enlargement of the prostate gland a breathing problem such as emphysema or chronic bronchitis persistent or chronic cough such as occurs with smoking, asthma, or emphysema <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</p> <p>When using this product</p> <ul style="list-style-type: none"> constipation may occur, especially in children marked drowsiness may occur alcohol, sedatives, and tranquilizers may increase drowsiness avoid alcoholic beverages use caution when driving a motor vehicle or operating machinery <p>Stop use and ask a doctor if cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than directed do not take more than 4 doses in any 24-hour period 1 mL = milliliter only use the dose cap provided adults and children 12 years and over: 20 mL every 6 hours children under 12 years: do not use

Nighttime Cough DM (continued)

Drug Facts (continued)

Other information

- each 20 mL contains: sodium 14 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucrose, sugar, xanthan gum

Questions or comments? 1-800-426-8981

*This product is not manufactured or distributed by Holston US Holdings LLC, owner of the registered trademarks Robitussin® Maximum Strength Cough + Chest Congestion DM and Robitussin® Maximum Strength Nighttime Cough DM.

Do Not Take Daytime and Nighttime Products at the Same Time.

TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2025 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS
 V-19849
 100% money back guaranteed.
CVS.com/returnpolicy
 50844 ORG0325.030/1224.04336

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

DAY / NIGHT COMBO PACK

CVS

Menthol Berry Flavor

Maximum Strength!

**DAYTIME
COUGH
& CHEST
CONGESTION
DM**

Dextromethorphan HBr
Cough Suppressant
Guaifenesin Expectorant
Oral Solution

Compare to Robitussin® Maximum Strength Cough + Chest Congestion DM active ingredients*

Relieves: Cough, Chest congestion, Mucus

Maximum Strength!

**NIGHTTIME
COUGH
DM**

Dextromethorphan HBr
Cough Suppressant
Doxylamine Succinate
Antihistamine
Oral Solution

Compare to Robitussin® Maximum Strength Nighttime Cough DM active ingredients*

Relieves: Cough, Runny nose, Sneezing
Cough & Antihistamine

**4 FL OZ (118 mL) + 4 FL OZ (118 mL)
 TOTAL 8 FL OZ (236 mL)**

Ages 12 & Over

package contains two bottles actual size

#181525

FPO 80%
UPC# 050428136119

X XXXXXX XXXXXX X

No Print/No Varnish Lot & EXP

B-0231-030/043-36J
ORG0325.030/1224.04336

CVS 44-030043

COUGH AND CHEST CONGESTION DN, COUGH DM DAYTIME, NIGHTTIME
 dextromethorphan hbr, doxylamine succinate, guaifenesin kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-439
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-439-36	1 in 1 CARTON; Type 0: Not a Combination Product	02/25/2026	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	118 mL
Part 2	1 BOTTLE, PLASTIC	118 mL

Part 1 of 2**COUGH AND CHEST CONGESTION DM DAYTIME**

dextromethorphan hbr, guaifenesin solution

Product Information

Item Code (Source)	NDC:51316-305
---------------------------	---------------

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	red (MAROON)	Score	
Shape		Size	
Flavor	MENTHOL, BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/25/2026	

Part 2 of 2

COUGH DM NIGHTTIME

dextromethorphan hbr, doxylamine succinate solution

Product Information

Item Code (Source)	NDC:51316-431
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 20 mL
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	red (Maroon)	Score	
Shape		Size	
Flavor	MENTHOL, BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/25/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/25/2026	

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

LNK International, Inc.

967626305

manufacture(51316-439) , pack(51316-439)

Revised: 2/2026

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED