

**PAMABROM- pamabrom capsule, liquid filled**  
**Softgel Healthcare Pvt Ltd**

-----  
**Pamabrom Capsules 50 mg**

**Active ingredient (in each softgel capsule)**

Pamabrom USP 50 mg

**Purpose**

Diuretic

**Uses**

For the relief of

temporary water weight gain

bloating

swelling

full feeling associated with the premenstrual and menstrual periods.

**Ask a doctor or pharmacist before use if**

you are taking any other medication.

**Stop use and ask a doctor if**

symptoms last for more than ten consecutive days.

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- Read all package directions and warnings before use.
- Use only as directed.
- Adults: One (1) softgel capsule after breakfast with a full glass of water, Dose may be repeated after 6 hours, not to exceed four (4) softgel capsules per day.
- Start taking 5 or 6 days before onset of period and continue until desired relief is obtained or end of period.

- Drink 6 to 8 glasses of water daily.
- For use by normally healthy adults only.
- Persons under 18 years of age should use only as directed by a doctor.

**Other information**

- Contents sealed: Blue transparent, oval shaped softgel capsules filled with clear to pale blue liquid.
- Contents packaged in a bottle with a safety seal under cap. Do not use if seal appears broken.

**Inactive ingredients**

Povidone K30, Propylene glycol, Polyethylene Glycol 400, Gelatin, Glycerin, Sorbitol Sorbitan Solution, FD&C Blue No.1 and Purified water.

NDC 35916-1654-1 Compare to Diurex® active ingredients\*

## Pamabrom Capsules 50 mg

MAXIMUM STRENGTH  
CAFFEINE FREE

- For the relief of temporary bloating & water weight gain
- Immediate relief

48 SOFTGELS

<b>Drug Facts</b>	<p><b>Active ingredient</b> (in each softgel capsule) Pamabrom USP 50 mg .....Diuretic</p> <p><b>Purpose</b> .....Diuretic</p> <p><b>Uses</b> For the relief of temporary water weight gain ■ bloating ■ swelling ■ full feeling associated with the premenstrual and menstrual periods.</p> <p><b>Warnings</b> <b>Ask a doctor or pharmacist before use</b> if you are taking any other medication.</p> <p><b>Stop use and ask a doctor</b> if symptoms last for more than ten consecutive days.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> ■ Read all package directions and warnings before use. ■ Use only as directed. ■ Adults: One (1) softgel capsule after breakfast with a full glass of water. Dose may be repeated after 6 hours, not to exceed four (4) softgel capsules per day. ■ Start taking 5 or 6 days before onset of period and continue until desired relief is obtained or end of period. ■ Drink 6 to 8 glasses of water daily. ■ For use by normally healthy adults only. ■ Persons under 18 years of age should use only as directed by a doctor.</p> <p><b>Other information</b> ■ <b>Contents sealed:</b> Blue transparent, oval shaped softgel capsules filled with clear to pale blue liquid. ■ Contents packaged in a bottle with a safety seal under cap. Do not use if seal appears broken.</p> <p><b>Inactive ingredients</b> Povidone K30, Propylene glycol, Polyethylene Glycol 400, Gelatin, Glycerin, Sorbitol Sorbitan Solution, FD&amp;C Blue No.1 and Purified water.</p>
-------------------	---

Manufactured by:  
**Softgel Healthcare Pvt. Ltd.,**  
India.  
Mfg. Lic. No.: XXXXXXXXXXXXX

3 5 9 1 6 1 6 5 4 1 4

Unvarnished Area  
LH - 20x16 mm

**PAMABROM**

pamabrom capsule, liquid filled

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:35916-1654
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PAMABROM</b> (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	PAMABROM	50 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	

### Product Characteristics

<b>Color</b>	blue (transparent)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35916-1654-1	48 in 1 BOTTLE; Type 0: Not a Combination Product	05/21/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M027	05/21/2024	

**Labeler** - Softgel Healthcare Pvt Ltd (675584180)

### Establishment

Name	Address	ID/FEI	Business Operations
SOFTGEL HEALTHCARE PRIVATE LIMITED		675584180	manufacture(35916-1654)

Revised: 5/2024

Softgel Healthcare Pvt Ltd