

ROOT ACTIVATING SHAMPOOS- 5% minoxidil liquid
Shenzhen Hanchuan e-commerce Co., Ltd

Root Activating Shampoo

Minoxidil 5%

Hair regrowth treatment for women Use to regrow hair on the top of the scalp

If swallowed, get medical help or contact a Poison Control Center rightaway.(1-800-222-1222)

ROOT ACTIVATING SHAMPOO STRENGTHEN HAIR ROOT
FORAHELM OF HAIR AS MIGHTY VOLUMINOUS AND VIGOROUS AS A SPARTA
WARRIOL

For external use only

Your degree of hair loss is different than that shown on side of this carton because this product may not work for you.

Your hair loss is sudden and/or patchy.

You are under 18 years of age. Do not use on babies or children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

if you experience chest pain, rapid heartbeat, faintness, or dizziness occurs Scalp irritation or redness occurs. These may be signs of a serious condition.

Do not use more than directed.

Avoid contact with the eyes, ears, and mouth.

In case of accidental contact rinse eyes with large amounts of cool tap water.

It takes time to regrow hair. Results may occur at 2 months with once daily use. For some individuals, it may take at least 4 months before results become noticeable. The amount of hair regrowth is different for each person. This product will not work for all women.

Apply 1ml once daily, gently massaging to enhance absorption

Store between 41-86F (5-30 C). Avoid freezing and exposure to excessive heat above 104 F(40°C)

water

biotin

dimethyl isosorbide

acetic acid

panthenol

propylene glycol

niacinamide

polysorbate

DRUG FACTS

ACTIVE INGREDIENTS.....PURPOSE

Minoxidil 5% w/w Hair regrowth treatment for women
Use to regrow hair on the top of the scalp (see pictures on side of this carton)

WARNINGS

For external use only.

DO NOT USE IF

- Your degree of hair loss is different than that shown on side of this carton because this product may not work for you.
- Your hair loss is sudden and/or patchy
- You are under 18 years of age. Do not use on babies or children
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp.

STOP USE AND ASK A DOCTOR

If you experience chest pain, rapid heartbeat, faintness, or dizziness occurs. Scalp irritation or redness occurs. These may be signs of a serious condition.

WHEN USING THIS PRODUCT

- Do not use more than directed.
- Avoid contact with the eyes, ears, and mouth.
- In case of accidental contactrinse eyes with large amounts of cool tap water.

It takes time to regrow hair. Results may occur at 2 months with once daily use. For some individuals, it may take at least 4 months before results become noticeable. The amount of hair regrowth is different for each person. This product will notwork for all women.



Made In China

ROOT ACTIVATING SHAMPOO

STRENGTHEN HAIR ROOT

FOR A HELM OF HAIR AS MIGHTY VOLUMINOUS, AND VIGOROUS AS A SPARTA WARRIOL

100ml / 3.38 fl.oz



BEFORE AFTER

KEEP OUT OF REACH OF CHILDREN

If swallowed, get medical help orcontact a Poison Control Center right away.(1-800-222-1222)

DIRECTIONS

Apply 1ml once daily, gently massaging to enhance absorption.

OTHER INFORMATION

Store between 41-86F (5-30 C). Avoid freezing and exposure to excessiveheat above 104 F(40°C).

INACTIVE INGREDIENTS

water,biotin,dimethyl isosorbide,acetic acid,panthenol ,propylene glycol,niacinamide,polysorbate

MANUFACTURER:

Shenzhen Hanchuan e-commerce Co.,Ltd.

ADDRESS:

207, Building L17, South ChinaInternational Leather Goods raw materials Logistics Zone, Pinghu Street, Longgang District, Shenzhen, China.



MF Date : 01/05/2024
EXP Date :01/05/2027

ROOT ACTIVATING SHAMPOO

STRENGTHEN HAIR ROOT

FOR A HELM OF HAIR AS MIGHTY VOLUMINOUS, AND VIGOROUS AS A SPARTA WARRIOL

100ml / 3.38 fl.oz

ROOT ACTIVATING SHAMPOOS

5% minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84302-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PANTHENOL (UNII: WW9CM0O67Z)	
ACETIC ACID (UNII: Q40Q9N063P)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BIOTIN (UNII: 6SO6U10H04)	
NIACINAMIDE (UNII: 25X51I8RD4)	
WATER (UNII: 059QF0KO0R)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84302-005-01	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/15/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	05/15/2024	

Labeler - Shenzhen Hanchuan e-commerce Co., Ltd (449984812)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Hanchuan e-commerce Co., Ltd		449984812	manufacture(84302-005)