

**MAXIMUM STRENGTH COUGH AND CHEST CONGESTION AND NIGHTTIME SEVERE COLD AND FLU COMBO PACK- dextromethorphan hbr, guaifenesin, acetaminophen, doxylamine succinate
Genexa Inc.**

Maximum Strength Cough and Chest Congestion and Nighttime Cold and Flu Severe Combo pack

Daytime Cough & Chest Congestion **

Drug Facts

Active ingredients

(in each 20 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Purposes

Cough suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product do not use more than directed

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **SHAKE WELL BEFORE EACH USE**
- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- adults and children 12 years of age and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years of age: do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

organic agave syrup, organic blueberry flavor, natural flavors, purified water

Questions? 1-855-436-3921

You may also report side effects to this phone number.

Nighttime Cold & Flu*

Drug Facts

Active ingredients (in each 20 mL)

Acetaminophen 650 mg

Dextromethorphan HBr 30 mg

Doxylamine Succinate 12.5 mg

Purposes

Pain reliever/fever reducer

Cough suppressant

Antihistamine

Uses

- temporarily relieves these common cold and flu symptoms:
 - cough due to minor throat and bronchial irritation
 - minor aches and pains
 - sore throat
 - headache
 - runny nose
 - sneezing
 - temporarily reduces fever
- controls cough to help you get to sleep

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- glaucoma
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- **do not use more than directed**
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days

- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **SHAKE WELL BEFORE EACH USE**
- only take as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	20 mL every 6 hours
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

organic agave syrup, organic blueberry flavor, organic chamomile extract, natural flavors, purified water

Questions? 1-855-436-3921

You may also report side effects to this phone number.

Do not take both products within 6 hours of each other.

DO NOT use if seal under the cap is disturbed or missing.

SHAKE WELL BEFORE EACH USE

*U.S. Patent No. 11,617,795 | **Patent Pending

Distributed by: Genexa Inc. Atlanta, GA 30324 | genexa.com

Made in the USA with globally sourced ingredients

NDC 69676-0079-3

Day & Night Combo Pack

Genexa®

MEDICINE MADE CLEAN

Daytime

Maximum Strength

Cough & Chest Congestion

Dextromethorphan HBr - Cough Suppressant

Guaifenesin - Expectorant

Cough

Mucus

Chest Congestion

Nighttime

Severe • Maximum Strength

Nighttime Cold & Flu

Acetaminophen - Pain Reliever/Fever Reducer

Dextromethorphan HBr - Cough Suppressant

Doxylamine Succinate - Antihistamine

Fever

Headache

Sore Throat

Body Aches & Pains

Cough

Sneezing

Runny Nose

Medicine made clean

Same effective active ingredients, but **no artificial fillers.**

TWO - 6 fl oz (177 mL) bottles | TOTAL - 12 fl oz (355 mL)

Daytime Cough & Chest Congestion**

Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg.....Cough suppressant
 Guafenesin 400 mg.....Expectorant

Use

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of both some mucus and mucus coughs more productive
- temporarily relieves
- cough due to minor throat and bronchial irritation as may occur with the common cold or initial influenza
- the irritability of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- ever severe or chronic cough or asthma occurs with smoking, a flare, chronic bronchitis, or emphysema, cough that occurs with too much phlegm (mucus)

When using this product do not use more than directed

Shake use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

SHAKE WELL BEFORE EACH USE

- do not take more than 3 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- doses follow as directed by a doctor
- adults and children 12 years of age and over: 20 mL in dosing cup or provided every 4 hours
- children under 12 years of age: do not use

Other information

- store between 20-25°C (68-77°F) • do not refrigerate

Inactive ingredients

organic açaí berry, organic blueberry flavor, natural flavors, purified water

Questions? 1-855-438-3821
 You may also report side effects to this phone number.

Nighttime Cold & Flu*

Drug Facts

Active ingredients (in each 20 mL)

Acetaminophen 500 mg.....Pain reliever/fever reducer
 Dextromethorphan HBr 30 mg.....Cough suppressant
 Doxylamine Succinate 1.25 mg.....Antihistamine

Use

- temporarily relieves these common cold and flu symptoms
- cough due to minor throat and bronchial irritation • minor aches and pains
- runny nose • headache • stuffy nose • sneezing
- temporarily relieves fever • controls cough to help you get to sleep

Warnings

User warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Alert: Acetaminophen may cause severe skin reactions. Symptoms may include

- skin redness • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease • cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or a occurs with smoking, asthma, chronic bronchitis, or emphysema • glaucoma
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers • taking the blood thinning drug warfarin

When using this product

- do not use more than directed • availability may occur, especially in children
- marked or unmarked • avoid alcohol or other sedative or tranquilizers
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Shake use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 5 days • redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts
- these could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

PARENTS:
 Learn about our medicine alert.
www.StopChildAbuse.org

Do not take both products within 6 hours of each other.
 DO NOT use if seal under the cap is disturbed or missing.

SHAKE WELL BEFORE EACH USE

*U.S. Patent No. 11,617,365 | Patent Pending
 Distributed by: Genexa Inc., Atlanta, GA 30324 | genexa.com

Day & Night Combo Pack

Genexa
MEDICINE MADE CLEAN

Daytime **Nighttime**

Maximum Strength Cough & Chest Congestion

Dextromethorphan HBr - Cough Suppressant
 Guafenesin - Expectorant

Nighttime Cold & Flu

Severe • Maximum Strength

Nighttime

Acetaminophen - Pain Reliever/Fever Reducer
 Dextromethorphan HBr - Cough Suppressant
 Doxylamine Succinate - Antihistamine

Fever Headache Sore Throat
Body Aches & Pains Cough
Sneezing Runny Nose

Cough Mucus Chest Congestion

Medicine made clean

Same effective active ingredients, but no artificial flavors.

TWO - 6 fl oz (177mL) bottles | TOTAL - 12 fl oz (355 mL)

Organic Blueberry Flavor

8 50015 73683 4

Effective cold & flu medicine.

ZERO dyes

ZERO artificial sweeteners

ZERO artificial preservatives

Only ingredients we believe in.

People Over Everything.

We think you should feel good about what makes you feel better. That's why we make medicine with the same active ingredients you need, but without the artificial ones you don't. It's what people deserve.

David Johnson Max Spielberg

Questions for our founders? Text Max: 310-502-8844

MAXIMUM STRENGTH COUGH AND CHEST CONGESTION AND NIGHTTIME SEVERE COLD AND FLU COMBO PACK

dextromethorphan hbr, guaifenesin, acetaminophen, doxylamine succinate kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69676-0079

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0079-3	2 in 1 KIT	05/31/2024	
1		1 in 1 BOTTLE; Type 0: Not a Combination Product		

Quantity of Parts			
Part #	Package Quantity	Total Product Quantity	
Part 1	1 BOTTLE, PLASTIC	177 mL	
Part 2	1 BOTTLE	177 mL	

Part 1 of 2

COUGH AND CHEST CONGESTION MAXIMUM STRENGTH

dextromethorphan hbr, guaifenesin suspension

Product Information

Item Code (Source)	NDC:69676-0077
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
BLUEBERRY (UNII: 253RUG1X1A)	
WATER (UNII: 059QF0KO0R)	
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	

Product Characteristics

Color	brown (Golden)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0077-9	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/12/2024	

Part 2 of 2

NIGHTTIME SEVERE COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate suspension

Product Information

Item Code (Source)	NDC:69676-0094
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 20 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 20 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CHAMOMILE (UNII: FGL3685T2X)	
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	
BLUEBERRY (UNII: 253RUG1X1A)	

Product Characteristics

Color	brown (Light)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0094-9	177 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/31/2024	

