

MARIO BADESCU ALOE SPF- avobenzone, octinoxate, oxybenzone lotion
Bentley Laboratories LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bentley Mario Badescu - 137

Drug Facts

Active ingredients

Avobenzone 2.0%

Octinoxate 7.5%

Oxybenzone 3.5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water-resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Aqua (Water, Eau), Aloe Barbadensis Leaf Juice, Aluminum Starch Octenylsuccinate, Glycerin,

Ethylhexyl Methoxycrylene, Isopropyl Myristate, Cetyl Alcohol, Dimethicone, PPG-2 Myristyl Ether Propionate, Stearic Acid, Styrene/Acrylates Copolymer, Caprylyl Glycol, PEG-8 Laurate, Ceteareth-20, Cetearyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Carbomer, Tetrasodium Glutamate Diacetate, Ethylhexylglycerin, Sodium Hydroxide, Phenoxyethanol, CI 42090 (Blue 1)

Other information

Protect this product from excessive heat and direct sun,

Questions or comments ?

Call 1-800-223-3728 M - F 9 a.m. - 5 p.m. EST or visit mariobadescu.com

MARIO BADESCU SKIN CARE Aloe Moisturizer SPF 15 SUNSCREEN product label

MARIO

BADESCU

SKIN CARE

Established 1967

MB

Aloe

Moisturizer

BROAD SPECTRUM

SPF15 SUNSCREEN

2 fl oz (59 ml)

Effectively hydrate while protecting your skin against harmful UVA/UVB rays. Perfect for troubled or sensitive, oily skin, this light weight, Aloe-enriched moisturizer absorbs quickly to deliver an instant boost of hydration without the pore-clogging oils.

Made in the USA. 72072-J001

CRUELTY FREE | PARABEN FREE

Mario Badescu Skin Care, New York, NY • (800) BADESCU

Leceur Plaza 1 Salford M50 3UB, UK

order online at mario badescu.com

MARIO BADESCU
SKIN CARE
Established 1967
MB

SKIN TYPES
C,O,S

ALOE MOISTURIZER
BROAD SPECTRUM
SPF 15 SUNSCREEN

2 fl oz e (59 ml)

Effectively hydrate while protecting your skin against harmful UVA/UVB rays. Perfect for troubled or sensitive, oily skin, this lightweight, Aloe-enriched moisturizer absorbs quickly to deliver an instant boost of hydration without the use of pore-clogging oils.

Made in USA. 72072-J001
CRUELTY FREE | PARABEN FREE
Mario Badescu Skin Care, New York, NY • (800) BADESCU
Letcher Plaza 1 Safford Mall MD02108, UK
order online at mariobadescu.com

7 85364 90006 6

Drug Facts

Active ingredients	Purpose
Avo benzene 2.0%, Octinoxate 7.5%, Oxybenzone 3.5%,	Sunscreen

FOR DRUG FACTS LIFT HERE

Inside Back

Drug Facts (continued)

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• apply liberally 15 minutes before sun exposure • use a water-resistant sunscreen if swimming or sweating • reapply at least every 2

HINGE: 1-5/8" x 3/8"

Inside Base

Drug Facts (continued)

hours • children under 6 months: Ask a doctor
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients Aqua (Water, Eau), Aloe Barbardensis Leaf Juice, Aluminum Starch Octenylsuccinate, Glycerin, Ethylhexyl Methoxycrylene, Isopropyl Myristate, Cetyl Alcohol, Dimethicone, PPG-2 Myristyl Ether Propionate, Stearic Acid, Styrene/Acrylates Copolymer, Caprylyl Glycol, PEG-8 Laurate, Ceteareth-20, Cetearyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Carbomer, Tetrasodium Glutamate Diacetate, Ethylhexylglycerin, Sodium Hydroxide, Phenoxethanol, CI 42090 (Blue 1)

Other information Protect this product from excessive heat and direct sun.

Questions or comments? Call 1-800-223-3728 M – F 9 a.m. – 5 p.m. EST or visit mariobadescu.com

HINGE: 1-5/8" x 3/8"

MARIO BADESCU ALOE SPF

avobenzone, octinoxate, oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54111-137
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.2 g in 59 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.24 g in 59 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	2.0 g in 59 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PHENOXYETHANOL (UNII: HIE49ZZZ3T)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54111-137-51	29 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/04/2017	
2	NDC:54111-137-50	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/04/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	05/04/2017	

Labeler - Bentley Laboratories LLC (068351753)

