

TRIPHROCAPS- folic acid, ascorbic acid, niacinamide, thiamine mononitrate, riboflavin, pyridoxine hydrochloride, cyanocobalamin, calcium pantothenate, and biotin capsule  
Trigen Laboratories, LLC

-----  
TriphroCaps  
Softgels

**SUPPLEMENT FACTS**

<b>Supplement Facts</b>		
Serving Size: 1 Softgel Capsule Servings Per Container: 100		
	Amount Per Serving	% Daily Value for Adults & Children ≥ 4 years
<b>Vitamin C</b> (Ascorbic Acid)	100 mg	111%
<b>Thiamin</b> (as Thiamine Mononitrate)	1.5 mg	125%
<b>Riboflavin</b>	1.7 mg	131%
<b>Niacin</b> (as Niacinamide)	20 mg NE	125%
<b>Vitamin B<sub>6</sub></b> (as Pyridoxine HCl)	10 mg	588%
<b>Folate</b>	1667 mcg DFE (1000 mcg folic acid)	417%
<b>Vitamin B<sub>12</sub></b> (as Cyanocobalamin)	6 mcg	250%
<b>Biotin</b>	150 mcg	500%
<b>Pantothenic Acid</b> (as d-Calcium Pantothenate)	5 mg	100%

**Other Ingredients:** Soybean Oil, Bovine Gelatin, Glycerin, Water, Yellow Beeswax, Lecithin, Titanium Dioxide, FD&C Red #40, Ethyl Vanillin, FD&C Yellow #5, FD&C Yellow #6, and Iron Oxide Red

## **THIS PRODUCT CONTAINS SOY.**

TriphroCaps are an orally administered prescription vitamin used for the dietary management of patients with nutritional deficiencies or are in need of nutritional supplementation.

## **CONTRAINDICATIONS**

TriphroCaps are contraindicated in patients with a known hypersensitivity to any of the ingredients including soy.

## **PRECAUTIONS**

Folic acid alone is an improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B<sub>12</sub> is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations remain progressive.

The patient's medical conditions and consumption of other drugs, herbs, and/or supplements should be considered.

**Pediatric Use:** Safety and effectiveness in pediatric patients have not been established.

**Geriatric Use:** Safety and effectiveness in elderly patients have not been established.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic tests (e.g. troponin) and hormone tests, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

This product contains FD&C Yellow No. 5 (tartrazine) which may cause allergic-type reactions (including bronchial asthma) in certain susceptible patients. Although the overall incidence of FD&C Yellow No. 5 (tartrazine) sensitivity in the general population is low, it is frequently seen in patients who also have aspirin hypersensitivity.

## **DRUG INTERACTIONS**

TriphroCaps is not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine. There is a possibility of increased bleeding due to pyridoxine interaction with anticoagulants (e.g., Aspirin, Heparin, Clopidogrel).

## **ADVERSE REACTIONS**

Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

## **DESCRIPTION**

TriphroCaps are red, oval softgel capsules, imprinted with "T9".

## **DIRECTIONS FOR USE**

Take one softgel capsule daily or as prescribed by a physician. On dialysis days, take one TriphroCaps softgel after dialysis.

## **HOW SUPPLIED**

TriphroCaps are supplied in bottles of 100 softgel capsules.

**Product Code: 13811-525-01**

## STORAGE

Store at 20°-25°C (68°-77°F), excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature].

## KEEP OUT OF REACH OF CHILDREN.

For use on the order of a healthcare practitioner.

Call your doctor about side effects. To report side effects, call Trigen Laboratories, LLC at 1-877-482-3788 or FDA at 1-800-FDA-1088.

Rev. 06/2019

Customer Service: 1-877-482-3788

Manufactured for:

Trigen Laboratories, LLC

Bridgewater, NJ 08807



## PRINCIPAL DISPLAY PANEL - 100 Softgel Bottle Label

13811-525-01

**TriphroCaps**  
**Softgels**

**100 SOFTGELS**

**TRIGEN**  
**LABORATORIES**

**DIRECTIONS FOR USE:** Take one softgel capsule daily or as prescribed by a physician. On dialysis days, take one TriphroCaps softgel after dialysis.

**STORAGE:** Store at 20°-25°C (68°-77°F), excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature].

**KEEP OUT OF REACH OF CHILDREN.**

For use on the order of a healthcare practitioner.

Call your doctor about side effects. To report side effects, call Trigen Laboratories, LLC at 1-877-482-3788 or FDA at 1-800-FDA-1088.

Rev. 06/2019

Manufactured for:  
Trigen Laboratories, LLC  
Bridgewater, NJ 08807

Lot: Exp:

3 13811 52501 4

13811-525-01

**TriphroCaps**

Softgels

Dietary Supplement

100 SOFTGELS

**TRIGEN**  
LABORATORIES

**DESCRIPTION:** TriphroCaps are red, oval softgel capsules, imprinted with "T9".

**Supplement Facts**

Serving Size: 1 Softgel Capsule  
Servings Per Container: 100

	Amount Per Serving	% Daily Value for Adults & Children ≥ 4 years
<b>Vitamin C (Ascorbic Acid)</b>	100 mg	111%
<b>Thiamin (as Thiamine Mononitrate)</b>	1.5 mg	125%
<b>Riboflavin</b>	1.7 mg	131%
<b>Niacin (as Niacinamide)</b>	20 mg NE	125%
<b>Vitamin B<sub>6</sub> (as Pyridoxine HCl)</b>	10 mg	588%
<b>Folate</b>	1667 mcg DFE (1000 mcg folic acid)	417%
<b>Vitamin B<sub>12</sub> (as Cyanocobalamin)</b>	6 mcg	250%
<b>Biotin</b>	150 mcg	500%
<b>Pantothenic Acid (as d-Calcium Pantothenate)</b>	5 mg	100%

**Other Ingredients:** Soybean Oil, Bovine Gelatin, Glycerin, Water, Yellow Beeswax, Lecithin, Titanium Dioxide, FD&C Red #40, Ethyl Vanillin, FD&C Yellow #5, FD&C Yellow #6, and Iron Oxide Red

**THIS PRODUCT CONTAINS SOY.**

Peel label for prescribing and product information.

TRIPHROCAPS				
folic acid, ascorbic acid, niacinamide, thiamine mononitrate, riboflavin, pyridoxine hydrochloride, cyanocobalamin, calcium pantothenate, and biotin capsule				
Product Information				
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:138 11-525	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
folic acid (UNII: 935E97BOY8) (folic acid - UNII:935E97BOY8)		folic acid	1 mg	
ascorbic acid (UNII: PQ6CK8PD0R) (ascorbic acid - UNII:PQ6CK8PD0R)		ascorbic acid	100 mg	
niacinamide (UNII: 25X51I8RD4) (niacinamide - UNII:25X51I8RD4)		niacinamide	20 mg	
thiamine mononitrate (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)		Thiamine	1.5 mg	
riboflavin (UNII: TLM2976OFR) (riboflavin - UNII:TLM2976OFR)		riboflavin	1.7 mg	
pyridoxine Hydrochloride (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)		pyridoxine Hydrochloride	10 mg	
cyanocobalamin (UNII: P6YC3EG204) (cyanocobalamin - UNII:P6YC3EG204)		cyanocobalamin	6 ug	
calcium pantothenate (UNII: 568ET80C3D) (PANTOTHENIC ACID - UNII:19F5HK2737, CALCIUM CATION - UNII:2M83C4R6ZB)		PANTOTHENIC ACID	5 mg	
biotin (UNII: 6SO6U10H04) (biotin - UNII:6SO6U10H04)		biotin	150 ug	
Inactive Ingredients				
Ingredient Name			Strength	
soybean oil (UNII: 241ATL177A)				
GELATIN TYPE B BOVINE (160 BLOOM) (UNII: 1T8387508X)				
glycerin (UNII: PDC6A3C0OX)				
water (UNII: 059QF0K00R)				
yellow wax (UNII: 2ZA36H0S2V)				
titanium dioxide (UNII: 15FIX9V2JP)				
FD&C Red No. 40 (UNII: WZB9127XOA)				
ethyl vanillin (UNII: YC9ST449YJ)				
FD&C yellow No. 5 (UNII: I753WB2F1M)				
FD&C yellow No. 6 (UNII: H77VEI93A8)				
ferric oxide red (UNII: 1K09F3G675)				
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:138 11-525-01	100 in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date

DIETARY SUPPLEMENT	01/27/2016
--------------------	------------

Supplement Facts		
Serving Size :		Serving per Container :
	Amount Per Serving	% Daily Value
color		
imprint		
scoring	1	
shape		
size (solid drugs)	13 mm	

**Labeler** - Trigen Laboratories, LLC (830479668)