

**SUPREME ANTACID - calcium carbonate, magnesium hydroxide liquid
H E B**

Supreme Antacid Cherry

ACTIVE INGREDIENT (in each 10 mL)

Calcium carbonate 800 mg
Magnesium hydroxide 270 mg

PURPOSE

Antacid
Antacid

USE(S)

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

WARNINGS

Do not take more than 60 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

ASK A DOCTOR BEFORE USE IF YOU HAVE

- kidney disease
- a magnesium-restricted diet

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

STOP USE AND ASK DOCTOR

if symptoms last more than two weeks

KEEP OUT OF REACH OF CHILDREN

In case of overdose get medical help or contact a Poison Control Center immediately.

DIRECTIONS

- **shake well before use**
- mL = milliliter
- adults and children 12 years and older: take 10 to 20 mL two times a day, or as directed by a doctor
- children under 12 years: consult a doctor

OTHER INFORMATION

- **each 10 mL contains:** calcium 320 mg, magnesium 120 mg, sodium 10 mg
- store at controlled room temperature 20°C-25°C (68°-77°F)
- do not freeze

INACTIVE INGREDIENTS

benzyl alcohol, flavor, hydroxyethyl cellulose, purified water, saccharin sodium, simethicone, sodium carbonate, sorbitol, xanthan gum.

Questions or comments?

1-(609) 860-2600 Mon.- Fri. 8:00 am - 4:30 pm

PRINCIPAL DISPLAY PANEL

NDC 37808-614-05

H-E-B®

Supreme Antacid

Calcium Carbonate, 800 mg

Magnesium Hydroxide, 270 mg

Antacid

Relief of:

- **Acid Indigestion**
- **Heartburn**
- **Sour Stomach**
- **Upset Stomach**

Cherry Creme

12 FL OZ (355 mL)



DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each 10 mL)	Purpose
Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 270 mg.....	Antacid

Uses relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms

Warnings
Do not take more than 60 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.
Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if symptoms last more than two weeks.
Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.

Directions ■ shake well before use ■ mL = milliliter ■ adults and children 12 years and older: take 10 to 20 mL two times a day, or as directed by a doctor ■ children under 12 years: consult a doctor

Other information ■ each 10 mL contains: calcium 320 mg, magnesium 120 mg, sodium 10 mg ■ store at controlled room temperature 20°C-25°C (68°F-77°F) ■ do not freeze

Inactive ingredients benzyl alcohol, flavor, hydroxyethyl cellulose, purified water, saccharin sodium, simethicone, sodium carbonate, sorbitol, xanthan gum.

Questions or comments? 1-(609) 860-2600 Mon. - Fri. 8:00 am - 4:30 pm.

MADE WITH PRIDE & CARE FOR H-E-B®
646 S. FLORES ST., SAN ANTONIO, TX 78204

100% GUARANTEE promise
MFR# 53041 REV 1024

45315-2410

UNVARNISHED AREA FOR LOT & EXP (LINE DOES NOT PRINT)

0 4 1220 55633 5

Note new size Lot & Exp area

SUPREME ANTACID

calcium carbonate, magnesium hydroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-614
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	270 mg in 10 mL
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	800 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
HYDROXYETHYL CELLULOSE (2000 MPAS AT 1%) (UNII: S38J6RZN16)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SODIUM CARBONATE (UNII: 45P3261C7T)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-614-05	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/07/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	02/07/2025	

Labeler - H E B (007924756)

Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(37808-614)

