

**KAOPECTATE- bismuth subsalicylate liquid**  
**KRAMER LABORATORIES**

-----  
**Kaopectate®**  
**Extra Strength Peppermint 11oz**

**Drug Facts**

**Active Ingredient (per 15 mL)**

Bismuth subsalicylate 525 mg

**Purposes**

Anti-diarrheal  
Upset stomach reliever

**Uses**

relieves:

- traveler's diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink

including:

- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert: Contains salicylate.**

**Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- a sodium-restricted diet
- fever
- mucus in the stool

**Ask a doctor or pharmacist before use if you are**

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

**When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur

**Stop use and ask a doctor if**

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **shake well immediately before each use**
- only use pre-measured dose cup
- **adults and children 12 years of age and older:** 1 dose (30 mL) every hour as needed.
- do not exceed 4 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information**

- **each 30 mL dose cup contains:** sodium 13 mg and **salicylate 507 mg**
- store at room temperature 20°-25° C (68°-77° F)

**Inactive ingredients**

caramel, carboxymethylcellulose sodium, FD&C Red No. 40, flavor, microcrystalline cellulose, sodium salicylate, sorbic acid, sucrose, water, xanthan gum

**Principal Display Panel**

**EXTRA  
STRENGTH**

**2X**  
*THE MEDICINE  
PER DOSE*

**Kaopectate®**  
*Bismuth Subsalicylate 525 mg*  
● *Anti-Diarrheal* ● *Upset stomach Reliever*

**Diarrhea &  
Upset Stomach**

- ✓ Begins controlling symptoms from the first dose
- ✓ Twice the medicine as regular strength Kaopectate
- ✓ Quickly relieves urgency, gas, and cramping

11 fl oz (325 mL)

*Peppermint Flavor*

682PPT11KA0LB



**DO NOT USE IF INNER SEAL IS BROKEN OR MISSING**

Kramer Laboratories, Bridgewater, NJ 08807 1-800-824-4894  
K0825 682PPT11KA0LB

Lot:

Exp:

PEEL CORNER TO READ  
DRUG FACTS AND INFORMATION

# Kaopectate

## Extra Strength Peppermint 11oz

### Drug Facts

**Active ingredient (per 15 mL)**

Bismuth subsalicylate 525 mg . . . . . Anti-diarrheal  
Upset stomach reliever

**Purposes**

**Uses** relieves: ■ traveler's diarrhea ■ diarrhea  
■ upset stomach due to overindulgence in food and drink,  
including: ■ heartburn ■ indigestion ■ nausea ■ gas  
■ belching ■ fullness

**Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert: Contains salicylate.**

**Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**DO NOT USE IF INNER SEAL IS BROKEN OR MISSING**

Kramer Laboratories, Bridgewater, NJ 08807 1-800-824-4894

K0825 682PPT11KA0LB



Lot:

Exp:

PEEL CORNER TO READ COMPLETE  
DRUG FACTS AND INFORMATION

**Drug Facts** (continued)**Do not use if you have**

- an ulcer ■ a bleeding problem ■ bloody or black stool

**Ask a doctor before use if you have**

- a sodium-restricted diet ■ fever ■ mucus in the stool

**Ask a doctor or pharmacist before use if you**

- are taking any drug for ■ diabetes ■ gout
- arthritis ■ anticoagulation (thinning the blood)

**When using this product** a temporary, but harmless, darkening of the stool and/or tongue may occur

**Stop use and ask a doctor if**

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days


**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well immediately before each use
- only use pre-measured dose cup
- adults and children 12 years of age and older:  
1 dose (30 mL) every hour as needed.  
■ do not exceed 4 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days

HINGE AREA



KAOPECTATE

bismuth subsalicylate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55505-229
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
Bismuth Subsalsicylate (UNII: 62TEY51RR1) (Salicylic Acid - UNII:O414PZ4LPZ, Bismuth Cation - UNII:ZS9CD1I8YE)		Bismuth Subsalsicylate	525 mg in 15 mL
Inactive Ingredients			
Ingredient Name			Strength
Caramel (UNII: T9D99G2B1R)			
Carboxymethylcellulose Sodium, Unspecified (UNII: K679OBS311)			
Fd&C Red No. 40 (UNII: WZB9127XOA)			
Microcrystalline Cellulose (UNII: OP1R32D61U)			

<b>Sodium Salicylate</b> (UNII: WQ1H85SYP)	
<b>Sorbic Acid</b> (UNII: X045WJ989B)	
<b>Sucrose</b> (UNII: C151H8M554)	
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Xanthan Gum</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	PEPPERMINT	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55505-229-64	325 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	02/01/2026	

**Labeler -** KRAMER LABORATORIES (122720675)

Revised: 10/2025

KRAMER LABORATORIES