ABOVE EXTREME MEN BLACK ANTIPERSPIRANT MAXX 72H- above extreme men black antiperspirant maxx 72h aerosol, spray BASTON INDUSTRIA DE AEROSSOIS LTDA

ABOVE EXTREME MEN BLACK ANTIPERSPIRANT DEODORANT 72H SPRAY MAXX

ALUMINUM SESQUICHOLOHYDRATE 19.2%

ALUMINUM SESQUICHOLOHYDRATE 19.2%

ANTIPERSPIRANT

ANTIPERSPIRANT

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

SUPPORT@MYSPRAY.GROUP OR CALL (305) 766-5030

SUPPORT@MYSPRAY.GROUP OR CALL (305) 766-5030

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION, CONTAINER MATERIAL: STEEL, BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND

MOUTH TO AVOID BREATHING IN. AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE, KEEP OUT OF REACH OF CHILDREN AND ANIMALS, USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL, AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL. BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

UNDERARM ANTIPERSPIRANT DEODORANT

UNDERARM ANTIPERSPIRANT DEODORANT

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL. BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C

OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL. BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

BUTANE (BUTANO) PROPANE (PROPANO) ISOBUTANE (ISOBUTANO) ISOPROPYL MYRISTATE ISODODECANE ALUMINUM SESOUICHOLOHYDRATE PARFUM (PERFUME) AOUA PPG-14 BUTYL ETHER (ÉTER BUTÍLICO PPG-14) **QUATERNIUM-18 HECTORITE** 2-METHYL 5-CYCLOHEXYLPENTANOL (2-METIL 5-CICLOEXILPENTANOL) PROPYLENE CARBONATE TOCOPHERYL ACETATE (ACETATO DE DEXTROALFATOCOFEROL) GOSSYPIUM HERBACEUM SEED OIL **BUTYROSPERMUM PARKII BUTTER** MACADAMIA TERNIFOLIA SEED OIL COCOS NUCIFERA FRUIT EXTRACT CHAMOMILLA RECUTITA FLOWER EXTRACT ALOE BARBADENSIS LEAF EXTRACT CAMELLIA SINENSIS LEAF EXTRACT CINNAMOMUM ZEYLANICUM BARK EXTRACT ACORUS CALAMUS ROOT EXTRACT COMMIPHORA MYRRHA RESIN EXTRACT OLEA EUROPAEA FRUIT OIL ARGANIA SPINOSA KERNEL OIL LECITHIN (LECITINA) POLYGLYCERYL-3 DIISOSTEARATE GLYCERIN (GLICEROL) **GLYCERYL STEARATE**

BUTANE (BUTANO)
PROPANE (PROPANO)
ISOBUTANE (ISOBUTANO)
ISOPROPYL MYRISTATE
ISODODECANE
ALUMINUM SESQUICHOLOHYDRATE

PARFUM (PERFUME)

AQUA

PPG-14 BUTYL ETHER (ÉTER BUTÍLICO PPG-14)

QUATERNIUM-18 HECTORITE

2-METHYL 5-CYCLOHEXYLPENTANOL (2-METIL 5-CICLOEXILPENTANOL)

PROPYLENE CARBONATE

TOCOPHERYL ACETATE (ACETATO DE DEXTROALFATOCOFEROL)

GOSSYPIUM HERBACEUM SEED OIL

BUTYROSPERMUM PARKII BUTTER

MACADAMIA TERNIFOLIA SEED OIL

COCOS NUCIFERA FRUIT EXTRACT

CHAMOMILLA RECUTITA FLOWER EXTRACT

ALOE BARBADENSIS LEAF EXTRACT

CAMELLIA SINENSIS LEAF EXTRACT

CINNAMOMUM ZEYLANICUM BARK EXTRACT

ACORUS CALAMUS ROOT EXTRACT

COMMIPHORA MYRRHA RESIN EXTRACT

OLEA EUROPAEA FRUIT OIL

ARGANIA SPINOSA KERNEL OIL


LECITHIN (LECITINA)

POLYGLYCERYL-3 DIISOSTEARATE

GLYCERIN (GLICEROL)

GLYCERYL STEARATE





ABOVE EXTREME MEN BLACK ANTIPERSPIRANT MAXX 72H

above extreme men black antiperspirant maxx 72h aerosol, spray

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:73306-1175 Route of Administration TOPICAL

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII: UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	19.2 mg in 150 g			

Inactive Ingredients			
Ingredient Name	Strength		
ISODODECANE (UNII: A8289P68Y2)			

Product Characteristics

Color	white	Score
Shape		Size
Flavor		Imprint Code
Contains		

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:73306-	150 g in 1 BOTTLE, SPRAY; Type 0: Not a	05/18/2024			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	05/18/2024	

Labeler - BASTON INDUSTRIA DE AEROSSOIS LTDA (897727605)

Registrant - BASTON INDUSTRIA DE AEROSSOIS LTDA (897727605)

Establishment				
Name	Address	ID/FEI	Business Operations	
BASTON INDUSTRIA DE AEROSSOIS LTDA		897727605	manufacture(73306-1175)	

Revised: 5/2024 BASTON INDUSTRIA DE AEROSSOIS LTDA