MONISTAT 7 COMBINATION PACK TRIPLE ACTION- miconazole nitrate Insight Pharmaceuticals

Monistat 7 Combination Pack Triple Action

Drug Facts

Active ingredients	Purpose
Miconazole nitrate 2% (100 mg in each applicatorful)	Vaginal antifungal
Miconazole nitrate 2% (external cream)	Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product, read the enclosed consumer information leaflet for complete directions and information
- adults and children 12 years of age and over:
- **applicators:** insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. Throw away applicator after use.
- **external cream:** squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina (vulva). Use 2 times daily for up to 7 days, as needed.
- children under 12 years of age: ask a doctor

Other information

- do not use if seal over tube opening has been punctured
- do not purchase if carton is open
- store at 20°-25°C (68°-77°F)

Inactive ingredients

 benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

Questions?

call toll-free 877-666-4782

Distributed by: INSIGHT Pharmaceuticals, LLC., Trevose, PA 19053

PRINCIPAL DISPLAY PANEL - Kit Carton

7 DAY TREATMENT • CREAM

MONISTAT® 7

Miconazole Nitrate Vaginal Cream (2%) and Miconazole Nitrate Cream (2%) (Miconazole Nitrate 100 mg per application)

VAGINAL ANTIFUNGAL

CURES MOST VAGINAL YEAST INFECTIONS

and relieves associated external itching and irritation


CLINICALLY PROVEN
MULTI-SYMPTOM RELIEF

COMBINATION PACK

TRIPLE ACTION

#1 DOCTOR RECOMMENDED BRAND[†]

Net Wt. 1.59 oz. (45g) • 0.32 oz. (9g) tube



7 DAY TREATMENT • CREAM

MONISTAT[®] 7

Miconazole Nitrate Vaginal Cream (2%) and Miconazole Nitrate Cream (2%) (Miconazole Nitrate 100 mg per application)

VAGINAL ANTIFUNGAL

COMBINATION PACK

7 DAY TREATMENT • CREAM

MONISTAT[®] 7

Miconazole Nitrate Vaginal Cream (2%) and Miconazole Nitrate Cream (2%) (Miconazole Nitrate 100 mg per application)

VAGINAL ANTIFUNGAL

CURES MOST VAGINAL YEAST INFECTIONS

and relieves associated external itching and irritation




Net Wt. 1.59 oz. (45g) • 0.32 oz. (9g) tube



#1 DOCTOR RECOMMENDED BRAND

If you have questions or comments, call-toll free 877-MONISTAT or visit our website at www.monistat.com





VAGINAL ANTIFUNGAL and Miconazole Nitrate Cream (2%) Miconazole Nitrate Vaginal Cream (2%)

T'TATZINOM

COMBINATION PACK

Drug Facts (continued)

contact a Poison Control Center right away. Keep out of reach of children. If swallowed, get medical help or If pregnant or breast-feeding, ask a health professional before use.

Directions

- information leaflet for complete directions and information Defore using this product read the enclosed consumer
- for 7 nights in a row. Throw away applicator after use. applicators: insert 1 applicatorful into the vagina at bedtime ■ adults and children 12 years of age and over:
- outside the vagina (vulva). Use 2 times daily for up to 7 days, your fingertip. Apply the cream onto the itchy, initiated skin ■ external cream: squeeze a small amount of cream onto
- children under 12 years of age: ask a doctor

Other information

- do not use if seal over tube opening has been punctured
- do not purchase if carton is open
- store at 20°-25°C (68°-77°F)

potassium hydroxide, propylene glycol, purified water, stearyl alcohol benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, Inactive ingredients

Questions? call toll-free 877-666-4782

VISIT OUR WEBSITE AT WWW.MONISTAT.COM

Drug Facts

Miconazole nitrate 2% (external cream)......Miconazole nitrate 2% Miconazole nitrate (100 mg in each applicatorful)......Vaginal antifungal Purpose Active ingredients

Sesu

melieves external itching and inflation due to a vaginal yeast ■ treats vaginal yeast infections

Warnings

For vaginal use only

diagnosed by a doctor Do not use if you have never had a vaginal yeast infection

Ask a doctor before use if you have

- more serious condition. lower abdominal, back or shoulder pain, fever, chills, nauses, vorniting, or foul-emelling vaginal discharge. You may have a waginal itching and discomfort for the first time
- underlying medical cause for your symptoms, including diabetes or 3 in 6 months). You could be pregnant or have a serious ■ vaginal yeast infections often (such as once a month
- been exposed to the human immunodeficiency virus or a weakened immune system.

SQIA sesues tart (VIH)

punishing may occur Ask a doctor or pharmacist before use if you are talding the prescription blood thinning medicine warfarin, because bleeding or

When using this product

- products. Condoms and disphragms may be damaged and fail to prevent the pregnancy or sexually transmitted diseases (STDs). do not use tampons, douches, spermicides or other vaginal
- do n ot have vaginal intercourse
 mild increase in vaginal burning, itching or irritation may occur
 I you do not get complete relief ask a doctor before using another product
- Stop use and ask a doctor if
- symptoms last more than 7 days symptoms do not get better in 3 days
- you get a rash or hives, abdominal pain, fever, chills, nausea,
- vomiting, or foul-smelling vaginal discharge

† Based on a 2012 survey among OB/GYNs and primary care physicians who recommend an over-the-counter brand of vaginal yeast treatments.



5.844 SCAN FOR MORE

TAMPER-EVIDENT UNIT DO NOT USE IF SEAL OVER TUBE HAS BEEN **PUNCTURED**

Trevose, PA 19053 © 2012 40-72-222A 282190 Made In Canada

282190

NON-VARNISH ARE A

EXPIRATION DATE

LOT #

COOLWIPES® FEMININE WIPES

Ingredients: Water, Propybne Glycol, Abe Barbadensis Leaf Juice, Tocophe yi Ac eta te, PEG-75 Lanolin, Disodium Cocoamphodisc eta te, Polysorbate 20, Fragrance, Citric Acid, Disodium Phosphate, Disodium EDTA, 2-Brono-2-Nitropropane-1, 3-diol, Iodopropynyi But ylcarbamate.

Do not use to remove vaginal treatment once applied.

Miconazole Nitrate Vaginal Cream (2%) and Miconazole Nitrate Gream (2%) (Miconazole Nitrate 100 mg per application)

VAGINAL ANTIFUNGAL

OPEN HERE

no varnish

282190

MONISTAT 7 COMBINATION PACK TRIPLE ACTION

miconazole nitrate kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63736-003

Packaging

П	1 uchugmg					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
l	1 NDC:63736-003-07	1 in 1 PACKAGE, COMBINATION				

Ouantity of Parts

A	Quantity of 2 areas				
Part #	Package Quantity	Total Product Quantity			
Part 1	1 TUBE, WITH APPLICATOR	0.1 g			
Part 2	1 TUBE	0.009 g			

Part 1 of 2

MICONAZOLE NITRATE

miconazole nitrate cream

Product Information

Route of Administration VAGINAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M)	Miconazole Nitrate	20 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
PO TASSIUM HYDRO XIDE (UNII: WZH3C48 M4T)				

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)]
WATER (UNII: 059QF0KO0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.1 g in 1 TUBE, WITH APPLICATOR		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA017450	04/26/1993		

Part 2 of 2

MICONAZOLE NITRATE

miconazole nitrate cream

Product Information

Route of Administration VAGINAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M) Miconazole Nitrate 20 mg in 1 g

Inactive Ingredients					
Ingredient Name	Strength				
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)					
CETYL ALCOHOL (UNII: 936JST6JCN)					
ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS)					
POLYSORBATE 60 (UNII: CAL22UVI4M)					
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)					
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)					
WATER (UNII: 059QF0KO0R)					
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)					

Pa	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1		0.009 g in 1 TUBE				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA017450	04/26/1993		
Marketing Info	rmation			
Marketing Info	rmation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
		Marketing Start Date 04/26/1993	Marketing End Date	

Labeler - Insight Pharmaceuticals (176792315)

Establishment				
Name	Address	ID/FEI	Business Operations	
Jubilant		246762764	MANUFACTURE(63736-003)	

Revised: 3/2013 Insight Pharmaceuticals