

**SENEXON - senna tablet, coated**  
**Aphena Pharma Solutions - Tennessee, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

Active ingredient (in each tablet) Sennosides 8.6mg

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Ask a doctor before use if you have noticed a sudden change in bowel habits that lasts over two weeks.

Do not use for longer than one week, when abdominal pain, nausea or vomiting are present.

Stop use and ask a doctor if: you have rectal bleeding; you fail to have a bowel movement after use of this product. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

uses

relieves occasional constipation(irregularity);generally causes bowel movement in 6-12 hours.

1800 645-2158 9 am - 5 pm Monday - Friday

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive Ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil

Dosage and Administration

Adults and children 12 years and over - 2 tablets once a day - maximum dosage - 4 tablets twice a day

Children 6 to under 12 years - 1 tablet once a day maximum dosage - 2 tablets twice a day

children 2 to under 6 years - 1/2 tablet once a day - maximum dosage - 1 tablet twice a day

Relieves occasional constipation

Generally produces bowel movement in 6-12 hours

**Repackaging Information**

Please reference the **How Supplied** section listed above for a description of individual tablets. This drug product has been received by Aphena Pharma - TN in a manufacturer or distributor packaged configuration and repackaged in full compliance with all applicable cGMP regulations. The package configurations available from Aphena are listed below:

<b>Count</b>	<b>8.6 mg</b>
100	71610-058-65

Store between 20°-25°C (68°-77°F). See USP Controlled Room Temperature. Dispense in a tight light-resistant container as defined by USP. Keep this and all drugs out of the reach of children.

Repackaged by:



Cookeville, TN 38506

20180514JH

**PRINCIPAL DISPLAY PANEL - 8.6 mg**

NDC 71610-058 - Sennosides (Senna) 8.6 mg



**SENEXON**

senna tablet, coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71610-058(NDC:0536-5904)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SENNOSIDES A and B (UNII: 1B5FPI42EN) (SENNOSIDES A and B - UNII:1B5FPI42EN)	SENNOSIDES A and B	8.6 mg

**Inactive Ingredients**

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HF48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
magnesium stearate (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
mineral oil (UNII: T5L8T28FGP)	

**Product Characteristics**

<b>Color</b>	brown	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL080
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71610-058-65	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/04/2018	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	02/09/2006	

**Labeler** - Aphenia Pharma Solutions - Tennessee, LLC (128385585)**Establishment**

Name	Address	ID/FEI	Business Operations
Aphenia Pharma Solutions - Tennessee, LLC		128385585	REPACK(71610-058)

Revised: 5/2018

Aphenia Pharma Solutions - Tennessee, LLC