

**ALLERGENA MOLD MIX- alternaria tenuis, aspergillus mixture, botrytis cinerea, chaetomium globosum, cladosporium cladosporioides, curvularia, epicoccum nigrum, fusarium vasinfectum, mucor racemosus, neurospora, nigrospora, penicillium mixture, phoma herbarum, pullularia pullulans, rhizopus, rhodotorula, stemphylium, trichoderma lignorum, trichophyton mentagrophytes, baptisia tinctoria, hydrastis canadensis, myrrha, nasturtium aquaticum, phytolacca decandra, trigonella foenum-graecum, echinacea liquid**

**Meditrend, Inc. DBA Progena Professional Formulations**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Allergena Mold Mix**

**Active Ingredients:Antigens 6X, 12X, 30X:**Alternaria Tenuis, Aspergillus fumigatus, Botrytis cinerea, Chaetomium globosum, Cladosporium cladosporioides, Curvularia, Epicoccum nigrum, Fusarium vasinfectum, Mucor racemosus, Neurospora, Nigrospora, Penicillium, Phoma, Pullularia pullulans, Rhizopus, Rhodotorula, Stemphylium, Trichoderma lignorum, Trichophyton mentagrophytes. **Herbal Drainage Remedies 3X:**Baptisia tinctoria HPUS, Hydrastis canadensis HPUS, Myrrha HPUS, Phytolacca decandra HPUS, Trigonella foenum-graecum;Echinacea 3X HPUS.

**Purpose:**Relief from Sneezing, Runny Nose, Itchy Eyes and Sinus Congestion.\*

**Use:**This product is a homeopathic dilution formulated to support the body's immunity for the temporary relief of allergies.\*

**Keep Out of Reach of Children.**In case of overdose, get medical help or contact a Poison Control Center right away.

**Warnings:**

- Use Only as directed.
- **Stop use and ask a doctor if** symptoms worsen or do not improve after 5 days.
- **If pregnant or breastfeeding**, consult a health professional before use.

**Directions:**•Shake Well Before Use. • **Adults (12 and Older)**15 drops under the tongue three times daily. • **Children (Under 12)**6 drops under the tongue three times daily or as directed by your health care professional. • **Consult a Physician**for use in children under 12 years of age.

**Other Information: Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.**

**Inactive Ingredients:** Nasturtium aquaticum (watercress), USP Purified water and 25% USP Ethanol.

\*[www.allergena.com/drugdisclaimer](http://www.allergena.com/drugdisclaimer)

**Manufactured for PROGENA Professional Formulations  
4820 Eubank Blvd. NE, ABQ, NM 87111 [www.allergena.com](http://www.allergena.com)**

NDC 62713-974-01 Homeopathic

**ALLERGENA™**

**Allergy Relief  
from Molds  
& Fungi\***

+ Drainage Remedies

**Mold Mix**

NET 1FL OZ (30ml)  
25% USP Ethanol

**Drug Facts**

**Active Ingredients:** Antigenes 6X, 12X, 30X:  
 Alternaria tenuis, Aspergillus fumigatus, Botrytis cinerea,  
 Chaetomium globosum, Cladosporium cladosporioides, Curvularia,  
 Epicoccum nigrum, Fusarium vasinfectum, Mucor racemosus,  
 Neurospora, Nigrospora, Penicillium, Phoma, Pullularia pullulans,  
 Rhizopus, Rhodotorula, Stemphylium, Trichoderma lignorum,  
 Trichophyton mentagrophytes; **Herbal Drainage Remedies 3X:**  
 Baptisia tinctoria HPUS, Hydrastis canadensis HPUS, Myrrha  
 HPUS, Phytolacca decandra HPUS, Trigonella foenum-graecum;  
 Echinacea 3X HPUS.

**Purpose:** Relief from Sneezing, Runny Nose, Itchy Eyes and  
 Sinus Congestion.\*

**Use:** This product is a homeopathic dilution formulated to  
 support the body's immunity for the temporary relief of allergies.\*

**Warnings:**  
 ■ Use only as directed.

■ **Stop use and ask a doctor if symptoms worsen or do not  
 improve after 5 days.**

■ **If pregnant or breastfeeding,** consult a health  
 professional before use.

■ **Keep out of reach of children.** In case of overdose, get  
 medical help or contact a Poison Control Center right away.

**Directions:** Shake Well Before Use. ■ **Adults (12 and Older)**  
 15 drops under the tongue three times daily. ■ **Children (Under**  
**12)** 6 drops under the tongue three times daily or as directed  
 by your health care professional. ■ **Consult a Physician** for use  
 in children under 12 years of age.

**Other Information:** Do not use if **TAMPER EVIDENT**  
 seal around neck of bottle is missing or broken.

**Inactive Ingredients:** Nasturtium aquaticum (watercress), USP  
 Purified Water and 25% USP Ethanol.

\*www.allergena.com/drugdisclaimer  
 Manufactured for PROGENA Professional Formulations  
 4820 Eubank Blvd. NE, APO, NM 87111 www.progena.com

**No Gluten**

**UPC FPO**

**ALLERGENA MOLD MIX**

alternaria tenuis, aspergillus mixture, botrytis cinerea, chaetomium globosum, cladosporium cladosporioides, curvularia, epicoccum nigrum, fusarium vasinfectum, mucor racemosus, neurospora, nigrospora, penicillium mixture, phoma herbarum, pullularia pullulans, rhizopus, rhodotorula, stemphylium, trichoderma lignorum, trichophyton mentagrophytes, baptisia tinctoria, hydrastis canadensis, myrrha, nasturtium aquaticum, phytolacca decandra, trigonella foenum-graecum, echinacea liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62713-974
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ALTERNARIA ALTERNATA</b> (UNII: 52B29REC7H) (ALTERNARIA ALTERNATA - UNII:52B29REC7H)	ALTERNARIA ALTERNATA	30 [hp_X] in 1 mL
<b>ASPERGILLUS FUMIGATUS</b> (UNII: X88DF51T48) (ASPERGILLUS FUMIGATUS - UNII:X88DF51T48)	ASPERGILLUS FUMIGATUS	30 [hp_X] in 1 mL
<b>AUREOBASIDIUM PULLULANS VAR. PULLUTANS</b> (UNII: D1A2NG69CK) (AUREOBASIDIUM PULLULANS VAR. PULLUTANS - UNII:D1A2NG69CK)	AUREOBASIDIUM PULLULANS VAR. PULLUTANS	30 [hp_X] in 1 mL
<b>BOTRYTIS CINEREA</b> (UNII: TBW53313S7) (BOTRYTIS CINEREA - UNII:TBW53313S7)	BOTRYTIS CINEREA	30 [hp_X] in 1 mL
<b>CHAETOMIUM GLOBOSUM</b> (UNII: 5016WB8B8A) (CHAETOMIUM GLOBOSUM - UNII:5016WB8B8A)	CHAETOMIUM GLOBOSUM	30 [hp_X] in 1 mL
<b>CLADOSPORIUM CLADOSPORIODES</b> (UNII: 4Z WY20GTGO) (CLADOSPORIUM CLADOSPORIODES - UNII:4Z WY20GTGO)	CLADOSPORIUM CLADOSPORIODES	30 [hp_X] in 1 mL
<b>COCHLIOBOLUS SPICIFER</b> (UNII: 91M9RWP3TD) (COCHLIOBOLUS SPICIFER - UNII:91M9RWP3TD)	COCHLIOBOLUS SPICIFER	30 [hp_X] in 1 mL

UNII:91M9RWP3TD)	COCCIDIUM SPECIFICUM	in 1 mL
<b>EPICOCCUM NIGRUM</b> (UNII: 87U156LEN7) (EPICOCCUM NIGRUM - UNII:87U156LEN7)	EPICOCCUM NIGRUM	30 [hp_X] in 1 mL
<b>FUSARIUM OXYSPORUM VASINFECTUM</b> (UNII: 6M98DC08TZ) (FUSARIUM OXYSPORUM VASINFECTUM - UNII:6M98DC08TZ)	FUSARIUM OXYSPORUM VASINFECTUM	30 [hp_X] in 1 mL
<b>MUCOR RACEMOSUS</b> (UNII: 17RH99LQ7G) (MUCOR RACEMOSUS - UNII:17RH99LQ7G)	MUCOR RACEMOSUS	30 [hp_X] in 1 mL
<b>NEUROSPORA SITOPHILA</b> (UNII: I9D9Z5GCW5) (NEUROSPORA SITOPHILA - UNII:I9D9Z5GCW5)	NEUROSPORA SITOPHILA	30 [hp_X] in 1 mL
<b>KHUSKIA ORYZAE</b> (UNII: VK8C112WTS) (KHUSKIA ORYZAE - UNII:VK8C112WTS)	KHUSKIA ORYZAE	30 [hp_X] in 1 mL
<b>PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM</b> (UNII: 3Y1PE1GCIG) (PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM - UNII:3Y1PE1GCIG)	PENICILLIUM CHRYSOGENUM VAR. CHRYSOGENUM	30 [hp_X] in 1 mL
<b>PHOMA EXIGUA VAR. EXIGUA</b> (UNII: 8JAG41IE4M) (PHOMA EXIGUA VAR. EXIGUA - UNII:8JAG41IE4M)	PHOMA EXIGUA VAR. EXIGUA	30 [hp_X] in 1 mL
<b>RHIZOPUS STOLONIFER</b> (UNII: FEE198DK4Q) (RHIZOPUS STOLONIFER - UNII:FEE198DK4Q)	RHIZOPUS STOLONIFER	30 [hp_X] in 1 mL
<b>RHODOTORULA RUBRA</b> (UNII: 15W81V867R) (RHODOTORULA RUBRA - UNII:15W81V867R)	RHODOTORULA RUBRA	30 [hp_X] in 1 mL
<b>STEMPHYLIUM SARCINIFORME</b> (UNII: XQ14H1462M) (STEMPHYLIUM SARCINIFORME - UNII:XQ14H1462M)	STEMPHYLIUM SARCINIFORME	30 [hp_X] in 1 mL
<b>TRICHODERMA VIRIDE</b> (UNII: T8678F0P0Q) (TRICHODERMA VIRIDE - UNII:T8678F0P0Q)	TRICHODERMA VIRIDE	30 [hp_X] in 1 mL
<b>TRICHOPHYTON MENTAGROPHYTES</b> (UNII: 199I7J3JIV) (TRICHOPHYTON MENTAGROPHYTES - UNII:199I7J3JIV)	TRICHOPHYTON MENTAGROPHYTES	30 [hp_X] in 1 mL
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	3 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	3 [hp_X] in 1 mL
<b>MYRRH</b> (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	3 [hp_X] in 1 mL
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	3 [hp_X] in 1 mL
<b>FENUGREEK LEAF</b> (UNII: 487RI96K8Z) (FENUGREEK LEAF - UNII:487RI96K8Z)	FENUGREEK LEAF	3 [hp_X] in 1 mL
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	3 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>NASTURTIUM OFFICINALE</b> (UNII: YH89GMV676)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62713-974-01	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/01/2024	
2	NDC:62713-974-02	59 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/01/2024	

**Labeler** - Meditrend, Inc. DBA Progena Professional Formulations (130104805)

Revised: 1/2025

Meditrend, Inc. DBA Progena Professional Formulations