

**MENSTRUAL RELIEF MAXIMUM STRENGTH- acetaminophen, pamabrom, pyrilamine maleate tablet, film coated**

**Topco Associates, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**TopCare 44-679**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg

Pamabrom 25 mg

Pyrilamine maleate 15 mg

***Purpose***

Pain reliever

Diuretic

Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- headache
- bloating
- backache
- water-weight gain
- irritability
- muscular aches

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over:
  - take 2 caplets with water every 6 hours as needed
  - do not exceed 6 caplets in a 24 hour period or as directed by a doctor
- children under 12 years: ask a doctor

***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

***Questions or comments?***

1-888-423-0139

*Principal Display Panel*

**TopCare**  
health®

NDC 36800-979-10

**COMPARE TO MAXIMUM STRENGTH PAMPRIN® MULTI-SYMP TOM ACTIVE INGREDIENTS\***

MAXIMUM STRENGTH

**Menstrual Relief**

**ACETAMINOPHEN** - PAIN RELIEVER • **PAMABROM** - DIURETIC

• **PYRILAMINE MALEATE** - ANTIHISTAMINE

**MULTI-SYMP TOM RELIEF OF:** Cramps

• Bloating • Irritability • Headache • Backache

OUR PHARMACISTS  
RECOMMEND

**40** CAPLETS

actual  
size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING**

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007 ©TOPCO LNKA0220  
QUESTIONS? 1-888-423-0139  
topcare@topco.com www.topcarebrand.com

QUALITY  
GUARANTEED

\*This product is not manufactured or distributed by Focus Consumer Healthcare, LLC, owner of the registered trademark Maximum Strength Pamprin® Multi-Symptom.

50844 REV0718A67910

**Drug Facts (continued)**

- do not take more than directed
- adults and children 12 years and over:
- take 2 caplets with water every 6 hours as needed
- do not exceed 6 caplets in a 24 hour period or as directed by a doctor
- children under 12 years: ask a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, stibelic wax, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments? 1-888-423-0139**

\*This product is not manufactured or distributed by Focus Consumer Healthcare, LLC, owner of the registered trademark Maximum Strength Pamprin® Multi-Symptom. 50844 REV/0718A67910

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007 ©TOPCO LMK40220  
QUESTIONS? 1-888-423-0139  
topcare@topco.com www.topcarebrand.com

NDC 36800-979-10

COMPARE TO MAXIMUM STRENGTH PAMPRIN® MULTI-SYMPTOM ACTIVE INGREDIENTS\*

**TopCare** health®

**MAXIMUM STRENGTH**

# Menstrual Relief

ACETAMINOPHEN - PAIN RELIEVER • PAMABROM - DIURETIC  
• PYRILAMINE MALEATE - ANTIHISTAMINE

**MULTI-SYMPTOM RELIEF OF: Cramps**  
• Bloating • Irritability • Headache • Backache

**40 CAPLETS** actual size 

**OUR PHARMACISTS RECOMMEND**

**QUALITY GUARANTEED**



Scan here for more information.  
Call 1-888-423-0139 for more information.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**



0 36800 41461 7

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**

**Active ingredients (in each caplet)** **Purpose**

Acetaminophen 500 mg ..... Pain reliever  
Panoram 25 mg ..... Diuretic  
Pyrilamine maleate 15 mg ..... Antihistamine

**Uses** for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- headache
- backache
- water-weight gain
- irritability
- muscular aches

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- two or more drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- skin rash
- blisters
- itching

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Drug Facts (continued)**

- if you have ever had an allergic reaction to this product or any of its ingredients
- difficulty in urination due to enlargement of the prostate gland
- liver disease
- breathing problems such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

B-1910-679-10-TCR  
REV0718A67910



**TopCare 44-679**

<b>MENSTRUAL RELIEF MAXIMUM STRENGTH</b>			
acetaminophen, pamabrom, pyrilamine maleate tablet, film coated			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-979
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name	Basis of Strength	Strength
PAMABROM (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	PAMABROM	25 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C BLUE NO. 2--ALUMINUM LAKE (UNII: 4AQJ3LG584)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	PURPLE	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;679
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-979-10	1 in 1 CARTON	01/13/2015	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	01/13/2015	

**Labeler** - Topco Associates, LLC (006935977)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867894	MANUFACTURE(36800-979)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	PACK(36800-979)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	PACK(36800-979)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		038154464	PACK(36800-979)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		868734088	PACK(36800-979)