

**NEUTROGENA ULTRA SHEER DRY-TOUCH SUNSCREEN BROAD SPECTRUM SPF 30- titanium dioxide, zinc oxide lotion**  
**Kenvue Brands LLC**

-----  
**Neutrogena Ultra Sheer Dry-Touch Sunscreen Broad Spectrum SPF 30**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide (6.6%), Zinc Oxide (18.0%)	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

## **Inactive ingredients**

Water, Isohexadecane, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Dimethicone, Ethylhexyl methoxycrylene, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Calcium Sodium Borosilicate, VP/Hexadecene Copolymer, Styrene/Acrylates Copolymer, Triethoxycaprylylsilane, Aluminum Hydroxide, Xanthan Gum, Stearic Acid, Trisiloxane, Polyester-7, Phenoxyethanol, Polyhydroxystearic Acid, Caprylyl Glycol, Ethylhexylglycerin, Neopentyl Glycol Diheptanoate, Behenyl Alcohol, Tocopheryl Acetate, Disodium EDTA, Silica

## **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

## **PRINCIPAL DISPLAY PANEL - 88 mL Tube Label**

### ***NEW LOOK***

**Neutrogena**®

**DERMATOLOGIST RECOMMENDED BRAND**

**ULTRA**

**SHEER**®

**Dry-Touch**

**Sunscreen**

**MINERAL SENSITIVE SKIN**

**30**

**BROAD SPECTRUM SPF 30**

**Antioxidant Vitamin E**

100% Mineral Actives

Lightweight clean feel

**with PURESREEN+**®

Water resistant (80 minutes)

3.0 FL OZ (88 mL)

**Neutrogena®  
Mineral Ultra Sheer®  
with PureScreen+®**



shields skin 6 layers 30055810

deep and provides broad-spectrum protection against skin-aging UVA and burning UVB rays.

- Non-chalky • Shine-free • Quick drying • Fragrance-free

**Drug Facts**

Active ingredients	Purpose
Titanium Dioxide (6.6%), Zinc Oxide (18.0%)	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only** ■ **Do not use** on damaged or broken skin ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Inactive ingredients** Water, Isohexadecane, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Dimethicone, Ethylhexyl methoxycrylene, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Calcium Sodium Borosilicate, VP/Hexadecene Copolymer, Styrene/Acrylates Copolymer, Triethoxycaprylsilane, Aluminum Hydroxide, Xanthan Gum, Stearic Acid, Trisiloxane, Polyester-7, Phenoxyethanol, Polyhydroxystearic Acid, Caprylyl Glycol, Ethylhexylglycerin, Neopentyl Glycol Diheptanoate, Behenyl Alcohol, Tocopheryl Acetate, Disodium EDTA, Silica

**Questions?** Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)



Free of: Chemical filters (including no oxybenzone), parabens, dyes, and phthalates



Vegan. Formula not tested on animals



PURESCREEN+®: 100% mineral actives + antioxidant vitamin E



NEW LOOK

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

**ULTRA SHEER®  
Dry-Touch  
Sunscreen**

MINERAL SENSITIVE SKIN

**30**

BROAD SPECTRUM SPF 30

Antioxidant Vitamin E

100% Mineral Actives  
Lightweight clean feel

with PURESCREEN+®  
Water resistant (80 minutes)

3.0 FL OZ (88 mL)

**NEUTROGENA ULTRA SHEER DRY-TOUCH SUNSCREEN BROAD SPECTRUM SPF 30**

titanium dioxide, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0892
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	180 mg in 1 mL

Distributed by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&J CI 2024 Pat. www.kenvuepatents.com

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | **TITANIUM DIOXIDE** | 66 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKWBC543X)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0892-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	07/01/2024	
2	NDC:69968-0892-1	12 in 1 TRAY	07/01/2024	
2		14 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2024	

