SKIN APEEL PURE PROTECT SPF 40 BROAD SPECTRUM- zinc oxide cream Skin Apeel, Inc.

ACTIVE INGREDIENTS: Zinc Oxide 20%

PURPOSE:Sunscreen

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 am-2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS: C- Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG 10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disodium EDTA, Glycerin, Hydrogren Dimethicone, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

OTHER INFORMATION: • Protect this product from excessive heat and direct sun

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DRUG FACTS

ACTIVE INGREDIENTS:

Zinc Oxide 20%

PURPOSE:

Sunscreen

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 After 40 minutes of swimming or sweating
 - · Immediately after towel drying
- At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

 - Limit time in the sun, especially from 10 am-2 pm
 Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

C12-15 Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG 10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone Crosspolymer, Dimethicone, Disodium EDTA, Glycerin, Hydrogren Dimethicone, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Loottoeret, Disbydystearyl-4 State Polygreps (2015) Control of the Contr Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

OTHER INFORMATION:

· Protect this product from excessive heat and direct sun

Made in USA for Skin Apeel Day Spa Boca Raton, Florida 33433



Pure Protect

SPF 40 **Broad Spectrum** Water Resistant (40 Mins)

non-tinted · zinc oxide antioxidants c + e

Net Wt. 4 oz / 113 g

Keep out of the reach of children.

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging cuased by the sun.

non-comedogenic

reef friendly cruelty free

Apply liberally 15 minutes befor sun exposure.

DRUG FACTS

ACTIVE INGREDIENTS:

Zinc Oxide 20%

PURPOSE:

non-comedogenic

reef friendly cruelty free

Sunscreen

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- · Apply liberally 15 minutes before sun exposure.
- Reapply:
 After 40 minutes of swimming or sweating
 - · Immediately after towel drying
- At least every 2 hours
- Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

 - Limit time in the sun, especially from 10 am-2 pm
 Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

C12-15 Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG 10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone Crosspolymer, Dimethicone, Disodium EDTA, Glycerin, Hydrogren Dimethicone, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Loottoeret, Disbydystearyl-4 State Polygreps (2015) Control of the Contr Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

OTHER INFORMATION:

· Protect this product from excessive heat and direct sun

Made in USA for Skin Apeel Day Spa Boca Raton, Florida 33433



Principal Display Panel - 113 g Bottle Label

skin apeel

organic results • cruelty free

Pure Protect

SPF 40

Broad Spectrum

Water Resistant

(40 Mins)

Non-tinted, zinc oxide antioxidants c + e

Net Wt. 4 oz/ 113 g

Graphic-Untitled

Pure Protect

SPF 40 **Broad Spectrum** Water Resistant (40 Mins)

non-tinted · zinc oxide antioxidants c + e

Net Wt. 4 oz / 113 g

SKIN APEEL PURE PROTECT SPF 40 BROAD SPECTRUM

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83628-205
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	Strength
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
TROLAMINE (UNII: 903K93S3TK)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE 100 (UNII: RO266O364U)	
PEG-30 DIPOLYHYDROXYSTEARATE (4000 MW) (UNII: 9713Q0S7FO)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
STEARYL DIMETHICONE (400 MPA.S AT 50C) (UNII: R327X197HY)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

P	Packaging			
#	Item Code	em Code Package Description		Marketing End Date
1	NDC:83628- 205-40	113 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/20/2024	

Marketing	Information		
Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M020	05/20/2024	

Labeler - Skin Apeel, Inc. (840716328)

Establishment			
Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis (83628-205)

Establishment			
Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc. (FMI)		793406000	manufacture(83628-205), pack(83628-205)

Revised: 5/2024 Skin Apeel, Inc.