

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 60 FACE  
LIGHT FLUID SUNSCREEN BROAD SPECTRUM SPF 60 WATER RESISTANT 80  
MINUTES- avobenzone, homosalate, octisalate and octocrylene lotion  
L'Oreal USA Products Inc**

-----  
**Drug Facts**

**Active ingredients**

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 7%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Flammable until dry.**

Avoid fire, flame and heat during application.

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## **Other information**

protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

water, cyclopentasiloxane, alcohol denat., silica, dicaprylyl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cyclohexasiloxane, polymethylsilsesquioxane, nylon-12, dicaprylyl carbonate, diethylhexyl syringlydenemalonate, phenoxyethanol, lauryl PEG/PPG-18/18 methicone, sodium chloride, caprylyl glycol, PEG-8 laurate, isostearyl alcohol, poly C10-30 alkyl acrylate, disteardimonium hectorite, p-anisic acid, caprylic/capric triglyceride, disodium EDTA, cassia alata leaf extract, maltodextrin, propylene carbonate, sodium dodecylbenzenesulfonate, tocopherol

## **Questions or comments?**

**1-888-LRP-LABO 1-888-577-5226**

Monday - Friday (9 a.m. - 5 p.m. EST)

**A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.**

Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.

**LA ROCHE-POSAY**  
LABORATOIRE DERMATOLOGIQUE

**60**

Face

**BROAD SPECTRUM SPF 60**

**ANTHELIOS**  
LIGHT FLUID SUNSCREEN

Fast absorbing, matte finish  
For normal to combination skin

Ultra Light

with **CELL-OX SHIELD®**  
UVA/UVB Protection + Antioxidants

Tested on sensitive skin. Fragrance-free  
**WATER RESISTANT (80 MINUTES)**

1.7 FL.OZ - 50 ml

**ANTHELIOS**  
ULTRA LIGHT FLUID 60

Package:	Skin Type:
Normal to Combination	
Texture:	
Light Fluid	
Application:	
Face	

**PROPERTIES.**

**1. Multi-Award Winner.**

An award-winning sunscreen with a fluid texture that is suitable for normal to combination skin, including sensitive skin. Ideal for those who are looking for a wearable sunscreen that is non-greasy, non-oily.

**2. Light, Fast Absorbing.**

Lightweight, non-greasy, and oil-free. Feels gentle on skin and leaves a soft, matte finish. It provides a smooth base for makeup application and is non-whitening. Shake well before use.

**3. CELL-OX SHIELD TECHNOLOGY**


**Broad Spectrum UV Filters.** Contains photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. Effective up to 80 minutes in water.

**Powerful Antioxidant Protection.**

With Senna Alata, a tropical leaf extract, helps fight skin damaging free radicals caused by the sun that can accelerate skin aging.

**RESULTS.** Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

**WATER RESISTANT (80 MINUTES)**  
OIL-FREE  
FRAGRANCE-FREE  
PARABEN-FREE  
ALLERGY TESTED  
NON-COMEDOGENIC  
DERMATOLOGIST TESTED FOR SAFETY



**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Flammable until dry.** Avoid fire, flame and heat during application

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, cyclopentasiloxane, alcohol denat., silica, dicaprylyl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cyclohexasiloxane, polymethylsilsesquioxane, nylon-12, dicaprylyl carbonate, diethylhexyl syringlidene malonate, phenoxyethanol, lauryl PEG/PPG-18/18 methicone, sodium chloride, caprylyl glycol, PEG-8 laurate, isostearyl alcohol, poly C10-30 alkyl acrylate, distardimonium hectorite, p-anisic acid, caprylic/capric triglyceride, disodium EDTA, cassia alata leaf extract, maltodextrin, propylene carbonate, sodium dodacylbenzenesulfonate, tocopherol

**Questions or comments?**

1-888-LRP-LABO 1-888-577-5226  
Monday - Friday (9 a.m. - 5 p.m. EST)

856257 13 Code F.I.L.: D236431/1  
Made in France. Distribution reserved to La Roche-Posay  
agreed distributors.  
La Roche-Posay LLC,  
10 Hudson Yards, New York, NY 10001.  
La Roche-Posay Laboratoire Dermatologique  
CAI 86270 La Roche-Posay, France  
TSA 7500093584 ST-QUEEN CEDEX FR  
[www.laroche-posay.us](http://www.laroche-posay.us)





**A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.**

Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.

**LA ROCHE-POSAY**  
LABORATOIRE DERMATOLOGIQUE

**60**

Face

**BROAD SPECTRUM SPF 60**

**ANTHELIOS**  
LIGHT FLUID SUNSCREEN

Fast absorbing, matte finish  
For normal to combination skin

Ultra Light

with **CELL-OX SHIELD®**  
UVA/UVB Protection + Antioxidants

Tested on sensitive skin. Fragrance-free  
**WATER RESISTANT (80 MINUTES)**

1.7 FL.OZ - 50 ml

**ANTHELIOS**  
ULTRA LIGHT FLUID 60

Package:	Skin Type:
Normal to Combination	
Texture:	Light Fluid
Application:	Face

**PROPERTIES.**

**1. Multi-Award Winner.**

An award-winning sunscreen with a fluid texture that is suitable for normal to combination skin, including sensitive skin. Ideal for those who are looking for a wearable sunscreen that is non-greasy, non-oily.

**2. Light, Fast Absorbing.**

Lightweight, non-greasy, and oil-free. Feels gentle on skin and leaves a soft, matte finish. It provides a smooth base for makeup application and is non-whitening. Shake well before use.

**3. CELL-OX SHIELD TECHNOLOGY**


**Broad Spectrum UV Filters.** Contains photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. Effective up to 80 minutes in water.

**Powerful Antioxidant Protection.**

With Senna Alata, a tropical leaf extract, helps fight skin damaging free radicals caused by the sun that can accelerate skin aging.

**RESULTS.** Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

**WATER RESISTANT (80 MINUTES)**  
OIL-FREE  
FRAGRANCE-FREE  
PARABEN-FREE  
ALLERGY TESTED  
NON-COMEDOGENIC  
DERMATOLOGIST TESTED FOR SAFETY



**Drug Facts**

Active ingredients	Purpose
Avo benzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Flammable until dry.** Avoid fire, flame and heat during application

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age. Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, cyclopentasiloxane, alcohol denat., silica, dicaprylyl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cyclohexasiloxane, polymethylsilsesquioxane, nylon-12, dicaprylyl carbonate, diethylhexyl syringlidene malonate, phenoxyethanol, lauryl PEG/PPG-18/18 methicone, sodium chloride, caprylyl glycol, PEG-8 laurate, isostearyl alcohol, poly C10-30 alkyl acrylate, disteardimonium hectorite, p-anisic acid, caprylic/capric triglyceride, disodium EDTA, cassia alata leaf extract, maltodextrin, propylene carbonate, sodium dodacylbenzenesulfonate, tocopherol

**Questions or comments?**

1-888-LRP-LABO 1-888-577-5226  
Monday - Friday (9 a.m. - 5 p.m. EST)

856257 13

Code F.I.L.: D236431/1

Made in France. Distribution reserved to La Roche-Posay agreed distributors.

La Roche-Posay LLC,

10 Hudson Yards, New York, NY 10001.

La Roche-Posay Laboratoire Dermatologique

CAI 86270 La Roche-Posay, France

TSA 75000 93584 ST-OUEN CEDEX FR

www.laroche-posay.us





**A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.**

Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.

**LA ROCHE-POSAY**  
LABORATOIRE DERMATOLOGIQUE

**60**

Face

**BROAD SPECTRUM**  
**SPF 60**

**ANTHELIOS**  
**LIGHT FLUID SUNSCREEN**

Fast absorbing, matte finish  
For normal to combination skin

Ultra Light

with **CELL-OX SHIELD®**  
UVA/UVB Protection + Antioxidants

Tested on sensitive skin. Fragrance-free  
**WATER RESISTANT (80 MINUTES)**

1.7 FL.OZ. - 50 ml



**ANTHELIOS**  
**ULTRA LIGHT FLUID 60**

**Package:** Skin Type:  
Normal to Combination  
**Texture:** Light Fluid  
**Application:** Face

**PROPERTIES.**

**1. Multi-Award Winner.**  
An award-winning sunscreen with a fluid texture that is suitable for normal to combination skin, including sensitive skin. Ideal for those who are looking for a wearable sunscreen that is non-greasy, non-oily.

**2. Light, Fast Absorbing.**  
Lightweight, non-greasy, and oil-free. Feels gentle on skin and leaves a soft, matte finish. It provides a smooth base for makeup application and is non-whitening. Shake well before use.

**3. CELL-OX SHIELD TECHNOLOGY**  
**Broad Spectrum UV Filters.**  
Contains photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection. Effective up to 80 minutes in water.

**Powerful Antioxidant Protection.**  
With Senna Alata, a tropical leaf extract, helps fight skin damaging free radicals caused by the sun that can accelerate skin aging.

**RESULTS.** Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

**WATER RESISTANT (80 MINUTES)**  
**OIL-FREE**  
**FRAGRANCE-FREE**  
**PARABEN-FREE**  
**ALLERGY TESTED**  
**NON-COMEDOGENIC**  
**DERMATOLOGIST TESTED FOR SAFETY**

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable until dry.** Avoid fire, flame and heat during application

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, cyclopentasiloxane, alcohol denat, silica, dicaprylyl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cyclohexasiloxane, polymethylsilsesquioxane, nylon-12, dicaprylyl carbonate, diethylhexyl syringylidene malonate, phenoxyethanol, lauryl PEG/PPG-18/18 methicone, sodium chloride, caprylyl glycol, PEG-8 laurate, isostearyl alcohol, poly C10-30 alkyl acrylate, disteardimonium hectorite, p-anisic acid, caprylic/capric triglyceride, disodium EDTA, cassia alata leaf extract, maltodextrin, propylene carbonate, sodium dodacylbenzenesulfonate, tocopherol

**Questions or comments?**

1-888-LRP-LABO 1-888-577-5226  
Monday - Friday (9 a.m. - 5 p.m. EST)

856257 13 Code F.I.L.: D236431/1  
Made in France. Distribution reserved to La Roche-Posay agreed distributors.  
La Roche-Posay LLC,  
10 Hudson Yards, New York, NY 10001.  
La Roche-Posay Laboratoire Dermatologique  
CAI 86270 La Roche-Posay, France  
TSA 7500093584 ST-QUEEN CEDEX FER  
[www.laroche-posay.us](http://www.laroche-posay.us)



**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 60 FACE LIGHT FLUID SUNSCREEN BROAD SPECTRUM SPF 60 WATER RESISTANT 80 MINUTES**

avobenzone, homosalate, octisalate and octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-496
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DICAPRYLYL ETHER</b> (UNII: 77JZM5516Z)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>PEG-30 DIPOLYHYDROXYSTEARATE</b> (UNII: 9713Q0S7FO)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LAURYL PEG/PPG-18/18 METHICONE</b> (UNII: ZJ5S27D9NX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)	
<b>ISOSTEARYL ALCOHOL</b> (UNII: Q613OCQ44Y)	
<b>STEARYL ACRYLATE POLYMER (110000 MW)</b> (UNII: N85XDY2F7W)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>P-ANISIC ACID</b> (UNII: 4SB6Y7DMM3)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>SENNALATA LEAF</b> (UNII: 4BXR6YZN92)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>SODIUM DODECYLBENZENESULFONATE</b> (UNII: 554127163Y)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-496-01	1 in 1 CARTON	05/01/2020	05/01/2020
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49967-496-02	1 in 1 CARTON	05/01/2020	
3		5 mL in 1 TUBE; Type 0: Not a Combination		

4		Product	
3	NDC:49967-496-03	1 in 1 CARTON	05/01/2020
3		50 mL in 1 BOTTLE; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2020	

**Labeler** - L'Oreal USA Products Inc (002136794)

## Establishment

Name	Address	ID/FEI	Business Operations
Cosmetique Active Production		282658798	manufacture(49967-496) , analysis(49967-496) , pack(49967-496)

## Establishment

Name	Address	ID/FEI	Business Operations
Interspray		364829903	pack(49967-496)

Revised: 1/2024

L'Oreal USA Products Inc