

**UP AND UP 5 SYMPTOMS DIGESTIVE RELIEF 527 - bismuth subsalicylate 525 mg liquid**

**Target corporation**

-----

**up and up 5 symptoms digestive Relief 527**

**ACTIVE INGREDIENT(in each 30 mL)**

Bismuth subsalicylate 525 mg

**PURPOSE**

Upset stomach reliever and anti-diarrheal

**USE(S)**

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

**WARNINGS**

**Reye's Syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's Syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**DO NOT USE IF YOU HAVE**

- an ulcer
- bloody or black stool
- a bleeding problem

## **ASK A DOCTOR BEFORE USE IF YOU HAVE**

- fever
- mucus in the stool

## **ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE**

taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

## **WHEN USING THIS PRODUCT**

a temporary, but harmless darkening of the stool and/or tongue may occur

## **STOP USE AND ASK DOCTOR IF**

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

## **IF PREGNANT OR BREAST-FEEDING,**

ask a health professional before use.

## **KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center immediately.

## **DIRECTIONS**

- **shake well before use**
- mL = milliliter
- TBSP = tablespoon
- adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 TBSP or 240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of fluids to help prevent dehydration caused by diarrhea

## **OTHER INFORMATION**

- **each 30 mL or 2 TBSP contains:**
- potassium 25 mg
- salicylate 260 mg



NDC 82442-527-06  
 compare to active ingredient in Pepto-Bismol®\*  
 5-Symptom Digestive Relief  
 Bismuth Subsalicylate, 525 mg per 30 mL  
 Upset Stomach Reliever/Anti-Diarrheal  
 Relieves upset stomach,  
 nausea, heartburn,  
 indigestion and diarrhea  
 up&up™  
 16 FL OZ (473 mL)

DO NOT USE IF IMPRINTED SHRINKBAND IS MISSING OR BROKEN.

**Drug Facts**

**Active ingredient (in each 30 mL)** Purpose  
 Bismuth subsalicylate 525 mg Upset stomach reliever and anti-diarrheal

**Uses** relieves: ■ diarrhea ■ heartburn ■ indigestion ■ nausea ■ upset stomach associated with these symptoms

**Warnings**  
 Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
 Allergy alert: Contains salicylate. Do not take if you are allergic to salicylates (including aspirin) ■ taking other salicylate products  
 Do not use if you have ■ an ulcer ■ bloody or black stool ■ a bleeding problem  
 Ask a doctor before use if you have ■ fever ■ mucus in the stool  
 Ask a doctor or pharmacist before use if you are taking any drug for ■ anticoagulation (thinning of the blood) ■ diabetes ■ gout ■ arthritis  
 When using this product a temporary, but harmless darkening of the stool and/or tongue may occur  
 Stop use and ask a doctor if ■ symptoms get worse ■ ringing in the ears or loss of hearing occurs ■ diarrhea lasts more than 2 days  
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

◀ Drug Facts continued

Compare to active ingredient in Pepto-Bismol®\*

# 5-Symptom Digestive Relief

Bismuth Subsalicylate, 525 mg per 30 mL  
 Upset Stomach Reliever / Anti-Diarrheal

Relieves upset stomach, nausea, heartburn, indigestion and diarrhea

**up&up**™ 16 FL OZ (473 mL)

**Drug Facts (continued)**

**Directions** ■ shake well before use  
 ■ mL = milliliter ■ TBSP = tablespoon ■ adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every 1/2 to 1 hour as needed ■ do not exceed 8 doses (16 TBSP or 240 mL) in 24 hours ■ use until diarrhea stops but not more than 2 days  
 ■ children under 12 years: ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information** ■ each 30 mL or 2 TBSP contains:  
 • potassium 25 mg • salicylate 260 mg • sodium 8 mg  
 ■ protect from freezing ■ avoid excessive heat (over 104°F or 40°C) ■ dosage cup provided

**Inactive ingredients:** benzoic acid, D&G red # 22, D&G red # 25, flax, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

\*This product is not manufactured or distributed by Procter & Gamble, Inc., the distributor of Pepto-Bismol®.


**Satisfaction guaranteed – Love it or your money back.**

MFR 5391 REV 0/01  
 245 05 0365 R00  
 C-002262-01-073-0000

Dist. by Target Corp.  
 Mpls, MN 55403  
 Made in U.S.A.  
 TM & © 2004  
 Target Brands, Inc.  
 Guest Services  
 1-800-910-8574

NDC 82442-527-10  
 compare to active ingredient in Pepto-Bismol®\*  
 5-Symptom Digestive Relief  
 Bismuth Subsalicylate, 525 mg per 30 mL  
 Upset Stomach Reliever/Anti-Diarrheal  
 Relieves upset stomach,  
 nausea, heartburn,  
 indigestion and diarrhea  
 up&up™  
 Twin Pack  
 Two 16 FL OZ (473mL) BOTTLES

TOTAL 32 FL OZ (946mL)



## UP AND UP 5 SYMPTOMS DIGESTIVE RELIEF 527

bismuth subsalicylate 525 mg liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:82442-527 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength     | Strength        |
|--|-----------------------|-----------------|
| <b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE) | BISMUTH SUBSALICYLATE | 525 mg in 30 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)                             |          |
| <b>D&amp;C RED NO. 22</b> (UNII: 1678RKX8RT)                       |          |
| <b>D&amp;C RED NO. 28</b> (UNII: 7671P0Y5NH)                       |          |
| <b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)                      |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                    |          |
| <b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)                         |          |
| <b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ)                           |          |
| <b>HYDROXYETHYL CELLULOSE (1500 MPAS AT 1%)</b> (UNII: L605B5892V) |          |

|                                       |  |
|---------------------------------------|--|
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) |  |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE) |  |

**Product Characteristics**

|                 |      |                     |  |
|-----------------|------|---------------------|--|
| <b>Color</b>    | PINK | <b>Score</b>        |  |
| <b>Shape</b>    |      | <b>Size</b>         |  |
| <b>Flavor</b>   |      | <b>Imprint Code</b> |  |
| <b>Contains</b> |      |                     |  |

**Packaging**

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:82442-527-04 | 236 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/18/2024           |                    |
| 2 | NDC:82442-527-06 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/18/2024           |                    |
| 3 | NDC:82442-527-10 | 946 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/18/2024           |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | part335                                  | 06/18/2024           |                    |

**Labeler - Target corporation (006961700)**

**Establishment**

| Name                  | Address | ID/FEI    | Business Operations    |
|-----------------------|---------|-----------|------------------------|
| Guardian Drug Company |         | 119210276 | MANUFACTURE(82442-527) |

Revised: 6/2024

Target corporation