

CHILDRENS STOMACH RELIEF ANTACID - calcium carbonate liquid H E B

Childrens Stomach Relief Antacid 657

ACTIVE INGREDIENT (in each 5 mL)

Calcium carbonate 400 mg

PURPOSE

Antacid

USE(S)

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

WARNINGS

Do not take more than 15 mL (age 2-5 yrs) or 30 mL (age 6-11 yrs) in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

ASK A DOCTOR OR PHARMACIST BEFORE USE IF THE CHILD IS

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

STOP USE AND ASK DOCTOR IF

symptoms lasts more than two weeks

KEEP THIS AND ALL DRUGS OUT OF REACH OF CHILDREN

DIRECTIONS

- **shake well before use**
- find the right dose on the chart below based on weight (preferred), otherwise use age.
- repeat dose as needed

- dosing cup provided
- mL=milliliter

Dosing Chart

Weight (lbs.)	Age	Dose
under 24	under 2 yrs.	ask a doctor
24-47	2-5 yrs.	5 mL
48-95	6-11 yrs.	10 mL

OTHER INFORMATION

- **each 5 mL contains:** calcium 161 mg
- store at controlled room temperature 20-25°C (68°F-77°F)

INACTIVE INGREDIENTS

benzyl alcohol, D&C yellow#10 dye, FD&C red#40 dye, flavors, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sorbitol, sucralose, xanthan gum.

Questions or comments?

1-(609) 860-2600 Mon.- Fri. 8:00 am - 4:30 pm.

PRINCIPAL DISPLAY PANEL

Compare to Kid's pepto® active ingredient*
NDC 37808-638-03

H E B

Children's

Stomach Relief

Calcium Carbonate 400 mg / 5 mL

Antacid

Relief of :

- Acid Indigestion
- Heartburn
- Sour Stomach
- Upset Stomach

Orange Creme Flavor

4 FL OZ (118 mL)

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Calcium carbonate 400 mg.....	Antacid

Uses relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms

Warnings
Do not take more than 15 mL (age 2-5 yrs) or 30 mL (age 6-11 yrs) in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.
Ask a doctor or pharmacist before use if the child is ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if symptoms last more than two weeks.
Keep this and all drugs out of the reach of children.

Compare to Kid's Pepto® active ingredient*

NDC 37808-638-03

H-E-B

Children's Stomach Relief

Calcium Carbonate 400 mg / 5 mL

Antacid

Relief of:

- Acid Indigestion
- Heartburn
- Sour Stomach
- Upset Stomach

Orange Crème Flavor

4 FL OZ (118 mL)



PEEL HERE FOR CONTINUED DRUG FACTS

TAMPER EVIDENT: Do not use if imprinted shrinkband is missing or broken.

*This product is not manufactured or distributed by Procter & Gamble, Inc., the distributor of Pepto-Bismol®.

MADE WITH PRIDE & CARE FOR H-E-B®
648 S. FLORES ST., SAN ANTONIO, TX 78204

100% GUARANTEE
premise

If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

MFR# 53041 REV 1024



45815-2410

GLUE
AREA

STOP PEELING HERE

Directions
■ shake well before use ■ find the right dose on chart below based on weight (preferred), otherwise use age ■ repeat dose as needed ■ dosing cup provided ■ mL = milliliter

Dosing Chart		
Weight (lbs.)	Age	Dose
under 24	under 2 yrs.	ask a doctor
24-47	2-5 yrs.	5 mL
48-95	6-11 yrs.	10 mL

Other information ■ each 5mL contains: calcium 161 mg ■ store at controlled room temperature 20°C-25°C (68°F-77°F)

Inactive ingredients benzyl alcohol, D&C yellow #10 dye, FD&C red #40 dye, flavors, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sorbitol, sucralose, xanthan gum.

Questions or comments? 1-(800) 860-2600 Mon. - Fri. 8:00 am - 4:30 pm.

CHILDRENS STOMACH RELIEF ANTACID

calcium carbonate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-638
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	400 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZN16)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	ORANGE	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-638-03	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/13/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	01/13/2025	

Labeler - H E B (007924756)

Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(37808-638)

Revised: 1/2025

H E B