SUNNYLIFE SPF 50 SUNSCREEN FRAGRANCE FREE- avobenzone, homosalate, octisalate, octocrylene lotion OUTLIVING PTY LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SUNNYLIFE SPF 50+ SUNSCREEN FRAGRANCE FREE LOTION JNR

DRUG FACTS

ACTIVE INGREDIENTS:

Avobenzone 3%, Homosalate 10% Ocitsalate 5% Octocrylene 8%

PURPOSE

Sunscreen

Uses:

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

WARNINGS:

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help contact Poison Control Center right away.

DIRECTION:

- For sunscreen use
- Apply generously 15 minutes before sun exposure. Reapply:
- After 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours. **Skin Protection Measures.** Spending time in the sun increases your risk of skin cancer & early sking aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher & other sun protection measures including:

- Limit time in the sun, especially from 10am-2pm
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: ask a doctor.

OTHER INFORMATION:

Protect this product from excessive heat and direct sun.

INACTIVE INGREDIENTS:

Water, Cera Alba, C12-15 Alkyl Benzoate, SIlica, PEG-15 Cocamine, PEG-40 Stearate, Carbomer, Hydroxyethylcellulose, Caprylhydroxamic Acid, Caprylyl Glycol, Glycerin, Triethanolamine, Aloe Barbadensis Leaf Juice, Tocopheryl Acetate, Citric Acid.

QUESTIONS OR COMMENTS?

+1 323.591.0219

Package Labeling:

SUNNYLIFE*

SPF 50⁺ Sunscreen

UVA/UVB

Broad Spectrum Protection

Water Resistant (80 minutes) Fragrance Free Lotion

6.8 fl oz (200mL)

DRUG FACTS

ACTIVE INGREDIENTS: Avobenzone 3%, Homosalate 10%, Ocitsalate 5%, Octocrylene 8%

PURPOSE

Sunscreen

USES: • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

WARNINGS: For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact Poison Control Center right away.

DIRECTIONS: For sunscreen use • Apply generously 15 minutes before sun exposure. Reapply: • After 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours. **Skin Protection Measures.** Spending time in the sun increases your risk of skin cancer & early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher & other sun protection measures including:

- Limit time in the sun, especially from 10am–2pm
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: ask a doctor.

OTHER INFORMATION: Protect this

product from avacacius hast and direct our

product from excessive neat and direct sun.

INACTIVE INGREDIENTS: Water, Cera Alba, C12-15 Alkyl Benzoate, Silica, PEG-15 Cocamine, PEG-40 Stearate, Carbomer, Hydroxyethylcellulose, Caprylhydroxamic Acid, Caprylyl Glycol, Glycerin, Triethanollamine, Aloe Barbadensis Leaf Juice, Tocopheryl Acetate, Citric Acid.

QUESTIONS OR COMMENTS?

+1 323,591,0219

Distributed by: Sunnylife USA (Sunnylife LLC) 300 N. Crescent Heights Blvd. Los Angeles, CA 90048, USA

Made in Australia

To report a serious adverse event, contact (323) 591-0219

Product not tested on animals



SUNNYLIFE SPF 50 SUNSCREEN FRAGRANCE FREE

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72566-050
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL	
OCTISALATE (UNII: 4X49 Y0596W) (OCTISALATE - UNII:4X49 Y0596W)	OCTISALATE	50 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	80 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
WHITE WAX (UNII: 7G1J5DA97F)		
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)		
PEG-15 CO CAMINE (UNII: 8L6LB12TSJ)		
PEG-40 STEARATE (UNII: ECU18C66Q7)		
CARBOXYPOLYMETHYLENE (UNII: 0 A5MM307FC)		
CAPRYLHYDRO XAMIC ACID (UNII: UPY805K99W)		
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)		

GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
CITRIC ACID MO NO HYDRATE (UNII: 2968 PHW8 QP)	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:72566-050-06	200 mL in 1 BOTTLE; Type 0: Not a Combination Product	0 1/0 6/20 19		
Marketing Info	ormation			
Marketing Info		Marketing Start Date	Marketing End Date	

Labeler - OUTLIVING PTY LTD (745474788)

Establishment				
Name	Address	ID/FEI	Business Operations	
Baxter Laboratories Pty. Ltd.		740537709	manufacture(72566-050)	

Revised: 11/2018 OUTLIVING PTY LTD