

**DAYTIME AND NIGHTTIME SEVERE COLD AND FLU COMBO PACK-
acetaminophen, dextromethorphan hbr, doxylamine succinate
Genexa Inc.**

Daytime and Nighttime Severe Cold & Flu Combo pack

Daytime Severe Cold & Flu

Drug Facts

Active ingredients (in each 20 mL)

Acetaminophen 650 mg

Dextromethorphan HBr 20 mg

Purposes

Pain reliever/fever reducer

Cough suppressant

Uses

- temporarily reduces fever and relieves these common cold/flu symptoms:
- minor aches and pains
- headache
- sore throat
- cough due to minor throat and bronchial irritation

- controls the impulse to cough to help you get to sleep

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product, do not use more than directed.

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **SHAKE WELL before each use**
- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over

20 mL every 4 hours

children 4 to under 12 yrs

ask a doctor

children under 4 yrs

do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

organic agave syrup, organic blueberry flavor, natural flavors, purified water, xylitol

Questions? 1-855-436-3921

You may also report side effects to this phone number.

Nighttime Severe Cold & Flu

Drug Facts

Active ingredients (in each 20 mL)

Acetaminophen 650 mg

Dextromethorphan HBr 30 mg

Doxylamine Succinate 12.5 mg

Purposes

Pain reliever/fever reducer

Cough suppressant

Antihistamine

Uses

- temporarily relieves these common cold and flu symptoms:
- cough due to minor throat and bronchial irritation
- minor aches and pains
- sore throat
- headache
- runny nose
- sneezing
- temporarily reduces fever

- controls cough to help you get to sleep

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- glaucoma
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- **do not use more than directed**
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **SHAKE WELL before each use**
- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hours

adults & children 12 yrs & over
children 4 to under 12 yrs
children under 4 yrs

20 mL every 6 hours
ask a doctor
do not use

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

organic agave syrup, organic blueberry flavor, organic chamomile extract, natural flavors, purified water

Questions? 1-855-426-3921

You may also report side effects to this phone number.

Tamper evident: Do not use if seal under the cap is disturbed or missing.

SHAKE WELL before each use.

U.S. Patent No. 11,617,795 | Distributed by: Genexa Inc. Atlanta, GA 30324 |
genexa.com

Made in the USA with globally sourced ingredients

NDC 69676-0095-3

Day & Night Combo Pack

Genexa®

MEDICINE MADE CLEAN

Daytime

Maximum Strength

Severe Cold & Flu

Acetaminophen - Pain Reliever/Fever Reducer

Dextromethorphan HBr - Cough Suppressant

Fever

Headache

Body Aches & Pains

Sore Throat

Cough

Nighttime

Severe • Maximum Strength

Nighttime Cold & Flu

Acetaminophen - Pain Reliever/Fever Reducer

Dextromethorphan HBr - Cough Suppressant

Doxylamine Succinate - Antihistamine

Fever

Headache

Sore Throat

Body Aches & Pains

Cough

Sneezing

Runny Nose

Medicine made clean

Same effective active ingredients, but **no artificial fillers.**

TWO - 6 FL OZ (177 mL) BOTTLES

TOTAL - 12 FL OZ (355 mL)

Organic Blueberry Flavor

<p>Daytime Severe Cold & Flu</p> <p>Drug Facts</p> <p>Active Ingredients (In each 20 mL)</p> <p>Acetaminophen (650 mg) Pain reliever/fever reducer Dextromethorphan HBr 20 mg Cough suppressant</p> <p>Uses</p> <ul style="list-style-type: none">Temporarily reduces fever and relieves these common cold / flu symptoms:minor aches and pains • headache • sore throatcough due to minor throat and bronchial irritationcontrols the irritation by cough to help you get to sleep <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <ul style="list-style-type: none">more than 4 doses in 24 hours, which is the maximum daily amount for this productwith other drugs containing acetaminophen3 or more alcoholic drinks every day while using this product <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:</p> <ul style="list-style-type: none">skin redness • blisters • rash <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p>Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p>Do not use:</p> <ul style="list-style-type: none">with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. <p>Ask a doctor before use if you have:</p> <ul style="list-style-type: none">liver disease • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, or emphysema <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</p> <p>When using this product, do not use more than directed:</p> <p>Stop use and ask a doctor if:</p> <ul style="list-style-type: none">pain or cough gets worse or lasts more than 7 daysfever gets worse or lasts more than 3 daysredness or swelling is present • new symptoms occurcough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition. <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	<p>Nighttime Cold & Flu</p> <p>Drug Facts</p> <p>Active Ingredients (In each 20 mL)</p> <p>Acetaminophen (650 mg) Pain reliever/fever reducer Dextromethorphan HBr 30 mg Cough suppressant Doxylamine Succinate 12.5 mg Antihistamine</p> <p>Uses</p> <ul style="list-style-type: none">Temporarily relieves these common cold and flu symptoms:cough due to minor throat and bronchial irritationminor aches and painssore throat • headache • runny nose • sneezingtemporarily reduces fevercontrols cough to help you get to sleep <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <ul style="list-style-type: none">more than 4 doses in 24 hours, which is the maximum daily amount for this productwith other drugs containing acetaminophen3 or more alcoholic drinks every day while using this product <p>Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:</p> <ul style="list-style-type: none">skin redness • blisters • rash <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p>Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p>Do not use:</p> <ul style="list-style-type: none">with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. <p>Ask a doctor before use if you have:</p> <ul style="list-style-type: none">liver disease • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, or emphysemaa breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema • glaucomatrouble swallowing due to relaxed prostate gland <p>Ask a doctor or pharmacist before use if you are:</p> <ul style="list-style-type: none">taking sedatives or tranquilizerstaking the blood thinning drug warfarin <p>When using this product, do not use more than directed:</p> <ul style="list-style-type: none">do not use more than directedexcitability may occur, especially in childrenmarked drowsiness may occur • avoid alcoholic drinksdo not combine with driving a motor vehicle or operating machineryalcohol, sedatives, and tranquilizers may increase drowsiness <p>Stop use and ask a doctor if:</p> <ul style="list-style-type: none">pain or cough gets worse or lasts more than 7 daysfever gets worse or lasts more than 3 daysredness or swelling is presentnew symptoms occurcough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition. <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	<p>Day & Night Combo Pack</p> <p>Genexa MEDICINE MADE CLEAN</p> <p>Daytime Nighttime</p> <p>Maximum Strength Severe Cold & Flu</p> <p>Severe • Maximum Strength Nighttime Cold & Flu</p> <p>Acetaminophen - Pain Reliever/Fever Reducer Dextromethorphan HBr - Cough Suppressant</p> <p>Acetaminophen - Pain Reliever/Fever Reducer Dextromethorphan HBr - Cough Suppressant Doxylamine Succinate - Antihistamine</p> <p>Fever Headache Sore Throat Body Aches & Pains Cough Sneezing Runny Nose</p> <p>Medicine made clean Same effective active ingredients, but no artificial fillers.</p> <p>TWO - 6 FL OZ (177mL) BOTTLES TOTAL - 12 FL OZ (355 mL)</p> <p>PARENTS: Learn about two medicine abuse www.StopMedicineAbuse.org</p> <p>Tamper evident: Do not use if seal under the cap is disturbed or missing. NDC 69676-009-001</p> <p>U.S. Patent No. 11,617,738 Distributed by: Genexa Inc., Atlanta, GA 30324 genexa.com</p> <p>Made in the USA with globally sourced ingredients Please recycle NDC 69676-009-001 ©2020 Genexa</p> <p>People Over Everything. We think you should feel good about what makes you feel better. That's why we make medicine with the same active ingredients you need, but without the artificial ones you don't. It's what people deserve.</p> <p>David Johnson Max Oppelberg Questions for our founders? Text Max. 310-502-8844</p> <p>8 50015 73664 3</p>	<p>Daytime Severe Cold & Flu</p> <p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none">SHAKE WELL before each usetake only as directedonly use the dose cup provideddo not exceed 4 doses per 24 hrs <p>adults & children 12 yrs & over 20 mL every 4 hours children 4 to under 12 yrs ask a doctor 12 yrs children under 4 yrs do not use</p> <p>Other information</p> <ul style="list-style-type: none">store between 20-25°C (68-77°F)do not refrigerate <p>Inactive ingredients</p> <p>organic acesulfame potassium, organic blueberry flavor, organic chondrichitin extract, natural flavors, purified water</p> <p>Questions? • 1-855-436-3921 You may also report side effects to the phone number.</p>
--	--	---	--

DAYTIME AND NIGHTTIME SEVERE COLD AND FLU COMBO PACK

acetaminophen, dextromethorphan hbr, doxylamine succinate kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69676-0095

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0095-3	2 in 1 KIT	07/03/2024	
1		1 in 1 BOTTLE; Type 0: Not a Combination Product		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	177 mL
Part 2	1 BOTTLE	177 mL

Part 1 of 2

DAYTIME SEVERE COLD AND FLU

acetaminophen, dextromethorphan hbr suspension

Product Information

Item Code (Source)	NDC:69676-0093
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 20 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	
WATER (UNII: 059QF0KO0R)	
XYLITOL (UNII: VCQ006KQ1E)	
BLUEBERRY (UNII: 253RUG1X1A)	

Product Characteristics

Color	brown (Light)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0093-9	177 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/03/2024	

Part 2 of 2

NIGHTTIME SEVERE COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate suspension

Product Information

Item Code (Source)	NDC:69676-0094
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 20 mL
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 20 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)	
WATER (UNII: 059QF0KO0R)	
BLUEBERRY (UNII: 253RUG1X1A)	
CHAMOMILE (UNII: FGL3685T2X)	

Product Characteristics

Color	brown (Light)	Score	
Shape		Size	
Flavor	BLUEBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0094-9	177 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/03/2024	

Labeler - Genexa Inc. (079751024)

Revised: 12/2025

Genexa Inc.