

MUCINEX FAST-MAX KICKSTART SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH- dextromethorphan hydrobromide, guaifenesin liquid
RB Health (US) LLC

Mucinex Fast-Max Kickstart Severe Congestion & Cough

Drug Facts

Active ingredients

(in each 20 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Uses

Uses

■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

■ temporarily relieves:

■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

■ the intensity of coughing

■ the impulse to cough to help you get to sleep

Warnings

Do not use

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

■ cough that occurs with too much phlegm (mucus)

When using this product do not use more

than directed

Stop use and ask a doctor if

■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

Directions

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- adults and children 12 years of age and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years of age: do not use

Other information

- each 20 mL contains: sodium 9 mg
- store at 20-25°C (68-77°F)
- do not refrigerate

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive ingredients

ammonium, glycyrrhizate, anhydrous citric acid, D&C yellow no. 10, edetate disodium, FD&C blue no. 1, flavor, glycerin (soy), propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate*, xanthan gum
*may contain this ingredient

Questions?

1-866-MUCINEX (1-866-682-4639)

Dextromethorphan HBr » Cough Suppressant
Guaifenesin » Expectorant

NDC 72854-159-66

Relieves Chest Congestion

Controls Cough

Thins & Loosens Mucus

6 fl oz (180mL)




MENTHOL FLAVORED LIQUID

**Dextromethorphan HBr » Cough Suppressant
Guafenesin » Expectorant**

Ages 12+

The image shows a stylized representation of a Mucinex FAST MAX KICKSTART product box. The design features a large, bold 'M' shape in the center, with a red-to-white gradient. The top of the 'M' is white, and the bottom is red. The background is a light gray with a repeating pattern of the word 'Mucinex' in a smaller font, oriented vertically on both sides. The top of the box is white with a red border. The text is arranged as follows:

- MAXIMUM STRENGTH** (Red, top left)
- NDC 72854-159-66** (Black, top right)
- Mucinex** (Large blue font, top center)
- FAST MAX** (White font on a blue background, below Mucinex)
- KICKSTART** (Blue font with a kickstart graphic, below FAST MAX)
- SEVERE CONGESTION & COUGH** (Red font, below KICKSTART)
- Dextromethorphan HBr » Cough Suppressant** (Blue font, below SEVERE CONGESTION & COUGH)
- Guafenesin » Expectorant** (Blue font, below Dextromethorphan HBr » Cough Suppressant)
- COME BACK TOGETHER WITH A KICK** (Blue font, on the left side of the 'M')
- Relieves Chest Congestion** (Blue font, checkmark icon, on the right side of the 'M')
- Controls Cough** (Blue font, checkmark icon, on the right side of the 'M')
- Thins & Loosens Mucus** (Blue font, checkmark icon, on the right side of the 'M')
- MENTHOL FLAVORED LIQUID** (Red font, bottom center)
- 6 FL OZ (180 mL)** (Red font, bottom center)
- AGES 12+** (Red font, bottom left)
- 041624 3301382** (Black font, top left, vertical)



MUCINEX FAST-MAX KICKSTART SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH

dextromethorphan hydrobromide, guaifenesin liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:72854-159 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|-----------------|
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 400 mg |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 20 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SORBITOL (UNII: 506T60A25R) | |
| WATER (UNII: 059QF0KO0R) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |

Product Characteristics

| | | | |
|-----------------|---------|---------------------|--|
| Color | green | Score | |
| Shape | | Size | |
| Flavor | MENTHOL | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|--|-----------------------------|---------------------------|
| 1 | NDC:72854-159-66 | 180 in 1 BOTTLE; Type 0: Not a Combination Product | 08/15/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | M012 | 08/15/2024 | |

