INFANTS PAIN AND FEVER CHERRY FLAVOR- acetaminophen suspension Genexa Inc.

Infants' Pain & Fever Cherry Flavor

Drug Facts

Active ingredient

(in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily reduces fever and relieves minor aches and pains due to:

- the common cold
- headache
- toothache
- flu
- sore throat

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose

warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
 - SHAKE WELL before each use
 - mL = milliter
 - find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
 - push air out of syringe. Insert syringe tip into the bottle opening
 - flip bottle upside down. Pull white part of syringe to the correct dose
 - o dispense liquid slowly into the child's mouth, toward inner cheek
 - repeat dose every 4 hours while symptoms last
 - o do not give more than 5 times in 24 hours
 - o replace cap tightly to maintain child-resistant packaging

Attention: use only enclosed syringe specifically designed for use with this product. Do not use any other dosing device.

Weight	Age	Dose	
under 24 lbs	under 2 years	ask a doctor	
24-35 lbs.	2-3 years	5 mL	

Other information

store between 20-25°C (68-77°F)

do not refrigerate

Inactive ingredients

organic agave syrup, organic cherry flavor, natural citrus extract, natural flavor, purified water

Questions? 1-855-436-3921

SHAKE WELL before each use.

Tamper evident: Do not use if perforated band around the bottle is disturbed

or missing.

Distributed by: Genexa Inc. | Atlanta, GA 30324

genexa.com | U.S.Patent No. 11,617,795

Made in the USA with globally sourced ingredients

NDC 69676-0097-9

Genexa®

MEDICINE MADE CLEAN

Infants' Pain & Fever

Acetaminophen

160 mg per 5 mL* | Oral Suspension

Pain Reliever

Fever Reducer

Medicine made clean

Same effective active ingredient, but no artificial fillers.

Organic Cherry Flavor

2 fl oz (59 mL)

Use Only Enclosed Syringe

*Same as Genexa Kids' Pain & Fever

Keep outer package for complete product information Drug Facts (continued) Drug Facts Active ingredient (in each 5 mL) **Directions** Purpose this product does not contain directions or complete warnings for adult use
 do not give more than directed (see Acetaminophen 160 mg fever reduce MEDICINE MADE CLEAN overdose warning) SHAKE WELL before each use what makes you feel better. That's IISAS mL = milliter why we make medicine with the temporarily reduces fever and relieves minor aches and pains find the right dose on chart below. If possible, use weight to dose; otherwise, use age. same active ingredients you need, due to:

• the common cold • headache • toothache • flu but without the artificial ones you don't. It's what people deserve. • push air out of syringe. Insert syringe tip into the bottle opening • flip bottle upside down. Pull white part sore throat Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

more than 5 doses in 24 hours, which is the maximum of syringe to the correct dose
dispense liquid slowly into child's David Johnson Max Spielberg mouth, toward inner cheek daily amount repeat dose every 4 hours while **Questions for our founders?** with other drugs containing acetaminophen symptoms last do not give more than 5 times in 24 hours
 replace cap tightly to maintain
 child-resistant packaging Text Max. Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash 310-502-8844 If a skin reaction occurs, stop use and seek medical help Attention: use only enclosed syringe specifically designed for use with this product. Do not use any other dosing Infants' Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. SHAKE WELL before each use. Tamper evident: Do not use if perforated Pain & Fever Weight Dose Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure Age band around the bottle is disturbed or under 24 lbs. under ask a doctor missing. whether a drug contains acetaminophen, ask a doctor or 2 years Acetaminophen 24-35 lbs. 2-3 5 mL Ask a doctor before use If your child has liver disease B 160 mg per 5 mL* | Oral Suspension years Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin Pain Reliever Fever Reducer Other information When using this product do not exceed recommended dose Distributed by: Genexa Inc. | Atlanta, GA 30324 store between 20-25°C (68-77°F) (see overdose warning) genexa.com | U.S Patent No. 11,617,795 do not refrigerate Stop use and ask a doctor if 🎠 Medicine made clean Inactive ingredients pain gets worse or lasts more than 5 days fever gets worse or lasts more than 3 days organic agave syrup, organic cherry flavor natural citrus extract, natural flavor, Same effective active ingredient, new symptoms occur but no artificial fillers. · redness or swelling is present purified water These could be signs of a serious condition. Questions? 1-855-436-3921 Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if 2 fl oz (59 mL) Humb Use Only Enclosed Syringe you do not notice any signs or symptoms. *Same as Genexa Kids' Pain & Fever

INFANTS PAIN AND FEVER CHERRY FLAVOR

acetaminophen suspension

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:69676-0097 Route of Administration ORAL

Made in the USA with globally sourced ingredients

Please recycle

Active Ingredient/Active Moiety Ingredient Name Basis of Strength ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)

Inactive Ingredients			
Ingredient Name	Strength		
AGAVE TEQUILANA JUICE (UNII: GVG8G02070)			
WATER (UNII: 059QF0KO0R)			
CHERRY (UNII: BUC5I9595W)			

Product Characteristics				
Color	brown (Light)	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:69676- 0097-9	1 in 1 CARTON	06/14/2024		
1	59 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	06/14/2024		

Labeler - Genexa Inc. (079751024)

Revised: 5/2024 Genexa Inc.