

OPTIDYNE- iodine teat dip concentrate solution

Tetradyne LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

OPTIDYNE 330

USE DIRECTIONS:

Do not use in concentrated form. Must dilute prior to use.

Dilution:

To obtain a 1% Iodine, 10% emollient solution, add one (1) gallon of **OPTIDYNE 330** to two (2) gallons of water and mix thoroughly.

To obtain a 0.50% iodine, 5% emollient solution, add one (1) gallon of **OPTIDYNE 330** to five (5) gallons of water and mix thoroughly.

To obtain a 0.25% iodine, 2.5% emollient solution, add one (1) gallon of **OPTIDYNE 330** to eleven (11) gallons of water and mix thoroughly.

APPLICATION:

Recommended for both pre and post dipping applications.

For pre-dipping with .5% or .25% iodine solution: Make sure udder and teats are visibly clean of any soil. forestrip each quarter and dip with diluted **OPTIDYNE 330** solution. Wipe teat with towel and then attach milking unit.

For post-dipping: Dip entire teat in diluted **OPTIDYNE 330**. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with diluted **OPTIDYNE 330** solution. Do not return unused product to original container.□

WARNING: CONTAINS IODINE SOLUTION.

Avoid contamination of food. Avoid contact with eyes. Not for internal use.

Not for human use.

KEEP OUT OF REACH OF CHILDREN!

OBSERVE LABEL DIRECTIONS

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

□**EXTERNAL:**□ In case of contact, remove soiled clothing. Wash with cold water.

GET MEDICAL ATTENTION IMMEDIATELY.

PROTECT FROM FREEZING

IF FROZEN; SHAKE VIGOROUSLY AFTER THAWING.

OPTIDYNE

IODINE TEAT DIP CONCENTRATE

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient.....3.00% Available Iodine (provides 30,000 ppm titratable iodine)
Contains an emollient system

Lot#:

Exp. Date:

Net contents:

Manufactured For:

Tetradyne LLC
PO Box 17003
Reno, NV 86511

OPTIDYNE 330

IODINE TEAT DIP CONCENTRATE

USE DIRECTIONS:

Do not use in concentrated form. Must dilute prior to use.

DILUTIONS:

To obtain a 1% iodine, 10% emollient solution, add one (1) gallon of OPTIDYNE 330 to two (2) gallons of water and mix thoroughly.

To obtain a 0.50% iodine, 5% emollient solution, add one (1) gallon of OPTIDYNE 330 to five (5) gallons of water and mix thoroughly.

To obtain a 0.25% iodine, 2.5% emollient solution, add one (1) gallon of OPTIDYNE 330 to eleven (11) gallons of water and mix thoroughly.

APPLICATION:

Recommended for both pre and post dipping applications.

For pre-dipping with .5% or .25% iodine solution: Make sure udder and teats are visibly clean of any soil. Forestrip each quarter and dip with diluted OPTIDYNE 330 solution. Wipe teat with towel and then attach milking unit.

For post-dipping: Dip entire teat in diluted OPTIDYNE 330. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with diluted OPTIDYNE 330 solution. Do not return unused product to original container.

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient 3.0% Available Iodine
(Provides 30,000 ppm titratable iodine)

Contains an emollient system

Lot #: _____

Exp. Date: _____

Net Contents: _____

Manufactured For:
Tetradyne LLC
PO Box 17003
Reno, NV 89511



OBSERVE LABEL
DIRECTIONS

WARNING: CONTAINS IODINE SOLUTION.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

EXTERNAL: In case of contact, remove soiled clothing. Wash skin with cold water.

GET MEDICAL ATTENTION IMMEDIATELY.

PROTECT FROM FREEZING
IF FROZEN: SHAKE
VIGOROUSLY AFTER THAWING

OPTIDYNE

iodine teat dip concentrate solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:66399-712	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)		IODINE	33.58 g in 1 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66399-712-01	3.78 L in 1 JUG		
2	NDC:66399-712-02	18.9 L in 1 PAIL		
3	NDC:66399-712-03	56.7 L in 1 DRUM		
4	NDC:66399-712-04	113.4 L in 1 DRUM		
5	NDC:66399-712-05	207.9 L in 1 DRUM		
6	NDC:66399-712-06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-712-07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/10/2001		

Labeler - Tetradyne LLC (130969293)

Revised: 3/2014

Tetradyne LLC