

**NICOTINE PATCHES- nicotine patches tablet
Adam E-commerce (Xiamen) Co., Ltd.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Warnings

It you are pregnant or breast-feeding,only use this medicine on the advice of yourhealth care provider.

Smoking can seriously harm your child.Try to stop smoking without using any nicotine repiacement medicie.This medicineisbelieve(to be safer than smoking.However therisksto your childfrom this medicine are not fuly known

Medium-chain Triglycerides, Basic Butylated MethacrylateCopolymer, Polyethylenterephthalate Film (Pet),

AcrylicAdhesive solution, Potassium Hydroxide, CroscarmelloseSodium,Aluminium Acetylacetonate, Siliconised Pet ReleaseLiner With Aluminised Single Side, Printing Inks

Keep out of reach of children and petsUsed patches have enough nicotine to poison children andpets.If swallowed , get medical help or contact a poisoncontrol center right away . Save pouch to use for patchdisposal.Dispose of the used patches by folding sticky endstogether and putting in pouch

1 Helps You Quit Smoking.2 Controls Nicotine Cravings,3 Fights Withdrawal Symptoms.4 100% Natural Plant Based.

Helps You Quit Smoking. Controls Nicotine Cravings. Fights Withdrawal Symptoms. 100% Natural Plant Based.

If you smoke 10 or less cigarettes per day, start with Step2 for 6 weeks, then step 3 for 2 weeks.Apply one new patch every 24 hours on skin that is dry,clean and hairless. Remove backing from patch and immediatety press ontoskin.Hold for 10 seconds. Wash hands after applying or removing patch□ Save pouch to use for patch disposal. Dispose of the used patches byfolding sticky ends together and putting in pouch.The used patch should be removed and a new oneapplied to a different skin site at the same time each dayIf you have vivid dreams,you may remove the patch atbedtime and apply a new one in the morning.Do not wear more than one patch at a time.Do not cut patch in half or into smaller pieces.Do not leave patch on for more than 24 hours because itmay irritate your skin and loses strength after 24 hours□

To avoid possible burns, remove patch before undergoingany MRI □magnetic resonance imaging) procedures.It is important to complete treatment. If you feel you needto use the patch for a longer period to keep from smokingtalk to you health care provider.

Nicotine, PsA, camphor



戒烟贴外包装-1段

成品尺寸: 80(w)*100(l)*22(h)mm
 展开尺寸: 219(w)*164(l)mm
 材质: 350g拉丝银卡纸彩印

1

NICOTINE PATCHES

nicotine patches tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84335-123
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSATHYROTES RAMOSISSIMA WHOLE (UNII: 9992303L19) (PSATHYROTES RAMOSISSIMA WHOLE - UNII:9992303L19)	PSATHYROTES RAMOSISSIMA WHOLE	36 g in 100 g
N-(HYDROXYMETHYL)NICOTINAMIDE (UNII: 1N1YGM997E) (N-(HYDROXYMETHYL)NICOTINAMIDE - UNII:1N1YGM997E)	N-(HYDROXYMETHYL)NICOTINAMIDE	36 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M280L1HH48)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
ALUMINUM ACETYLACETONATE (UNII: 77S22ZW4U3)	
CAMPHORIC ACID, (+)- (UNII: W77RM1CSD5)	

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)

Product Characteristics

Color	yellow	Score	2 pieces
Shape	FREEFORM	Size	22mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84335-123-02	30 in 1 BOX	05/17/2024	
1	NDC:84335-123-01	21 g in 1 PATCH; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/17/2024	

Labeler - Adam E-commerce (Xiamen) Co., Ltd. (416792461)

Revised: 5/2024

Adam E-commerce (Xiamen) Co., Ltd.