

**OXYGEN - oxygen gas**  
**Southern Gas and Supply of Mississippi, Inc.**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY

2905 INDUSTRIAL BLVD.

LAUREL, MS 39440

601-649-5889

NO SMOKING

NO VAPING



OXYGEN, COMPRESSED USP

UN1072

C.A.S. NO. 7782-44-7

GAS AND SUPPLY

2905 INDUSTRIAL BLVD.

LAUREL, MS 39440

601-649-5889

NO SMOKING

NO VAPING

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.



OXYGEN

REFRIGERATED LIQUID, USP

UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

FIRST AID

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

Lot Number:

Contents:

Expiration Date:

DO NOT REMOVE THIS PRODUCT LABEL

**OXYGEN**  
**REFRIGERATED LIQUID, USP**  
**UN 1073**

**OXYGEN 2**

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

**WARNING**  
For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX** required.  
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.  
Produced by Air Liquefaction.

**DANGER**  
MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.  
Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID**  
IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

Lot Number:  
Contents:  
Expiration Date:

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.  
CAS: 7782-44-7

**DO NOT REMOVE THIS PRODUCT LABEL**

PRINTED BY RATERMANN MFG., INC.  
www.rmatter.com

# OXYGEN

oxygen gas

## Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:53991-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	995 mL in 1 L

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:53991-001-01	198 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
2	NDC:53991-001-02	425 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
3	NDC:53991-001-03	708 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
4	NDC:53991-001-04	3228 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
5	NDC:53991-001-05	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
6	NDC:53991-001-06	6456 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
7	NDC:53991-001-07	7107 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
8	NDC:53991-001-08	7249 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
9	NDC:53991-001-09	7957 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
10	NDC:53991-001-10	8693 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
11	NDC:53991-001-11	9542 L in 1 CYLINDER; Type 0: Not a Combination Product	10/24/2012	
12	NDC:53991-001-12	180 L in 1 DEWAR; Type 0: Not a Combination Product	10/24/2012	
13	NDC:53991-001-13	200 L in 1 DEWAR; Type 0: Not a Combination Product	10/24/2012	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA205767	10/24/2012	

**Labeler** - Southern Gas and Supply of Mississippi, Inc. (078641186)

## Establishment

Name	Address	ID/FEI	Business Operations
Southern Gas and Supply of Mississippi, Inc.		078641186	manufacture(53991-001)

Revised: 12/2025

Southern Gas and Supply of Mississippi, Inc.