IODIP 502- iodine liquid ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

IoDip 502

lodip 502

IoDip-502[™] is a sanitizing iodine teat dip to aid in the prevention of the spread of mastitis causing organisms.

USE INSTRUCTIONS:

Use full strength.

Pre-Dipping: Just before milking, make sure the teats are clean and dry. Dip each teat in undiluted **IoDip-502**™. Allow 5-30 seconds of contact time. Dry with a single service towel and attach milker units.

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted **IoDip-502**™. Allow teat to air dry. Do not wipe. Replace the solution if it becomes visibly dirty.

Caution:

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

Hazards not otherwise classified: None Known

First Aid:

General Advice: May cause eye irritation with corneal injury and result in impairment of vision.

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product.

Most important symptoms/effects, acute and delayed: None known

Immediate medical attention and special treatment needed, if any: None known



IoDip-502™



FOR FARM USE ONLY - KEEP OUT OF REACH OF CHILDREN

IoDip-502™ is a sanitizing iodine teat dip to aid in the prevention of the spread of mastitis causing organisms.

USE INSTRUCTIONS:

Use full strength.

Pre-Dipping: Just before milking, make sure the teats are clean and dry. Dip each teat in undiluted IoDip-502™. Allow 5-30 seconds of contact time Dry with a single service towel and attach milker units.

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted IoDip-502™. Allow teat to air dry. Do not wipe.

Replace the solution if it becomes visibly dirty.

Active Ingredients: lodine......0.5%

Contains Skin Emollients

Hazard statement(s):
May be harmful if swallowed. May cause eye irritation.
Precautionary statement(s):
Do not eat, drink or smoke while using this product. Wear protective clothing,

and eye and face protection.

Hazards not otherwise classified: None Known

First Aid:

General Advice: May cause eye irritation with corneal injury and result in

impairment of vision.

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash

least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses, then continue flushing for at least 15 minutes, holding eyelids apart internat: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person. Inhalation of vapors: Should not occur with proper use of this product. Most important symptoms/effects, acute and delayed: None known Immediate medical attention and special treatment needed, if any: None known



DO NOT



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303 800.279.7761 www.proactivesolutionsusa.com

FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300



IoDip-502™ Sanitizing lodine Teat Dip



FOR FARM USE ONLY - KEEP OUT OF REACH OF CHILDREN

IoDip-502™ is a sanitizing iodine teat dip to aid in the prevention of the spread of mastitis causing organisms.

USE INSTRUCTIONS:

Pre-Dipping: Just before milking, make sure the teats are clean and dry. Dip each teat in undiluted IoDip-502™. Allow 5-30 seconds of contact time Dry with a single service towel and attach milker units.

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted IoDip-502™. Allow teat to air dry. Do not wipe.

Replace the solution if it becomes visibly dirty.

Active Ingredients: lodine......0.5%

Contains Skin Emollients

Hazard statement(s):
May be harmful if swallowed. May cause eye irritation.
Precautionary statement(s):
Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.
Hazards not otherwise classified: None Known

First Aid:

General Advice: May cause eye irritation with corneal injury and result in

General Advice: May cause eye irritation with comeal injury and result in impairment of vision. External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person. Inhalation of vapors: Should not occur with proper use of this product. Most important symptom sleffects, acute and delayed: None known Immediate medical attention and special treatment needed, if any: None known

FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303 800.279.7761 www.proactivesolutionsusa.com



IODIP 502

iodine liquid

Product	Information

OTC ANIMAL DRUG NDC:63927-4235 **Product Type** Item Code (Source)

TOPICAL Route of Administration

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.5 kg in 100 kg

F	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63927- 4235-1	19.01 kg in 1 JUG				
2	NDC:63927- 4235-2	57.03 kg in 1 DRUM				
3	NDC:63927- 4235-3	209.10 kg in 1 DRUM				
4	NDC:63927- 4235-4	1045.52 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		07/06/2006		

Labeler - ProActive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment					
Name	Address	ID/FEI	Business Operations		
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, pack, relabel		

Revised: 12/2023 ProActive Solutions USA, LLC