

ALLEVESS- menthol, capsaicin patch
API Solutions, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

API Solutions - Alleve Patch

ACTIVE INGREDIENTS:

MENTHOL 5.00%
CAPSAICIN 0.05%

PURPOSES:

TOPICAL ANALGESIC
TOPICAL ANALGESIC

USES:

FOR TEMPORARY RELIEF OF MINOR ACHES AND PAINS OF THE MUSCLES AND JOINTS ASSOCIATED WITH ARTHRITIS, SIMPLE BACKACHE, STRAINS, BRUISES AND SPRAINS.

WARNINGS:

FOR EXTERNAL USE ONLY.

WHEN USING THIS PRODUCT

· USE ONLY AS DIRECTED

DO NOT USE

DO NOT USE ON, AND AVOID CONTACT WITH, FACE, SCALP, EYES, MOUTH, AND MUCOUS MEMBRANES · DO NOT USE ON WOUNDS OR DAMAGED OR SENSITIVE SKIN · DO NOT USE IN COMBINATION WITH ANY EXTERNAL HEAT SOURCE (HEATING PAD, ETC.) OR FOR 1 HOUR BEFORE OR AFTER BATHING OR SHOWERING · DO NOT USE IN COMBINATION WITH ANY COMPRESSION (BANDAGE, WRAP, BRACE, STOCKING, SOCK, OR SIMILAR DEVICE OR GARMENT) · DO NOT USE IN COMBINATION WITH ANY OTHER EXTERNAL ANALGESIC PRODUCTS.

STOP USE AND ASK A DOCTOR

STOP USE AND ASK A DOCTOR IF · EXCESSIVE REDNESS, BURNING, SWELLING, IRRITATION, OR DISCOMFORT DEVELOPS IN THE SKIN, EYES, MOUTH OR MUCOUS MEMBRANES · CONDITION WORSENS · PAIN PERSISTS FOR MORE THAN 7 DAYS · SYMPTOMS CLEAR UP AND OCCUR AGAIN WITHIN A FEW DAYS

IF PREGNANT OR BREAST-FEEDING,

ASK A DOCTOR BEFORE USE.

KEEP OUT OF REACH OF CHILDREN.

IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS:

ADULTS AND CHILDREN 16 YEARS AND OVER: APPLY DIRECTLY TO AFFECTED AREA OF PAIN; CHANGE PATCH 1 TO 2 TIMES DAILY, OR AS DIRECTED BY A DOCTOR ·
CHILDREN UNDER 16 YEARS: ASK A DOCTOR BEFORE USING

HOW TO APPLY:

- CLEAN AND DRY AFFECTED AREA - TEAR OPEN POUCH AND REMOVE ONE PATCH
- REMOVE PROTECTIVE FILM AND APPLY DIRECTLY TO AFFECTED AREA OF PAIN
- RESEAL POUCH CONTAINING UNUSED PATCHES AFTER EACH USE
- WASH HANDS WITH SOAP AND WATER AFTER APPLYING

OTHER INGREDIENTS:

ACRYLIC ACID, ALUMINUM HYDROXIDE, GLYCERIN, METHYL ACRYLATE, CARMELLOSE SODIUM, 2-ETHYLHEXYL ACRYLATE, TARTARIC ACID, POLYACRYLATE, POLYACRYLIC ACID, WATER, SODIUM POLYACRYLATE


DISTRIBUTED BY:

A.P.I. SOLUTIONS


DAPHNE, AL 36526

FOR QUESTIONS OR COMMENTS PLEASE CALL 855-878-1489

Principal Display Panel



Alleve[®] patch



ALLEVESS PATCH

TOPICAL ANALGESIC PATCH - MENTHOL 5%, CAPSAICIN 0.05%
 QTY: 15 PATCHES: (5 PER RESEALABLE POUCH) × 3

LOT:

EXP:

NDC: 46144-162-01

ALLEVESS

menthol, capsaicin patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46 144-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.05 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Acrylic Acid (UNII: J94PBK7X8S)	
Aluminum Hydroxide (UNII: 5QB0T2IUN0)	
Glycerin (UNII: PDC6A3C0OX)	
Methyl Acrylate (UNII: WC487PR9 1H)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
2-Ethylhexyl Acrylate (UNII: HR49R9S6XG)	
Tartaric Acid (UNII: W4888I119H)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
Water (UNII: 059QF0KO0R)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46 144-162-01	3 in 1 BOX		
1		5 in 1 POUCH		
1		100 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/0 1/20 15	

Labeler - API Solutions, Inc. (831870824)

Revised: 12/2015

API Solutions, Inc.