

**LOW DOSE ASPIRIN- aspirin tablet, delayed release**  
**Spirit Pharmaceuticals LLC**

-----  
**ASPIRIN 81MG ADULT LOW DOSE**

**Drug Facts**

**Active Ingredient (in each tablet)**

**Aspirin 81 mg (NSAID) nonsteroidal anti-inflammatory drug**

**Purpose**

**Pain reliever**

**Uses**

**Warnings**

**Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reyes syndrome, a rare but serious illness. Allergy alert: Aspirin may cause a severe allergic reaction which may include: hives, facial swelling, asthma(wheezing), shock Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older Have had stomach ulcers or bleeding problems Take a blood thinning (Anticogulant) or steroid drug Take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) have 3 or more alcoholic drinks every day using this product**

**Do not Use**

**if you are allergic to aspirin or any other pain reliever/fever reducer if you have ever had an allergic reaction to this product or any of its ingredients**

**Ask a doctor before use if stomach bleeding warning applies to you you a history of stomach problems such as heart burn you have blood pressure, heart disease, liver cirrhosis, or kidney disease you are taking a diuretic, you have asthma**

**Ask a doctor or pharmacist before use if you are Ask a doctor or pharmacist**

**before use if you are taking a prescription drug for:Gout, Diabetes, Arthritis**

**Stop use and ask a doctor if an allergic reaction occurs. Seek medical help right away.You experience any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better, pain get worse or lasts more than 10 days, fever gets worse or lasts more than 3 daysredness or swelling is present, new symptoms occurring in the ears or a loss of hearing occurs.**

**If pregnant or breast-feeding ask ahealth professional before use. it is especially important to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it my cause problems in the unborn child or complications during delivery.**

**Keep out of reach of children In case of overdose, get medical help or contact poison control center right away.**

### **Directions**

drink a full glass of water with each dose

adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor

### **Other information**

Store at room temperature. Avoid excessive heat above 40°C (104 °F)

### **Inactive ingredients**

acrycoat, colloidal silicon dioxide, croscarmellose sodium, D&C yellow # 10, Lactose, microcrystalline cellulose, polysorbate 80,

sodium hydroxide, talc, titanium dioxide, triethyl citrate, yellow oxide of iron

### **Questions or Comments**

1-888-333-9792

### **Principal Display**



## LOW DOSE ASPIRIN

aspirin tablet, delayed release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68210-5029
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>METHACRYLIC ACID</b> (UNII: 1CS02G8656)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	81
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68210-5029-4	1 in 1 CARTON	12/14/2023	
1		40 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/14/2023	

**Labeler** - Spirit Pharmaceuticals LLC (179621011)

Revised: 12/2024

Spirit Pharmaceuticals LLC