

RAPIDOL- hydrocortisone cream
Pharmadel LLC

Rapidol Hydrocortisone 1%(DIL)

Drug Facts

Active ingredient & Purpose

Active ingredient	Purpose
Hydrocortisone 1%.....	Anti-itch

Uses

For the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to

- eczema
- insect bites
- poison ivy
- poison oak
- poison sumac
- soaps
- detergent
- cosmetics
- jewelry
- seborrheic dermatitis
- psoriasis
- and for external feminine, genital, and anal itching
- for other uses of this product should only be under the advice and supervision of a doctor

Warnings

FOR EXTERNAL USE ONLY. Avoid contact with the eyes.

Do not use

- for treatment of diaper rash. Consult a doctor
- if you have a vaginal discharge. Consult a doctor.
- with any other hydrocortisone product unless you have consulted a doctor

When using this product

- **for external anal itching:** Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days and occur again within a few days

If pregnant or breastfeeding,

ask a doctor before use.

KEEP OUT OF REACH OF CHILDREN

If accidental ingestion, seek medical help or contact a Poison Control Center immediately.

Directions**For itchy skin, irritations, inflammation, rashes and external feminine and genital itching:**

- **adults and children 2 years of age and older:** apply to the affected area not more than 3 to 4 times daily.
- **children under 2 years of age:** do not use, consult a doctor

For external anal itching:

- **adults:** when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by

patting or blotting with toilet tissue or a soft cloth before application of this product.

- **children under 12 years of age:** consult a doctor

Other information

- store in a cool dry place
- do not use if foil seal under cap is torn, broken, or missing

Inactive ingredients

Aloe vera, ceteareth-20, cetostearyl alcohol, chlorocresol, edetate disodium, glyceryl monostearate, mineral oil, propylene glycol, sodium metabisulfite, tocopherol acetate (vitamin E), water

Questions?

+1-866-359-3478 (M-F) 9AM to 5 PM EST or www.pharmadel.com

Dist. by/ por**Pharmadel LLC**

New Castle, DE 19720 • www.pharmadel.com

+1-866-359-3478

Made in India / Hecho en India

†This product is not manufactured or distributed by Chattem, Inc. a division of Sanofi owner of the Cortizone-10® trademark.

Principal Display Panel



RAPIDOL

hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-420
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
MINERAL OIL (UNII: T5L8T28FGP)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLOROCRESOL (UNII: 36W5307109)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CETEARETH-20 (UNII: YRC528SWJY)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	white (Off white)	Score	
Shape		Size	

Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-420-02	1 in 1 CARTON	11/04/2024	01/01/2025
1		60 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:55758-420-03	1 in 1 CARTON	02/01/2026	
2		57 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/04/2024	

Labeler - Pharmadel LLC (030129680)

Revised: 1/2026

Pharmadel LLC