GOODSENSE MAXIMUM STRENGTH STOMACH RELIEF 528- bismuth subsalicylate liquid

Good Sense (Geiss, Destin & Dunn, Inc.)

Good sense Maximum Strength Stomach Relief 528

ACTIVE INGREDIENT(in each 30 mL)

Bismuth subsalicylate 1050 mg

PURPOSE

Upset stomach reliever and anti-diarrheal

USE(S)

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

WARNINGS

Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's Syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- · taking other salicylate products

DO NOT USE IF YOU HAVE

- an ulcer
- bloody or black stool
- a bleeding problem

ASK A DOCTOR BEFORE USE IF YOU HAVE

- fever
- · mucus in the stool

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

WHEN USING THIS PRODUCT

a temporary, but harmless darkening of the stool and/or tongue may occur

STOP USE AND ASK DOCTOR IF

- symptoms get worse
- · ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

IF PREGNANT OR BREAST-FEEDING,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center immediately.

DIRECTIONS

- shake well before use
- mL = milliliter
- TBSP = tablespoon
- adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every hour as needed
- do not exceed 4 doses (8 TBSP or 120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- · drink plenty of fluids to help prevent dehydration caused by diarrhea

OTHER INFORMATION

- each 30 mL or 2 TBSP contains:
- potassium 15 mg
- salicylate 471 mg
- sodium 8 mg
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)
- dosage cup provided

INACTIVE INGREDIENTS

benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

PRINCIPAL DISPLAY PANEL

NDC 50804-154-04

GOODSENSE®

Maximum Strength Stomach Relief

Bismuth Subsalicylate 1050 mg

Antidiarrheal /Upset Stomach Reliever Soothing Relief For 5 Symptoms

- Upset Stomach
- Indigestion
- Heartburn
- Nausea
- Diarrhea

*Compare to the active ingredient of Pepto-Bismol ® Maximum Strength

8 FL OZ (236 mL)



GOODSENSE MAXIMUM STRENGTH STOMACH RELIEF 528

bismuth subsalicylate liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50804-154

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:0414PZ4LPZ)

Inactive Ingredients Ingredient Name BENZOIC ACID (UNII: 85KNOBOMIM) D&C RED NO. 22 (UNII: 1678RKX8RT) D&C RED NO. 28 (UNII: 767IP0Y5NH) POTASSIUM HYDROXIDE (UNII: WZH3C48M4T) WATER (UNII: 059QF0K00R) SACCHARIN SODIUM (UNII: SB8ZUX40TY) SALICYLIC ACID (UNII: 0414PZ4LPZ) HYDROXYETHYL CELLULOSE (1500 MPA.S AT 1%) (UNII: L605B5892V) DIMETHICONE (UNII: 92RU3N3Y10) XANTHAN GUM (UNII: TTV12P4NEE)

Product Characteristics					
Color	PINK	Score			
Shape		Size			
Flavor	WINTERGREEN	Imprint Code			
Contains					

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
		236 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/13/2024			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	09/13/2024	

Labeler - Good Sense (Geiss, Destin & Dunn, Inc.) (076059836)

Establishment							
Name	Address	ID/FEI	Business Operations				
Guardian Drug Company		119210276	MANUFACTURE(50804-154)				

Revised: 9/2024 Good Sense (Geiss, Destin & Dunn, Inc.)