

**EXTRA STRENGTH TYLENOL SEVERE COUGH PLUS SORE THROAT DAY/NIGHT-  
acetaminophen, dextromethorphan hydrobromide, chlorpheniramine maleate  
Kenvue Brands LLC**

-----  
**EXTRA STRENGTH TYLENOL® SEVERE COUGH + SORE THROAT DAY/NIGHT  
EXTRA STRENGTH TYLENOL® SEVERE COUGH + SORE THROAT DAY**

***Drug Facts***

<b><i>Active ingredients (in each caplet)</i></b>	<b><i>Purpose</i></b>
Acetaminophen 500 mg	Pain reliever/fever reducer
Dextromethorphan HBr 15 mg	Cough suppressant

**Uses**

- temporarily relieves these common cold/flu symptoms:
- minor aches and pains
- headache
- sore throat
- cough
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- persistent or chronic cough such as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

### **When using this product**

#### **do not exceed recommended dose**

### **Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
  - fever gets worse or lasts more than 3 days
  - redness or swelling is present
  - new symptoms occur
  - cough comes back or occurs with rash or headache that lasts
- These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see overdose warning)**

---

adults and  
children 12

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24

CHILDREN 12 years and over	hours, unless directed by a doctor <ul style="list-style-type: none"> <li>■ do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

### Other information

- store between 20 - 25°C (68 - 77°F)
- **do not use if blister unit is torn or broken**

### Inactive ingredients

carnauba wax, hypromellose, magnesium stearate, microcrystalline cellulose, powdered cellulose, pregelatinized starch, propylene glycol, sodium starch glycolate, titanium dioxide

### Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

***EXTRA STRENGTH TYLENOL® SEVERE COUGH + SORE THROAT NIGHT***

### Drug Facts

#### Active ingredients (in each caplet)

Acetaminophen 500 mg  
 Chlorpheniramine maleate 2 mg  
 Dextromethorphan HBr 15 mg

#### Purpose

Pain reliever/fever reducer  
 Antihistamine  
 Cough suppressant

### Uses

- temporarily relieves these common cold/flu symptoms:
- minor aches and pains
- headache
- sore throat
- cough
- sneezing and runny nose
- temporarily reduces fever

### Warnings

#### Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

### **Sore throat warning**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- **do not exceed recommended dose**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- avoid alcoholic drinks

- be careful when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>■ take 2 caplets every 6 hours while symptoms last</li><li>■ do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>■ do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

### **Other information**

- store between 20 - 25°C (68 - 77°F)
- **do not use if blister unit is torn or broken**

### **Inactive ingredients**

carnauba wax, FD&C Blue no.1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

### **Questions or comments?**

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

**PRINCIPAL DISPLAY PANEL**

**NDC 50580-551-01**

**EXTRA STRENGTH**

**TYLENOL®**

FOR ADULTS

**SEVERE COUGH + SORE THROAT**

**NEW!**

**DOSAGE + DIRECTIONS**

**Acetaminophen**, Dextromethorphan HBr  
Pain Reliever-Fever Reducer, Cough Suppressant

**DAY**

- HEAD + BODY ACHES
- FEVER + SORE THROAT
- COUGH

Actual Size

**16 CAPLETS**

**Acetaminophen**, Chlorpheniramine Maleate, Dextromethorphan HBr  
Pain Reliever-Fever Reducer, Antihistamine, Cough Suppressant

**NIGHT**

- HEAD + BODY ACHES
- FEVER + SORE THROAT
- COUGH
- RUNNY NOSE

Actual Size

**8 CAPLETS**

**TOTAL 24 CAPLETS**



# EXTRA STRENGTH TYLENOL SEVERE COUGH PLUS SORE THROAT DAY/NIGHT

acetaminophen, dextromethorphan hydrobromide, chlorpheniramine maleate kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50580-551
---------------------	----------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-551-01	1 in 1 PACKAGE; Type 1: Convenience Kit of Co-Package	08/26/2024	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BLISTER PACK	16
Part 2	2 BLISTER PACK	8

## Part 1 of 2

### TYLENOL

acetaminophen and dextromethorphan hydrobromide tablet, film coated

## Product Information

<b>Item Code (Source)</b>	NDC:65498-446
---------------------------	---------------

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

### Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	TY;COLD;1409
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/26/2024	

## Part 2 of 2

### TYLENOL

acetaminophen, dextromethorphan hydrobromide, and chlorpheniramine maleate tablet, film coated

## Product Information

Item Code (Source)	NDC:65498-551
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)	

## Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	TY;COLD;1410
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 KIT		
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	------------------------------------------	----------------------	--------------------

OTC Monograph Drug	M012	08/26/2024	
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	08/26/2024	

**Labeler -** Kenvue Brands LLC (118772437)

Revised: 7/2025

Kenvue Brands LLC