

WALGREEN LIQUID ANTACID- calcium carbonate, magnesium hydroxide and simethicone suspension
WALGREENS CO.

Walgreen Liquid Antacid + Anti-Gas

Drug Facts

Active ingredients (in each 10 mL dose)

Calcium carbonate 800 mg

Magnesium hydroxide 270 mg

Simethicone emulsion USP (equivalent to Simethicone) 80 mg

Purpose

Antacid

Antacid

Anti-gas

Uses

relieves:

- heartburn
- pressure and bloating commonly referred to as gas
- acid indigestion
- sour stomach
- upset stomach due to these symptoms
- overindulgence in food and drink

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Keep out of reach of children.

In case of overdose, get medical help or contact a poison control center right away at 1-

800-222-1222

Directions

- shake well before use
- measure with dosing cup provided
- **adults and children 12 years and over:** 10 mL-20 mL (1-2 doses) as needed, between meals, at bedtime or as directed by a doctor
- do not take more than 60 mL (6 doses) in any 24- hour period
- do not use the maximum dosage for more than 2 weeks
- **children under 12 years:** ask a doctor
- mL= milliliter

Other information

- **each 10 mL dose contains:** calcium 335 mg; magnesium 120 mg; sodium 6 mg
- store at room temperature, do not freeze.

Inactive ingredients

benzyl alcohol, caramel, carboxymethylcellulose sodium, disodium edetate, flavors, glycerin, microcrystalline cellulose, purified water, sodium carbonate, sorbitol, sucralose, sucrose, xanthan gum

Questions or comment?

1-866-467-2748

Principal Display Panel

Compare to active ingredients in **Mylanta®***

NDC 0363-6701-12

Liquid

Antacid + Anti-Gas

For fast relief of heartburn, acid indigestion, and painful gas

- Paraben Free
- Great Taste


Vanilla Caramel Flavor

12 FL OZ (355mL)

TAMPER-EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Distributed by:

***This product is not manufactured or distributed by Infirst Healthcare Inc., the distributor of Mylanta®**



WALGREEN LIQUID ANTACID

calcium carbonate, magnesium hydroxide and simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-6701
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B)	CALCIUM CARBONATE	800 mg in 10 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	270 mg in 10 mL
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE, UNSPECIFIED	80 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARAMEL (UNII: T9D99G2B1R)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
WATER (UNII: 059QF0KO0R)	
SODIUM CARBONATE (UNII: 45P3261C7T)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	WHITE (OFF WHITE)	Score	
Shape		Size	
Flavor	VANILLA (Caramel)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6701-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	10/01/2024	

Labeler - WALGREENS CO. (008965063)

Revised: 1/2026

WALGREENS CO.