

# **MUCUS RELIEF D- guaifenesin and pseudoephedrine hcl tablet, extended release**

**CVS Health Corp**

-----  
**Drug Facts**

## **Active ingredients (in each extended-release tablet)**

Guaifenesin USP, 1200

mg.....Expectorant

Pseudoephedrine HCl USP, 120 mg.....Nasal

Decongestant

## **Purpose**

Expectorant and Nasal Decongestant

## **Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

## **Warnings**

### **Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

- cough accompanied by too much phlegm (mucus)

### **When using this product**

- do not use more than directed

### **Stop use and ask doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

### **Other information**

- tamper evident: do not use if carton is open or if printed seal on blister is broken or missing
- store between 20° - 25°C (68° - 77°F)

### **Inactive ingredients**

FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

### **Questions?**

call **1-888-375-3784**

You may also report side effect to this phone number.

### **Principal Display Panel**

Guaifenesin and Pseudoephedrine HCl ER Tablets 1200 mg/120 mg:

**Drug Facts**

**Active Ingredients** **Purpose**  
 (in each extended-release tablet)  
 Guaifenesin USP, 1200 mg.....Expectorant  
 Pseudoephedrine HCl USP, 120 mg.....Nasal Decongestant

**Uses**  
 ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive  
 ■ temporarily relieves nasal congestion due to:  
 ■ common cold ■ hay fever ■ upper respiratory allergies  
 ■ temporarily restores freer breathing through the nose  
 ■ promotes nasal and/or sinus drainage  
 ■ temporarily relieves sinus congestion and pressure

**Warnings**  
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
 ■ heart disease ■ high blood pressure  
 ■ thyroid disease ■ diabetes  
 ■ trouble urinating due to an enlarged prostate gland  
 ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
 ■ cough accompanied by too much phlegm (mucus)

**When using this product** ■ do not use more than directed  
 Stop use and ask a doctor if ■ you get nervous, dizzy, or sleepless  
 ■ symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
 ■ do not crush, chew, or break tablet  
 ■ take with a full glass of water  
 ■ this product can be administered without regard for timing of meals  
 ■ adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours  
 ■ children under 12 years of age: do not use

**Other information**  
 ■ tamper evident: do not use if carton is open or if printed seal on blister is broken or missing  
 ■ store at 20° - 25°C (68° - 77°F)

**Inactive ingredients** FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

**Questions?** call 1-888-375-3784. You may also report side effects to this phone number.

**MAXIMUM STRENGTH****Mucus D**

GUAIFENESIN & PSEUDOEPHEDRINE  
 HYDROCHLORIDE EXTENDED-RELEASE  
 TABLETS, 1200 mg/120 mg  
**EXPECTORANT & NASAL DECONGESTANT**



Compare to the active ingredients in Mucinex® D Maximum Strength Tablets\*  
 NDC 69842-211-24

**MAXIMUM STRENGTH****Mucus D**

GUAIFENESIN & PSEUDOEPHEDRINE  
 HYDROCHLORIDE  
 EXTENDED-RELEASE  
 TABLETS, 1200 mg/120 mg

**EXPECTORANT & NASAL DECONGESTANT**

- Clears nasal/sinus congestion
- Thins & loosens mucus



TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR IF PRINTED SEAL ON BLISTER IS BROKEN OR MISSING.

Keep the carton: it contains important information. See expiration date on end panel.

**MAXIMUM STRENGTH****Mucus D**

GUAIFENESIN & PSEUDOEPHEDRINE  
 HYDROCHLORIDE EXTENDED-RELEASE  
 TABLETS, 1200 mg/120 mg

**EXPECTORANT & NASAL DECONGESTANT**

- Clears nasal/sinus congestion
- Thins & loosens mucus



Actual Size

**24 EXTENDED-RELEASE TABLETS****MAXIMUM STRENGTH****Mucus D**

GUAIFENESIN & PSEUDOEPHEDRINE  
 HYDROCHLORIDE  
 EXTENDED-RELEASE  
 TABLETS, 1200 mg/120 mg

**EXPECTORANT & NASAL DECONGESTANT**

- Clears nasal/sinus congestion
- Thins & loosens mucus



Distributed by: CVS Pharmacy, Inc.  
 One CVS Drive, Woonsocket, RI 02895  
 © 2019 CVS/pharmacy  
 CVS.com® 1-800-SHOP CVS

Made in India  
 V-35547



\*This product is not manufactured or distributed by Resckitt Benckiser LLC, owner of the registered trademark Mucinex®.



LOT

EXP

**MUCUS RELIEF D**

guaifenesin and pseudoephedrine hcl tablet, extended release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-211(NDC:55111-799)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Guaifenesin</b> (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	1200 mg
<b>Pseudoephedrine Hydrochloride</b> (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)	Pseudoephedrine Hydrochloride	120 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	

<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

### Product Characteristics

<b>Color</b>	ORANGE	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	22mm
<b>Flavor</b>		<b>Imprint Code</b>	RDY;799
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-211-24	4 in 1 CARTON	07/08/2019	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69842-211-28	2 in 1 CARTON	05/31/2020	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA208369	07/08/2019	

**Labeler** - CVS Health Corp (062312574)

Revised: 3/2020

CVS Health Corp