

MUCUS RELIEF D- guaifenesin and pseudoephedrine hcl tablet, extended release

CVS Health Corp

Drug Facts

Active ingredients (in each extended-release tablet)

Guaifenesin USP, 1200

mg.....Expectorant

Pseudoephedrine HCl USP, 120 mg.....Nasal

Decongestant

Purpose

Expectorant and Nasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- tamper evident: do not use if carton is open or if printed seal on blister is broken or missing
- store between 20° - 25°C (68° - 77°F)

Inactive ingredients

FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

Questions?

call **1-888-375-3784**

You may also report side effect to this phone number.

Principal Display Panel

Guaifenesin and Pseudoephedrine HCl ER Tablets 1200 mg/120 mg:



MAXIMUM STRENGTH

Mucus D

GUAIFENESIN & PSEUDOEPHEDRINE
HYDROCHLORIDE EXTENDED-RELEASE
TABLETS, 1200 mg/120 mg
EXPECTORANT & NASAL DECONGESTANT



Compare to the active ingredients in Mucinex® D Maximum Strength Tablets*
NDC 69842-211-24



Drug Facts

Active ingredients Purpose
(in each extended-release tablet)
Guaifenesin USP, 1200 mg.....Expectorant
Pseudoephedrine HCl USP, 120 mg.....Nasal Decongestant

Uses
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
■ temporarily relieves nasal congestion due to:
■ common cold ■ hay fever ■ upper respiratory allergies
■ temporarily restores freer breathing through the nose
■ promotes nasal and/or sinus drainage
■ temporarily relieves sinus congestion and pressure

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
■ heart disease ■ high blood pressure
■ thyroid disease ■ diabetes
■ trouble urinating due to an enlarged prostate gland
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
■ cough accompanied by too much phlegm (mucus)

When using this product ■ do not use more than directed
Stop use and ask a doctor if ■ you get nervous, dizzy, or sleepless
■ symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ do not crush, chew, or break tablet
■ take with a full glass of water
■ this product can be administered without regard for timing of meals
■ adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
■ children under 12 years of age: do not use

Other information
■ tamper evident: do not use if carton is open or if printed seal on blister is broken or missing
■ store at 20° - 25°C (68° - 77°F)

Inactive ingredients FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

Questions? call 1-888-375-3784. You may also report side effects to this phone number.

MAXIMUM STRENGTH Mucus D

GUAIFENESIN & PSEUDOEPHEDRINE
HYDROCHLORIDE
EXTENDED-RELEASE
TABLETS, 1200 mg/120 mg

EXPECTORANT & NASAL DECONGESTANT

- Clears nasal/sinus congestion
- Thins & loosens mucus



TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR IF PRINTED SEAL ON BLISTER IS BROKEN OR MISSING.

Keep the carton: it contains important information. See expiration date on end panel.

MAXIMUM STRENGTH Mucus D

GUAIFENESIN & PSEUDOEPHEDRINE
HYDROCHLORIDE EXTENDED-RELEASE
TABLETS, 1200 mg/120 mg

EXPECTORANT & NASAL DECONGESTANT

- Clears nasal/sinus congestion
- Thins & loosens mucus



24 EXTENDED-RELEASE TABLETS



MAXIMUM STRENGTH Mucus D

GUAIFENESIN & PSEUDOEPHEDRINE
HYDROCHLORIDE
EXTENDED-RELEASE
TABLETS, 1200 mg/120 mg

EXPECTORANT & NASAL DECONGESTANT

- Clears nasal/sinus congestion
- Thins & loosens mucus



Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2019 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

Made in India
V-35547



*This product is not manufactured or distributed by Resckitt Benckiser LLC, owner of the registered trademark Mucinex®.



LOT
EXP

MUCUS RELIEF D

guaifenesin and pseudoephedrine hcl tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-211(NDC:55111-799)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	1200 mg
Pseudoephedrine Hydrochloride (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)	Pseudoephedrine Hydrochloride	120 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	CAPSULE	Size	22mm
Flavor		Imprint Code	RDY;799
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-211-24	4 in 1 CARTON	07/08/2019	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69842-211-28	2 in 1 CARTON	05/31/2020	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA208369	07/08/2019	

Labeler - CVS Health Corp (062312574)

Revised: 12/2025

CVS Health Corp