

**ARTISTRY EXACT FIT LONGWEARING FOUNDATION SHADE BRULE L4W1-  
titanium dioxide cream  
Amway Corp**

-----  
**Artistry Exact Fit™ Longwearing Foundation Shade Brule - L4W1**

***Drug Facts***

***Active Ingredients***

Titanium Dioxide 4.025% (W/W P/P)

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn

***Warnings***

**For external use only**

**Do not use**

on broken or damaged skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

For sunscreen use

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating or washing
- Reapply at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. **Sun Protection Measures.**
- To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or

higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: ask a doctor

### ***Other Information***

- Protect this product from excessive heat and direct sun

### ***Inactive ingredients***

WATER/AQUA/EAU, CYCLOPENTASILOXANE, TRIMETHYLSILOXYSILICATE, GLYCERIN, PEG-10 DIMETHICONE, BUTYLENE GLYCOL, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TRIMETHYLSILOXYPHENYL DIMETHICONE, TALC, SILICA, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, POLYSILICONE-11, PHENOXYETHANOL, DISTEARDIMONIUM HECTORITE, ALUMINA, POLYSORBATE-20, SODIUM CHLORIDE, SODIUM CITRATE, STEAROYL GLUTAMIC ACID, TRIETHOXYCAPRYLYLSILANE, METHYLPARABEN, DISODIUM EDTA, TOCOPHERYL ACETATE, PROPYLPARABEN, ETHYLPARABEN, IODOPROPYNYL BUTYLCARBAMATE, PEARL POWDER, LAURETH-12, LECITHIN, CERAMIDE NP, BETA-SITOSTEROL, SODIUM HYALURONATE, GLUCOSAMINE HCL, UREA, YEAST EXTRACT, ALGAE EXTRACT, TOCOPHEROL CITRIC ACID, SODIUM HYDROXIDE MAY CONTAIN / PEUT CONTIENIR: IRON OXIDES (CI 77491, 77492, 77499), BISMUTH OXYCHLORIDE (CI 77163), TITANIUM DIOXIDE (CI 77891).

### **Package Labeling:**

**Inactive ingredients/Ingrédients inactifs/  
Ingredientes inactivos:** WATER/AQUA/EAU,  
CYCLOPENTASILOXANE, TRIMETHYLSILOXYLICATE,  
GLYCERIN, PEG-10 DIMETHICONE, BUTYLENE GLYCOL,  
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE,  
TRIMETHYLSILOXYPHENYL DIMETHICONE, TALC, SILICA,  
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER,  
HD/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER,  
POLYSILOXANE-11, PHENOXYETHANOL, DISTEARDIMONIUM  
HECTORITE, ALUMINA, POLYSORBATE-20, SODIUM  
CHLORIDE, SODIUM CITRATE, STEAROYL GLUTAMIC  
ACID, TRIETHOXYCAPRYLYLSILANE, METHYL PARABEN,  
DISODIUM EDTA, TOCOPHERYL ACETATE, PROPYL PARABEN,  
ETHYL PARABEN, IODOPROPYNYL BUTYL CARBAMATE,  
PEARL POWDER, LAURETH-12, LECITHIN, CERAMIDE NP,  
BETA-SITOSTEROL, SODIUM HYALURONATE, GLUCOSAMINE  
HCL, UREA, YEAST EXTRACT ALGAE EXTRACT, TOCOPHEROL  
CITRIC ACID, SODIUM HYDROXIDE. MAY CONTAIN / PEUT  
CONTENIR: IRON OXIDES (CI 77491, 77492, 77499), BISMUTH  
OXYCHLORIDE (CI 77163), TITANIUM DIOXIDE (CI 77891).



**ARTISTRY  
EXACT FIT**



No Print  
Area

Longwearing Foundation  
SPF 15 Broad Spectrum  
Sunscreen Cream  
*Fond de Teint  
Longue Tenue*  
Crème solaire à large  
spectre SPF 15

NPN 80058607

30 mL / 1.0 FL OZ

\*TRADEMARK LICENSED BY ALTICOR INC./MARQUE DE COMMERCE  
UTILISÉE SOUS LICENCE PAR ALTICOR INC.  
MADE IN U.S.A./HECHO EN E.U.A.  
DIST. BY/PAR AMWAY CORP. 7575 FULTON, ADA, MI 49055 USA/C-11 •  
AMWAY CANADA CORPORATION, LONDON, ON N6Y 5V6 • MP, VO DIST.  
POR. AMWAY DOMINICAN REPUBLIC LLC • AMWAY SOUTH AFRICA  
(PTY) LTD., 12 FRISLAND DRIVE, LONGMEADOW BUSINESS ESTATE,  
JOHANNESBURG, 1690, TEL. 021 485 1777  
FABRICADO EN E.U.A. POR ACCESS BUSINESS GROUP LLC, 7575 FULTON  
STREET EAST, ADA, MI 49055 1039413

Amway™

**ARTISTRY EXACT FIT™**  
Base de Longue Duración  
Crema de Protección Solar con FPS 15 de Amplio Espectro  
24-HOUR LONG-WEARING MAKEUP IS COMFORTABLE AND LOOKS NATURAL  
THROUGH HEAT AND HUMIDITY./LE MAQUILLAJE LONGUE TENUE 24  
H RESTE CONFORTEABLE ET NATUREL, MÊME EN CAS DE CHALEUR ET  
D'HUMIDITÉ./MAQUILLAJE PARA 24 HORAS DE USO ES CÓMODO Y DA  
UNA APARIENCIA NATURAL AUN EN CALOR Y HUMEDAD.

**Drug Facts/Faits sur le produit/Datos  
sobre el producto**

<b>Active Ingredients Ingrédients Actifs Ingrediente Activo</b>	<b>Purpose/ Objetif/ Propósito</b>
Titanium Dioxide 4.025% (N/N P/P) Ecran solaire/Protector Solar	Sunscreen/ Ecran solaire/Protector Solar

**Uses/Utilisations/Usos**  
■ Helps prevent sunburn/Aide à prévenir les coups de  
soleil/Ayuda a prevenir las quemaduras de sol

**Warnings/Avertissements/Precauciones**  
For external use only/Usage externe seulement/Para uso  
externo solamente  
Do not use on broken or damaged skin/Ne pas utiliser  
sur une peau éraflée ou abîmée/No aplicar sobre piel  
lacerada o con daños

When using this product keep out of eyes. Rinse with water  
to remove./En utilisant ce produit, le tenir à l'écart des yeux.  
Rincer avec de l'eau pour l'enlever./Al usar este producto, evite  
el contacto con los ojos. Enjuague con agua para remover.

Stop use and ask a doctor if rash occurs/Cesser l'utilisation  
et consulter un médecin en cas d'irritation./Deje de usar y  
consulta con un médico si ocurre irritación

Keep out of reach of children. If product is swallowed,  
get medical help or contact a Poison Control Center  
right away./Tenir hors de la portée des enfants. En cas  
d'ingestion du produit, obtenir immédiatement un avis  
médical ou contacter un centre anti-poison./Mantener  
fuera del alcance de los niños. Si se ingiere el producto,  
debe obtener ayuda médica o comunicarse con un Centro  
de Control de Envenenamientos de inmediato.

**Drug Facts (continued)/Faits sur le  
produit (continué)/Datos del Producto  
(continuación)**

**Directions/Mode d'emploi/Instrucciones**

For sunscreen use/Pour une utilisation comme écran  
solaire/Usa del protector solar  
■ Apply liberally 15 minutes before sun exposure/  
Appliquer généreusement 15 minutes avant de  
s'exposer au soleil/Aplicar abundantemente 15  
minutos antes de exponerse al sol  
■ Use a water resistant sunscreen if swimming or  
sweating or washing/Utiliser un écran solaire  
résistant à l'eau pour nager ou si vous transpirez ou  
vous lavez/Use un filtro solar resistente al agua si  
va a nadar o sudar  
■ Reapply at least every 2 hours/Réappliquer au  
moins toutes les 2 heures/Vuelva a aplicar cada  
dos horas  
■ Sun Protection Measures. Spending time in the  
sun increases your risk of skin cancer and early  
skin aging.

To decrease this risk, regularly use a sunscreen with  
a broad spectrum SPF of 15 or higher and other sun  
protection measures including: ■ limit time in the sun,  
especially from 10 a.m. – 2 p.m. ■ wear long-sleeve  
shirts, pants, hats, and sunglasses/Mesures de protection  
solaire. Passer du temps au soleil augmente votre risque  
de cancer de la peau et de vieillissement prématuré de la  
peau. Pour diminuer ce risque, utiliser régulièrement un  
écran solaire avec un FPS de 15 ou plus à large spectre  
et d'autres mesures de protection solaire, notamment: •  
limiter le temps passé au soleil, en particulier entre 10 h  
00 et 14 h 00 • porter une chemise à manches longues,  
un pantalon, un chapeau et des lunettes de soleil./  
Medidas de Protección Solar. Exponerse por periodos  
largos al sol aumenta su riesgo de cáncer en la piel y  
envejecimiento prematuro de la piel. Para reducir el  
riesgo, debe usar filtro solar de amplia gama con FPS 15  
o más regularmente y otras medidas de protección contra  
el sol, incluyendo:  
■ limite el tiempo expuesto al sol, especialmente entre  
las 10 a.m. – 2 p.m. ■ use camisas de manga larga,  
pantalones, sombreros y lentes de sol  
■ Children under 6 months: ask a doctor/enfants de moins  
de 6 mois: consulter un médecin/ Menores de 6 meses  
consultar con un médico

**Other Information/Autre information/  
Otra Información**

■ Protect this product from excessive heat and direct sun/  
Protéger ce produit de la chaleur excessive et d'une exposition  
directe au soleil/Proteja este producto de calor excesivo y  
exposición directa al sol



1039413

**BRULEE  
L4W1**  
11-7700  
1046782m

# ARTISTRY EXACT FIT LONGWEARING FOUNDATION SHADE BRULE L4W1

titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50390-200
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	40.25 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>STEAROYL GLUTAMIC ACID</b> (UNII: 4R4O71786G)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>ETHYLPARABEN</b> (UNII: 14255EXE39)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
<b>PEARL (HYRIOPSIS CUMINGII)</b> (UNII: A75L5FZ40U)	
<b>LAURETH-12</b> (UNII: OAH19558U1)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>.BETA.-SITOSTEROL</b> (UNII: S347WMO6M4)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>GLUCOSAMINE HYDROCHLORIDE</b> (UNII: 750W5330FY)	
<b>UREA</b> (UNII: 8W8T17847W)	

<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50390-200-30	1 in 1 CARTON	05/01/2015	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2015	

**Labeler** - Amway Corp (083416854)

Revised: 10/2023

Amway Corp