

ULTIMATE P.D. CONCENTRATE- lactic acid, dodecyl benzene sulfonic acid, sulfonated oleic acid solution
Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Danger

Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/ eye protection/ face protection. Do not mix with bleach or other chlorinated products – will cause chlorine gas

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse

DIRECTIONS:

ULTIMATE P.D. CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameters: A dilute solution of a 0.5% lactic acid and 1.0% linear alkylate sulfonates teat dip will consist of

1 part Ultimate P.D. Concentrate and 9 parts potable water by volume.

IMPORTANT: Do not mix Ultimate P.D. Concentrate or diluted Ultimate P.D.

Concentrate with any other products. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling.

If product in dip cup becomes visibly dirty, discard contents and replenish with diluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Ultimate P.D. Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with diluted Ultimate P.D. Concentrate. Before each cow is milked, dip each teat full-length into the teat dip cup containing diluted Ultimate P.D. Concentrate. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Ultimate P.D. Concentrate. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10

days before calving.

PRECAUTION: Ultimate P.D. Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Ultimate P.D. Concentrate within six (6) months of blended date. Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

Danger

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use, first aid and precautionary statements

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Principal Display Panel & Representative Label

ECOLAB

Ultimate P.D. Concentrate

Teat Dip Concentrate

An aid in reducing the spread of organisms which may cause mastitis

Contains an emollient system

ACTIVE INGREDIENTS:

Lactic acid.....4.2%

Linear alkylate sulfonates.....8.2%

(includes 5.0% linear dodecyl benzene sulfonic acid and 3.2% sulfonated oleic acid)

INERT INGREDIENTS:.....47.6%

SKIN CONDITIONING SYSTEM:

(contains sorbitol)..... 40.0%

TOTAL:.....100.0%

Danger

KEEP OUT OF REACH OF CHILDREN

FOR INDUSTRIAL USE ONLY

NOT FOR HUMAN USE

Read other label for directions for use, first aid and precautionary statements

208 L (55 US GAL)

710924/5302/0517

6300480

ECOLAB[®]

Ultimate P.D. Concentrate[™]

Teat Dip Concentrate Concentrado para el tratamiento de pezones

- An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- Contains an emollient system | Contiene un sistema emoliente

ACTIVE INGREDIENTS:

Lactic acid.....4.2%
Linear alkylate sulfonates.....8.2%
(includes 5.0% linear dodecyl benzene sulfonic acid and 3.2% sulfonated oleic acid)

INERT INGREDIENTS:.....47.6%

SKIN CONDITIONING SYSTEM:

(contains sorbitol).....40.0%

TOTAL:.....100.0%

Danger | Peligro

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE
NOT FOR HUMAN USE | NO ES PARA USO HUMANO

Read other label for directions for use, first aid and precautionary statements
Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas

710924/5302/0517




Teat Dip
Baño de tetina



Teat Spray
Roceador de tetina

208 L (55 US GAL)
6300480





Ultimate P.D. Concentrate™

Teat Dip Concentrate

FOR INDUSTRIAL USE ONLY

DIRECTIONS:

ULTIMATE P.D. CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameters: A dilute solution of a 0.5% lactic acid and 1.0% linear alkylate sulfonates teat dip will consist of 1 part Ultimate P.D. Concentrate and 9 parts potable water by volume.

IMPORTANT: Do not mix Ultimate P.D. Concentrate or diluted Ultimate P.D. Concentrate with any other products. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling.

If product in dip cup becomes visibly dirty, discard contents and replenish with diluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Ultimate P.D. Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with diluted Ultimate P.D. Concentrate. Before each cow is milked, dip each teat full-length into the teat dip cup containing diluted Ultimate P.D. Concentrate. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Ultimate P.D. Concentrate. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Ultimate P.D. Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Ultimate P.D. Concentrate within six (6) months of blended date.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Danger

Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/ eye protection/ face protection. Do not mix with bleach or other chlorinated products - will cause chlorine gas

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Concentrado para el tratamiento de pezones

PARA USO INDUSTRIAL SOLAMENTE

INSTRUCCIONES:

ULTIMATE P.D. CONCENTRATE DILUIR ANTES DE USAR

MEZCLAR EXCLUSIVAMENTE CON AGUA POTABLE Y A TEMPERATURA FRESCA

PARA USO EXCLUSIVO EN SISTEMAS DE DISPENSADO RECOMENDADOS POR ECOLAB

Parámetros de dilución: Una solución diluida de baño antiséptico para tetillas de 0.5% de ácido láctico y 1% de sulfonatos alquílicos lineales estará compuesta por 1 parte de concentrado Ultimate P.D. y 9 partes de agua potable por volumen.

IMPORTANTE: No mezcle Ultimate P.D. Concentrate o Ultimate P.D. Concentrate diluido con ningún otro producto. Si desea traspasar el producto de este envase a otro, asegúrese de que el otro envase se encuentre bien limpio y sea la correspondiente etiqueta de envase.

Si el producto en el recipiente del desinfectante se ve sucio, deseche ese contenido y recargue con producto diluido. No vuelva a utilizar ni devuelva ningún producto sin uso al envase original.

Antes de ordeñar: Lave bien las tetillas inmediatamente antes del siguiente ordeño con una solución de lavado para ubres adecuada o con desinfectante de preordeño para tetillas para evitar la contaminación de la leche. Luego seque las tetillas con toallas descartables. Utilice los procedimientos adecuados para el lavado o la desinfección de la ubre.

Aplicación del diluido Ultimate P.D. Concentrate

Instrucciones para realizar el sellado del pezón

Sellado del pezón previo al ordeño: Llene el recipiente del desinfectante para tetillas con Ultimate P.D. Concentrate diluido. Antes de ordeñar a cada vaca, sumerja por completo cada tetilla en el recipiente para desinfectante para tetillas con Ultimate P.D. Concentrate diluido. Después de sumergirlas, seque las tetillas con toallas descartables para evitar la contaminación de la leche.

Instrucciones para aplicar el rociador en las tetillas

Aplicación del rociador antes del ordeño: Antes de ordeñar a cada vaca, aplique Ultimate P.D. Concentrate diluido en rociador sobre toda la tetilla. Después de aplicar el rociador, seque las tetillas con toallas descartables para evitar la contaminación de la leche.

Otros usos: Cuando se trata de lavar las vacas, comience a aplicar el desinfectante dos veces al día por unos 10 días antes de que den cría.

PRECAUCIÓN: Ultimate P.D. Concentrate no está diseñado para curar o ayudar a sanar las tetillas irritadas o agrietadas. Como con todo germicida, pueden darse casos de irritación o sensibilidad en animales sensibles. En caso de tetillas irritadas o agrietadas, llame a un veterinario para evaluar o, si es necesario, tratar esa condición.

AVISO: Utilice Ultimate P.D. Concentrate mezclado dentro de los seis (6) meses posteriores a la fecha de mezcla.

Consulte con su Representante de ECOLAB para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

Peligro

Provoca graves quemaduras en la piel y lesiones oculares.

Lave la piel minuciosamente después del manejo. Usar guantes/ropa de protección/ equipo de protección para los ojos/ la cara. No se mezcle con el blanqueador u otros productos tratados con cloro - causará el gas de cloro.

EN CASO DE INGESTIÓN: Enjuagar la boca. NO provocar el vómito. EN CASO DE CONTACTO CON LA PIEL (o el pelo): Quitar inmediatamente la ropa contaminada. Enjuagar la piel con agua/ ducharse. EN CASO DE INHALACIÓN: Transportar la víctima al aire libre y mantenerla en reposo en una posición que le facilite la respiración. EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA o a un médico. Lavar la ropa contaminada antes de volverla a usar.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a un cobro revertido al 1 651 222 5352 (número en los EE.UU.).

This product may be patented | Este producto puede ser patentado: www.ecolab.com/patents

Ecolab - 1 Ecolab Place - St Paul MN 55102 USA - tel. 1 800 392 3392
© 2017 Ecolab USA - All rights reserved | Todos los derechos reservados
Made in U.S.A. | Hecho en EE.UU.
www.ecolab.com - 710926/5301/017

ULTIMATE P.D. CONCENTRATE

lactic acid, dodecyl benzene sulfonic acid, sulfonated oleic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-494
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	42 mg in 1 mL
DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9)	DODECYLBENZENESULFONIC ACID	50 mg in 1 mL
POTASSIUM SULFOLEATE (UNII: L178170LB5) (SULFONATED OLEIC ACID - UNII:DDS68Y210L)	POTASSIUM SULFOLEATE	32 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SORBITOL (UNII: 506T60A25R)

WATER (UNII: 059QF0KOOR)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-494-42	5700 mL in 1 BOTTLE, PLASTIC		
2	NDC:47593-494-17	56700 mL in 1 DRUM		
3	NDC:47593-494-21	208000 mL in 1 DRUM		
4	NDC:47593-494-44	1150000 mL in 1 CONTAINER		
5	NDC:47593-494-35	21000000 mL in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/13/2012	

Labeler - Ecolab Inc. (006154611)

Revised: 9/2025

Ecolab Inc.