

WALGREENS ADULT GLYCERIN LAXATIVE- glycerin suppository suppository Walgreens

Walgreens® Glycerin Suppositoires 25ct

Active Ingredient

(in each suppository)
Glycerin, USP 2 grams

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

Do not use

Do not use laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

Ask a doctor before use if you have

- abdominal pain - nausea - vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

When using this product

When using this product you may have rectal discomfort or a burning sensation

Stop use and ask a doctor if

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These could be signs of a serious condition.

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and over.....1 suppository per day or as directed by a doctor

children 2 to under 6 years.....use Walgreens Infants & Children suppositories

children under 2 years.....ask a doctor

Other information

- keep tightly closed
- avoid excessive heat

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Purpose

Laxative

Product Label



WALGREENS ADULT GLYCERIN LAXATIVE

glycerin suppository suppository

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-0445 |
| Route of Administration | RECTAL | | |

| Active Ingredient/Active Moiety | | |
|--|-------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX) | GLYCERIN | 2 g |

| Inactive Ingredients | |
|-------------------------------------|----------|
| Ingredient Name | Strength |
| STEARIC ACID (UNII: 4ELV7Z 65AP) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| WATER (UNII: 059QF0KO0R) | |

| Product Characteristics | | | |
|-------------------------|---------------|--------------|------|
| Color | white (CLEAR) | Score | |
| Shape | BULLET | Size | 32mm |
| Flavor | | Imprint Code | |
| Contains | | | |

| Packaging | | | | |
|-----------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:0363-0445-25 | 25 in 1 JAR; Type 0: Not a Combination Product | 11/01/2016 | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M007 | 11/01/2016 | |

Labeler - Walgreens (008965063)

Registrant - Unipack LLC (116015769)

| Establishment | | | |
|---------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Unipack LLC | | 009248480 | manufacture(0363-0445) |