

TOTY SOLARIA BODY- octinoxate, octocrylene, titanium dioxide, zinc oxide cream
CHIPICAN LLC

toty Solaria Body

Active Ingredients

Octinoxate 7.5%

Octocrylene 5.0%

Titanium Dioxide 0.4%

Zinc Oxide 2.0%

Purpose

Sunscreen

Uses

Helps prevent sunburn

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if Rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure

Reapply:

After 40 minutes of swimming or sweating

Immediately after towel drying

At least every 2 hours

Sun protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
Limit time in the sun, especially from 10 a.m. - 2 p.m.
Wear long-sleeved shirts, pants, hats, and sunglasses
Children under 6 months of age: Ask a doctor

Other information

Do not expose the product to high temperatures
Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water; Glycerin; Hexylene Glycol; Cyclopentasiloxane; PEG/PPG-20/6 Dimethicone; Polycrylamide; Styrene/Acrylates Copolymer; Cyclohexasiloxane; Phenoxyethanol; C13-14 Isoalkane; Propylene Glycol; *Polypodium leucotomos* Leaf Extract; Cetyl Dimethicone; Laureth-7; *Camellia sinensis* (Green tea) Leaf Extract; Tocopheryl Acetate; PEG-8 Laurate; Tetrasodium EDTA; Dichlorobenzyl Alcohol; Fragrance; Alumina; Plankton Extract (*Chlorella vulgaris* Extract); Triethoxycaprylylsilane; Simethicone; Linalool; Lactic Acid; Lecithin; Ethylhexylglycerin, Triisopropanolamine; Pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, BHT.

Package Label. Principal Display Panel

toty. ®
SOLARIA
BODY
SPF 50
REFRESHING ANTIOXIDANT
SUNSCREEN
PROTECTOR SOLAR
REFRESCANTE ANTIOXIDANTE
SUNSCREEN BROAD SPECTRUM SPF 50
WATER & SWEAT RESISTANT (40 MINUTES)
PROTECTOR SOLAR AMPLIO ESPECTRO SPF 50
RESISTENTE AL AGUA Y AL SUDOR (40 MINUTOS)
5.07 fl. oz./ 150 ml

Suncare Always,
Siempre Bonita

toty.



THIS REFRESHING, NON-GREASY GEL-TO-CREAM, BROAD SPECTRUM SPF 50 SUNSCREEN FOR THE BODY ABSORBS QUICKLY AND IS ENHANCED WITH AN ANTIOXIDANT-RICH BLEND OF PLE FERBOOST TECHNOLOGY™ (POLYPODIUM LEUCOTOMOS EXTRACT), VITAMIN E AND GREEN TEA EXTRACT TO HELP FIGHT SUN DAMAGE AND SUPPORT SKIN HEALTH WITH SWEAT AND WATER RESISTANT PROPERTIES (40 MINUTES). IT IS DESIGNED TO FIT YOUR ACTIVE LIFESTYLE.

ESTE REFRESCANTE PROTECTOR SOLAR CORPORAL SPF 50 DE AMPLIO ESPECTRO EN FORMA GEL-CREMA, NO GRASOSO, SE ABSORBE RÁPIDAMENTE Y ESTÁ ENRIQUECIDO CON UN COMPLEJO ANTIOXIDANTE QUE INCLUYE PLE FERBOOST TECHNOLOGY™ (EXTRACTO DE POLYPODIUM LEUCOTOMOS), VITAMINA E Y EXTRACTO DE TÉ VERDE PARA AYUDAR A COMBATIR EL DAÑO SOLAR Y REFORZAR LA SALUD DE LA PIEL. ES RESISTENTE AL SUDOR Y AL AGUA (40 MINUTOS), DISEÑADO PARA ADAPTARSE A TU ESTILO DE VIDA ACTIVO.

**SOLARIA
BODY**

SPF 50

REFRESHING ANTIOXIDANT
SUNSCREEN
PROTECTOR SOLAR
REFRESCANTE ANTIOXIDANTE

SUNSCREEN BROAD SPECTRUM SPF 50
WATER & SWEAT RESISTANT (40 MINUTES)
PROTECTOR SOLAR AMPLIO ESPECTRO SPF 50
RESISTENTE AL AGUA Y AL SUDOR (40 MINUTOS)

5.07 fl. oz. / 150 ml

DERMATOLOGICALLY TESTED /
DERMATOLÓGICAMENTE TESTADO

FOR ALL SKIN TYPES /
PARA TODO TIPO DE PIEL

NON-COMEDOGENIC /
NO COMEDOGENICO

PARABEN FREE /
LIBRE DE PARABENOS

VEGAN /
VEGANO

CRUELTY-FREE /
NO TESTADO EN ANIMALES

Información Sobre el Fármaco

Ingredientes Activos	Función
Octinoxate 7.5%	Protector solar
Octocrylene 5.0%	
Titanium Dioxide 8.4%	
Zinc Oxide 2.2%	

Usos
 ■ Ayuda a prevenir las quemaduras solares.
 ■ Si se usa como se indica junto con otras medidas de protección solar (como el uso de ropa), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol.

Advertencias
 Solo para uso externo.
 No usar en piel dañada o irritada.
 Cuando use este producto:
 ■ Evite el contacto con los ojos. Acudir con agua si esto ocurre.
 Deje de usarlo y consulte a un médico si:
 ■ Ocurre irritación de la piel.

Modo de empleo
 ■ Aplique generosamente 15 minutos antes de exponerse al sol.
 ■ Vuelva a aplicar:
 ■ Después de 40 minutos de nadar o sudar.
 ■ Inmediatamente después de secarse con una toalla.
 ■ Al menos cada 2 horas.
 ■ Medidas de Protección Solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para limitar este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
 ■ Limitar el tiempo bajo el sol, especialmente de 10 a.m. - 2 p.m.
 ■ Usar camisas de manga larga, pantalones, sombreros y lentes de sol.
 ■ Hacer monitoreo de 6 meses de edad conlleva a un médico.

Alta información
 ■ No exponer el producto a altas temperaturas.
 ■ Prohibido el uso en bebés menores de 2 años.
 ■ Prohibido el uso en niños menores de 6 años.
 ■ Prohibido el uso en niños menores de 12 años.
 ■ Prohibido el uso en niños menores de 18 años.
 ■ Prohibido el uso en niños menores de 21 años.
 ■ Prohibido el uso en niños menores de 24 años.
 ■ Prohibido el uso en niños menores de 27 años.
 ■ Prohibido el uso en niños menores de 30 años.
 ■ Prohibido el uso en niños menores de 33 años.
 ■ Prohibido el uso en niños menores de 36 años.
 ■ Prohibido el uso en niños menores de 39 años.
 ■ Prohibido el uso en niños menores de 42 años.
 ■ Prohibido el uso en niños menores de 45 años.
 ■ Prohibido el uso en niños menores de 48 años.
 ■ Prohibido el uso en niños menores de 51 años.
 ■ Prohibido el uso en niños menores de 54 años.
 ■ Prohibido el uso en niños menores de 57 años.
 ■ Prohibido el uso en niños menores de 60 años.
 ■ Prohibido el uso en niños menores de 63 años.
 ■ Prohibido el uso en niños menores de 66 años.
 ■ Prohibido el uso en niños menores de 69 años.
 ■ Prohibido el uso en niños menores de 72 años.
 ■ Prohibido el uso en niños menores de 75 años.
 ■ Prohibido el uso en niños menores de 78 años.
 ■ Prohibido el uso en niños menores de 81 años.
 ■ Prohibido el uso en niños menores de 84 años.
 ■ Prohibido el uso en niños menores de 87 años.
 ■ Prohibido el uso en niños menores de 90 años.
 ■ Prohibido el uso en niños menores de 93 años.
 ■ Prohibido el uso en niños menores de 96 años.
 ■ Prohibido el uso en niños menores de 99 años.
 ■ Prohibido el uso en niños menores de 102 años.
 ■ Prohibido el uso en niños menores de 105 años.
 ■ Prohibido el uso en niños menores de 108 años.
 ■ Prohibido el uso en niños menores de 111 años.
 ■ Prohibido el uso en niños menores de 114 años.
 ■ Prohibido el uso en niños menores de 117 años.
 ■ Prohibido el uso en niños menores de 120 años.

Ingredientes inactivos
 Consulte la Tabla de Ingredientes Inactivos.

Preguntas o comentarios?
 Llámalo Gratis 1-833-866-7587 9 a.m. - 4 p.m. EST, Lunes-Viernes

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%	Sunscreen
Octocrylene 5.0%	
Titanium Dioxide 8.4%	
Zinc Oxide 2.2%	

Uses
 ■ Helps prevent sunburn.
 ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
 For external use only.
 Do not use on damaged or broken skin.
 When using this product: ■ Keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if: ■ Rash occurs.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure.
 ■ Reapply:
 ■ After 40 minutes of swimming or sweating.
 ■ Immediately after towel drying.
 ■ At least every 2 hours.
 ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ Limit time in the sun, especially from 10 a.m. - 2 p.m.
 ■ Wear long-sleeved shirts, pants, hats, and sunglasses.
 ■ Children under 6 months of age: Ask a doctor.

Other Information
 ■ Do not expose the product to high temperatures.
 ■ Prohibit the product in this container from excessive heat and direct sun.

Inactive Ingredients
 Water, Glycerin, Isopropyl Glycol, Cyclopentasiloxane, PEG-PPG-20/18 Dimethicone, Polysiloxane, Stearalkonium Chloride, Cellulose Gum, Phenoxyethanol, Triethyl Citrate, C15-19 Alkane, Fragrance, Glycol, Polydimethylsiloxane, Leaf Extract, Cetyl Dimethicone, Lauric Acid, Camellia sinensis (Green Tea) Leaf Extract, Tocopheryl Acetate, PEG-4 Laurate, Hexadecyl EDTA, Dichloromethane, Fragrance, Menthyl, Phenyl Ethyl Chloride, Ethylhexylglycerin, Triisobutylaluminum, Stearalkonium Chloride, Lactic Acid, Lactinyl, Ethylhexylglycerin, Triisobutylaluminum, Pentaerythrityl tetra-4-ethylhydroxydiphenylsulfonate, BHT.

Questions or comments?
 Call Toll Free 1-833-866-7587 9 a.m. - 4 p.m. EST, Monday-Friday



DISTRIBUTED BY /
DISTRIBUIDO POR
Chiploren LLC, Los Angeles, CA 90048
toty.com

MADE IN SPAIN /
FABRICADO EN ESPAÑA

27878-202-00



BATCH / LOT:
EXP / CAD.:

27878-202-00

TOTY SOLARIA BODY
 octinoxate, octocrylene, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-7373
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	5 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
LACTIC ACID (UNII: 33X04XA5AT)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
LAURETH-7 (UNII: Z95S6G8201)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
TRIISOPROPANOLAMINE (UNII: W9EN9DLM98)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
EDETATE SODIUM (UNII: MP1J8420LU)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
DICHLOROBENZYL ALCOHOL (UNII: 1NKX3648J9)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
POLYACRYLAMIDE (CROSSLINKED; 0.01-0.2 MOLE PERCENT BISACRYLAMIDE) (UNII: RHA9LWJ494)	
CETYL DIMETHICONE 150 (UNII: 5L694Y0T22)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PEG/PPG-20/6 DIMETHICONE (UNII: PWZ7N4UIKE)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-7373-1	1 in 1 CARTON	07/26/2024	
1		154.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/26/2024	

Labeler - CHIPICAN LLC (118132015)

Establishment

Name	Address	ID/FEI	Business Operations
Industrial Farmaceutica Cantabria SA		470471158	manufacture(82141-7373) , label(82141-7373) , pack(82141-7373)

Establishment

Name	Address	ID/FEI	Business Operations
Industrial Farmaceutica Cantabria, SA		462112621	analysis(82141-7373)

Revised: 6/2024

CHIPICAN LLC