

VICKS DAYQUIL KIDS AND VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS- dextromethorphan hbr, guaifenesin, diphenhydramine hcl
The Procter & Gamble Manufacturing Company

Vicks® DayQuil™ Kids / Vicks® NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR
COLD & COUGH + Convenience Pack

Vicks® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + MUCUS, Liquid

Drug Facts

Active ingredients (in each 15 mL)

Dextromethorphan HBr 10 mg
Guaifenesin 200 mg

Purpose

Cough suppressant
Expectorant

Uses

- temporarily relieves common cold symptoms:
- cough due to minor throat & bronchial irritation
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

- cough persists for more than 7 days, comes back or occurs with a fever, rash or

persistent headache

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

| | |
|---------------------------------|--|
| adults & children 12 yrs & over | 30 mL every 4 hrs |
| children 6 to under 12 yrs | 15 mL every 4 hrs |
| children 4 to under 6 yrs | do not use unless directed by a doctor |
| children under 4 yrs | do not use |

Other information

- **each 15 mL contains:**sodium 44 mg
- store at no greater than 25°C

Inactive ingredients

anhydrous citric acid, flavor, glycerin, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water

Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND SEAL AROUND THE NECK IS BROKEN OR MISSING

MADE IN CANADA

DIST. BY: PROCTER & GAMBLE, CINCINNATI, OH 45202

Vicks [®]NyQuil[™] Kids FREE OF ARTIFICIAL DYES & SUGAR COLD & COUGH + RUNNY NOSE, Liquid

Drug Facts

Active ingredients (in each 15 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine/Cough suppressant

Uses

- temporarily relieves common cold symptoms:
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- runny nose & sneezing

Warnings**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

| | |
|---------------------------------|--|
| adults & children 12 yrs & over | 30 mL every 4 hrs |
| children 6 to under 12 yrs | 15 mL every 4 hrs |
| children 4 to under 6 yrs | do not use unless directed by a doctor |
| children under 4 yrs | do not use |

Other information

- **each 15 mL contains:**sodium 44 mg
- store at no greater than 25°C

Inactive ingredients

anhydrous citric acid, flavor, glycerin, polysorbate 20, propylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, water

Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINKBAND SEAL AROUND THE NECK IS BROKEN OR MISSING

MADE IN CANADA

DIST. BY: PROCTER & GAMBLE

CINCINNATI, OH 45202

PRINCIPAL DISPLAY PANEL - Convenience Pack

Vicks® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR / Vicks® NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR
COLD & COUGH + Convenience Pack

TRUSTED RELIEF

VICKS®

VALUEPACK

Vicks® DayQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR

COLD & COUGH + MUCUS

Guaifenesin, Dextromethorphan HBr

Chest Congestion,

Thins & Loosens Mucus

Cough

Non-Drowsy

Ages 6+

FREE OF ALCOHOL & ACETAMINOPHEN

Vicks® NyQuil™ Kids FREE OF ARTIFICIAL DYES & SUGAR

COLD & COUGH + RUNNY NOSE

Diphenhydramine HCl

Sneezing,

Runny Nose,

Cough Nighttime Relief

Ages 6+

FREE OF ALCOHOL & ACETAMINOPHEN

2 BOTTLES - 1 DAYQUIL/1 NYQUIL 6 FL OZ (177 mL) EACH; TOTAL 12 FL OZ (354 mL)

DayQuil Kids
FREE OF ARTIFICIAL DYES & SUGAR
FREE OF COLD & COUGH + MUCUS

NyQuil Kids
FREE OF ARTIFICIAL DYES & SUGAR
FREE OF COLD & COUGH + MUCUS

Safe, fast and effective.
Cough & cold relief
for your little one.

From VICKS' the world's #1
selling cough & cold brand.

TRUSTED RELIEF

VALUE PACK

2 BOTTLES - 1 DAYQUIL / 1 NYQUIL 6 FL. OZ (177 mL) EACH; TOTAL 12 FL. OZ (354 mL)

AGES 6+
Guaifenesin, Dextromethorphan HBr
Chest Congestion,
Thins & Loosens Mucus
Cough
Non-Drowsy
FREE OF ALCOHOL
& ACETAMINOPHEN

AGES 6+
Diphenhydramine HCl
Sneezing,
Runny Nose,
Cough
Nighttime Relief

PARENTS:
Learn about your medicine online
www.StopMedicineAbuse.org

MADE IN CANADA
DIST. BY: PROCTER & GAMBLE,
CINCINNATI, OH 45202

P&G
www.pg.com
Patents: www.pg.com/patents

3 29000 034951 2

21431309

TAMPER EVIDENT: DO NOT USE IF PRINTED
SHRINKBAND SEAL AROUND THE NECK IS
BROKEN OR MISSING

DayQuil Kids Free Of
Drug Facts
Active ingredients (in each 15 mL) Purpose
Diphenhydramine HCl 12.5 mg... Cough suppressant
Guaifenesin 200 mg... Expectorant

NyQuil Kids Free Of
Drug Facts
Active ingredients (in each 15 mL) Purpose
Dextromethorphan HBr 150 mg... Cough suppressant
Guaifenesin 200 mg... Expectorant

Uses
Temporarily relieves common cold symptoms:
cough due to minor throat & bronchial irritation
cough to help you sleep
runny nose & sneezing

Warnings
Do not use
with any other product containing diphenhydramine, even one used on skin
to make a child sleepy

Ask a doctor before use if you have
glaucoma
enlarged prostate gland
cough that occurs with too much phlegm (mucous)
breathing problem or chronic cough that lasts or occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product
excitability may occur, especially in children
marked drowsiness may occur
alcohol, sedatives, and tranquilizers may increase drowsiness
avoid alcoholic drinks
be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if
cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
Take only as directed
only use the dose cup provided
do not exceed 4 doses per 24 hrs
adults & children 12 yrs & over 30 mL every 4 hrs
children 6 to under 12 yrs 15 mL every 4 hrs
children 4 to under 6 yrs do not use unless directed by a doctor
children under 4 yrs do not use

Other information
each 15 mL contains: sodium 44 mg
store at no greater than 25°C

Inactive ingredients anhydrous citric acid, flavor, glycerin, polyethylene glycol, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucrose, water

Questions? 1-800-362-1883

VICKS DAYQUIL KIDS AND VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS

dextromethorphan hbr, guaifenesin, diphenhydramine hcl kit

Product Information

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:84126-312

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:84126-312-12 | 1 in 1 PACKAGE; Type 0: Not a Combination Product | 06/25/2024 | |

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|-------------------|------------------------|
| Part 1 | 1 BOTTLE, PLASTIC | 177 mL |
| Part 2 | 1 BOTTLE, PLASTIC | 177 mL |

Part 1 of 2

VICKS DAYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS MUCUS

dextromethorphan hbr, guaifenesin liquid

Product Information

Item Code (Source) NDC:84126-310

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------------------|--------------------|
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 200 mg in 15 mL |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg in 15 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SORBITOL (UNII: 506T60A25R) | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |

Product Characteristics

| | | | |
|-----------------|--------------------------|---------------------|--|
| Color | white (product is clear) | Score | |
| Shape | | Size | |
| Flavor | BERRY | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:84126-310-06 | 177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 06/25/2024 | |

Part 2 of 2

VICKS NYQUIL KIDS FREE OF ARTIFICIAL DYES AND SUGAR COLD AND COUGH PLUS RUNNY NOSE

diphenhydramine hydrochloride liquid

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:84126-311 |
| Route of Administration | ORAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------------------|---------------------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 12.5 mg in 15 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| WATER (UNII: 059QF0KO0R) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| SORBITOL (UNII: 506T60A25R) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |

Product Characteristics

| | | | |
|----------|------------------------------|--------------|--|
| Color | white (The product is clear) | Score | |
| Shape | | Size | |
| Flavor | GRAPE | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:84126-311-06 | 177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 06/25/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 06/25/2024 | |

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 12/2025

The Procter & Gamble Manufacturing Company